Selective Cleavage of *N*-Benzyl Protected 2°-Amines by Triphosgene

Martin G. Banwell, Mark J. Coster, Michael J. Harvey and John Moraes*

Research School of Chemistry, Institute of Advanced Studies, The Australian National University,
Canberra, ACT 0200, Australia

*E-mail: mgb@rsc.anu.edu.au

Contents:		Page
Figure S1	125 MHz ¹³ C NMR Spectrum of Compound 3	S2
Figure S2	75 MHz ¹³ C NMR Spectrum of Compound 10	S3
Figure S3	75 MHz ¹ H NMR Spectrum of Compound 11	S4
Figure S4	75 MHz ¹³ C NMR Spectrum of Compound 12	S5
Figure S5	300 MHz ¹ H NMR Spectrum of Compound 13	S6
Figure S6	75 MHz ¹³ C NMR Spectrum of Compound 19	S7
Figure S7	75 MHz ¹³ C NMR Spectrum of Compound 21	S8
Figure S8	300 MHz ¹ H NMR Spectrum of Compound 23	S9
Figure S9	300 MHz ¹ H NMR Spectrum of Compound 26	S10
Figure S10	500 MHz ¹ H NMR Spectrum of Compound 27	S11
Figure S11	75 MHz ¹³ C NMR Spectrum of Compound 28	S12
Figure S12	300 MHz ¹ H NMR Spectrum of Compound 29	S13
Figure S13	300 MHz ¹ H NMR Spectrum of Compound 30	S14
Figure S14	75 MHz ¹³ C NMR Spectrum of Compound 31	S15

Figure S1

75 MHz ^{13}C NMR Spectrum of
Compound **10** (solvent CDCl_3)

Figure S2

75Mz ^{13}C NMR Spectrum of
Compound **11** (solvent CDCl_3)

Figure S3

75 MHz ^{13}C NMR Spectrum of
Compound **12** (solvent CDCl_3)

Figure S4

Figure S5

75 MHz ^{13}C NMR Spectrum of
Compound **19** (solvent CDCl_3)

Figure S6

75 MHz ^{13}C NMR Spectrum of
Compound **21** (solvent CDCl_3)

Figure S7

Figure S8

CCOC(=O)[C@H](N(C)C)CCCCN(C)C

Page S10

Figure S10

Figure S11

Page S13

Figure S13

Figure S14