B.D20050b

RECEIVED

JAN 17 2002

Biochemistry Editorial Office

ACCELERATED PUBLICATION

SUPPORTING INFORMATION

Table S1: ^1H , ^{13}C and ^{15}N Chemical shifts of the Vam7p PX domain (pH6.2, 25°C) (Lu, et. al.)

K8	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1	CE	HE2	HE1	NZ	HZ1
K8	174.58	123.50	8.37	56.56	4.28	33.45	1.79	1.79	25.13	1.43	1.38	29.41	1.62	1.62	42.44	2.96	2.96		
M9	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CE	HE1						
M9	174.21	122.46	8.50	55.88	4.46	33.31	2.07	1.99	32.57	2.59	2.52	17.48	2.07						
S10	C	N	HN	CA	HA	CB	HB2	HB1											
S10	172.25	117.25	8.35	58.64	4.41	64.19	3.84	3.84											
E11	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1								
E11	174.19	123.04	8.38	56.44	4.27	30.98	2.01	1.91	36.50	2.23	2.23								
K12	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1	CE	HE2	HE1	NZ	HZ1
K12	174.05	122.91	8.33	56.91	4.21	33.63	1.67	1.67	25.46	1.38	1.30	29.54	1.62	1.62	42.64	2.94	2.94		
L13	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG	CD1	HD11	CD2	HD21					
L13	173.15	126.49	9.12	54.52	4.39	43.63	1.54	1.40	27.69	1.35	24.60	0.82	25.85	0.69					
R14	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1	NE	HE	CZ		
R14	172.82	126.97	8.24	56.31	4.30	30.15	1.69	1.62	27.69	1.52	1.39	43.69	3.11	3.11					
I15	C	N	HN	CA	HA	CB	HB	CG1	HG12	HG11	CD1	HD11	CG2	HG21					
I15	173.88	127.64	8.30	60.22	4.64	40.43	1.42	28.75	1.36	0.62	15.84	0.48	19.22	0.70					
K16	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1	CE	HE2	HE1	NZ	HZ1
K16	173.70	126.51	8.61	53.99	4.79	36.12	1.71	1.55	24.73	1.30	1.24	28.94	1.61	1.61	42.11	2.94	2.85		
V17	C	N	HN	CA	HA	CB	HB	CG2	HG21	CG1	HG11								
V17	173.38	125.90	9.91	61.42	5.28	30.64	2.31	21.14	0.85	23.83	1.08								
D18	C	N	HN	CA	HA	CB	HB2	HB1											
D18	173.64	122.05	8.28	53.65	4.71	41.53	2.95	2.38											
D19	C	N	HN	CA	HA	CB	HB2	HB1											
D19	172.12	116.79	7.81	54.54	4.98	45.27	2.26	2.66											
V20	C	N	HN	CA	HA	CB	HB	CG2	HG21	CG1	HG11								
V20	173.16	121.36	7.97	61.60	4.83	35.79	1.79	20.90	0.80	22.08	0.59								
K21	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1	CE	HE2	HE1	NZ	HZ1
K21	172.77	125.68	9.07	54.75	4.63	35.50	1.61	1.52	24.86	1.24	1.14	29.34	1.42	1.23	41.98	2.66	2.60		
I22	C	N	HN	CA	HA	CB	HB	CG1	HG12	HG11	CD1	HD11	CG2	HG21					
I22	173.02	125.49	8.90	62.23	4.15	38.65	1.76	28.55	1.46	0.88	13.96	0.74	18.61	0.77					
N23	C	N	HN	CA	HA	CB	HB2	HB1	CG	ND2	HD21	HD22							
N23	171.20	128.44	8.18	51.57	5.07	39.50	2.46	2.53		112.83	7.15	5.97							

P24	C	N	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1						
P24	174.28		65.93	4.22	32.76	2.36	1.72	28.29	2.03	1.91	51.10	3.73	3.50						
K25	C	N	HN	CA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1	CE	HE2	HE1	NZ	HZ1	
K25	173.78	112.29	8.20	56.23	4.04	34.67	1.59	1.77	25.46	1.31	1.19	29.08	1.62	1.62	42.51	2.93	2.93		
Y26	C	N	HN	CA	HA	CB	HB2	HB1	CD1	HD1	CE1	CZ	HH	CE2	HE2	CD2	HD2		
Y26	170.80	114.18	7.30	56.80	4.98	40.31	3.39	2.92	134.26	6.83	117.77	6.69		117.77	6.69	134.26	6.83		
V27	C	N	HN	CA	HA	CB	HB	CG2	HG21	CG1	HG11								
V27	173.84	119.46	8.35	62.10	4.56	34.44	2.03	23.05	0.98	21.66	0.44								
L28	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG	CD1	HD11	CD2	HD21					
L28	172.80	125.70	9.07	53.46	4.94	46.41	1.46	1.87	26.80	1.66	25.99	0.86	24.80	0.92					
Y29	C	N	HN	CA	HA	CB	HB2	HB1	CD1	HD1	CE1	CZ	HH	CE2	HE2	CD2	HD2		
Y29	173.42	121.90	9.50	58.49	4.61	39.69	3.22	2.77	132.91	7.14	117.37	6.87		117.37	6.87	132.91	7.14		
G30	C	N	HN	CA	HA2	HA1													
G30	168.60	113.45	9.30	47.06	3.55	2.63													
V31	C	N	HN	CA	HA	CB	HB	CG2	HG21	CG1	HG11								
V31	173.15	125.75	8.95	61.80	4.40	32.96	2.10	22.12	1.08	22.99	0.79								
S32	C	N	HN	CA	HA	CB	HB2	HB1											
S32	172.48	124.32	9.71	58.04	5.17	64.63	3.82	3.75											
T33	C	N	HN	CA	HA	CB	HB	CG2	HG21	HG1									
T33	117.25	8.55	59.63	4.98	68.28	4.54	22.52	1.10											
P34	C	N	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1						
P34	174.79		66.08	4.27	32.16	2.39	1.73	29.08	2.20	1.98	50.70	3.99	3.61						
N35	C	N	HN	CA	HA	CB	HB2	HB1	CG	ND2	HD21	HD22							
N35	172.50	110.47	7.91	53.73	4.79	40.90	2.66	2.78		112.70	6.97	7.58							
K36	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1	CE	HE2	HE1	NZ	HZ1
K36	171.60	118.23	7.57	56.30	4.56	35.87	1.75	1.64	24.27	1.25	1.19	29.41	1.62	1.62	42.38	2.95	2.95		
R37	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1	NE	HE	CZ		
R37	172.87	122.91	8.32	55.39	5.20	32.39	1.72	1.60	27.89	1.10	0.93	44.00	3.00	2.85	124.84	7.58			
L38	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG	CD1	HD11	CD2	HD21					
L38	173.02	127.48	8.87	53.58	4.69	45.36	1.40	1.40	27.40	1.42	26.58	0.67	24.47	0.76					
Y39	C	N	HN	CA	HA	CB	HB2	HB1	CD1	HD1	CE1	HE1	CZ	HH	CE2	HE2	CD2	HD2	
Y39	174.57	120.44	8.83	58.58	5.31	40.21	2.86	2.70	132.77	6.89	117.84	6.62		5.31	117.84	6.62	132.77	6.89	
K40	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1	CE	HE2	HE1	NZ	HZ1
K40	174.83	122.30	9.12	53.92	4.94	39.22	1.46	1.83	24.73	1.06	0.72	30.00	1.33	0.69	42.00	1.97	1.10		
R41	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1	NE	HE	CZ		
R41	176.77	123.31	9.53	56.02	5.30	32.46	2.47	1.92	28.22	1.81	1.72	43.76	2.77	2.77					
Y42	C	N	HN	CA	HA	CB	HB2	HB1	CD1	HD1	CE1	HE1	CZ	HH	CE2	HE2	CD2	HD2	
Y42	176.65	124.78	10.48	63.45	4.56	39.12	3.50	3.38	132.40	6.92	117.69	6.50		3.50	117.69	6.50	132.40	6.92	

[illegible]

Y62	C	N	HN	CA	HA	CB	HB2	HB1	CD1	HD1	CE1	HE1	CZ	HH	CE2	HE2	CD2	HD2	
Y62	173.16	119.27	5.63	55.17	4.70	39.99	3.52	2.41	132.22	6.59	118.19	6.46			118.19	6.46	132.22	6.59	
D63	C	N	HN	CA	HA	CB	HB2	HB1											
D63	172.70	122.85	9.14	55.63	4.44	41.34	2.62	2.62											
F64	C	N	HN	CA	HA	CB	HB2	HB1	CD1	HD1	CE1	HE1	CZ	HZ	CE2	HE2	CD2	HD2	
F64	172.30	125.56	8.38	55.94	4.41	42.75	2.92	2.51	131.59	6.17	131.27	6.73	128.22	6.46	131.27	6.73	131.59	6.17	
P65	C	N	CA	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1					
P65	172.47			63.51	4.42	30.79	1.96	1.90	27.76	1.38	1.38	49.45	2.75	1.53					
E66	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1								
E66	173.50	122.58	7.95	56.53	4.35	31.78	2.05	1.98	36.32	2.23	2.23								
K67	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1	CE	HE2	HE1	NZ	HZ1
K67	172.30	124.54	8.53	54.54	4.43	32.95	1.71	1.61	24.80	1.32	1.32	29.50	1.58	1.58	42.10	2.83	2.83		
P68	C	N	CA	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1					
P68	175.35			63.64	4.35	32.41	2.20	1.84	27.83	1.88	1.81	50.74	3.62	3.37					
G69	C	N	HN	CA	HA2	HA1													
G69	172.40	130.19	8.60	45.64	3.93														
V70	C	N	HN	CA	HA	CB	HB	CG2	HG21	CG1	HG11								
V70	174.33	118.27	7.77	63.13	3.86	32.76	1.97	20.96	0.82	21.44	0.82								
L71	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG	CD1	HD11	CD2	HD21					
L71	174.81	123.83	8.28	55.52	4.28	42.18	1.60	1.54	27.36	1.53	25.32	0.85	23.74	0.78					
D72	C	N	HN	CA	HA	CB	HB2	HB1											
D72	174.90	121.78	8.08	54.44	4.54	42.47	2.78	2.61											
R73	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1	NE	HE	CZ		
R73	175.38	123.13	8.47	57.81	4.11	30.22	1.81	1.74	27.50	1.60	1.60	43.56	3.14	3.14					
R74	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1	NE	HE	CZ		
R74	174.98	119.83	8.48	57.98	4.00	30.31	1.42	1.42	27.23	1.30	1.30	43.76	3.02	2.90					
W75	C	N	HN	CA	HA	CB	HB2	HB1	CD1	HD1	NE1	HE1	CZ2	HZ2	CH2	HH2	CZ3	HZ3	CE3
W75	174.13	118.81	7.72	57.33	4.72	29.80	3.38	3.23	127.49	7.24	129.15	10.07	114.72	7.41	124.54	7.12	122.04	7.07	121.14
Q76	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1	NE2	HE21	HE22					
Q76	173.77	119.64	7.89	56.13	4.21	29.12	2.07	1.84	34.15	2.15	2.15	112.08	7.39	6.80					
R77	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1	NE	HE	CZ		
R77	174.03	120.93	7.71	56.23	4.34	32.22	1.83	1.83	27.96	1.64	1.64	43.89	3.16	3.06					
R78	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1	NE	HE	CZ		
R78	175.94	121.58	8.67	56.83	4.33	32.16	1.83	1.83	28.35	1.71	1.71	43.82	3.29	3.16					
Y79	C	N	HN	CA	HA	CB	HB2	HB1	CD1	HD1	CE1	HE1	CZ	HH	CE2	HE2	CD2	HD2	
Y79	171.41	120.10	8.58	59.86	4.24	37.87	3.08	3.08	133.31	7.00	117.85	6.60			117.85	6.60	133.31	7.00	
D80	C	N	HN	CA	HA	CB	HB2	HB1											
D80	173.19	116.62	7.53	51.34	4.07	39.23	2.50	1.22											

[illegible]

Y100 C	N	HN	CA	HA	CB	HB2	HB1	CD1	HD1	CE1	HE1	CZ	HH	CE2	HE2	CD2	HD2
Y100	174.13	111.05	7.97	62.78	3.90	38.18	2.99	2.63	133.30	7.35	117.71	6.56		117.71	6.56	133.30	7.35
N101 C	N	HN	CA	HA	CB	HB2	HB1	CG	ND2	HD21	HD22						
N101	172.60	113.40	7.22	53.42	5.03	40.51	2.93	2.86	112.97	7.43	6.95						
D102 C	N	HN	CA	HA	CB	HB2	HB1										
D102	174.86	120.69	6.83	55.93	4.55	40.78	3.10										
R103 C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1	NE	HE	CZ	
R103	174.75	125.58	8.50	56.95	4.10	30.68	1.53	1.46	27.10	1.40	1.29	43.76	3.05	3.05			
F104 C	N	HN	CA	HA	CB	HB2	HB1	CD1	HD1	CE1	HE1	CZ	HZ	CE2	HE2	CD2	HD2
F104	173.76	119.81	8.77	59.42	4.63	40.46	3.10	3.30	132.05	7.38	130.82	7.38	129.62	7.30	130.82	7.38	132.05
D105 C	N	HN	CA	HA	CB	HB2	HB1										
D105	172.89	121.21	7.89	52.90	4.89	40.90	3.48	2.51									
S106 C	N	HN	CA	HA	CB	HB2	HB1										
S106	172.41	117.45	8.48	58.58	4.50	64.43	4.04	3.73									
R107 C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1	NE	HE	CZ	
R107	175.54	117.97	7.75	59.15	3.68	31.05	1.04	0.89	25.98	1.46	1.46	43.76	3.05	3.05	125.07	8.61	
W108 C	N	HN	CA	HA	CB	HB2	HB1	CG	CD1	HD1	NE1	HE1	CZ2	HZ2	CH2	CZ3	HE3
W108	175.93	115.69	6.46	57.78	3.92	29.01	3.55	3.15	130.32	7.78	130.02	10.17	115.02	7.21	125.34	6.99	121.40
R109 C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1	NE	HE	CZ	
R109	173.65	117.27	8.45	57.91	3.65	29.55	1.77	1.68	26.18	1.93	1.58	44.42	3.14	3.14	127.14	7.42	
D110 C	N	HN	CA	HA	CB	HB2	HB1										
D110	175.48	118.45	7.66	55.21	4.62	40.70	2.67	2.57									
T111 C	N	HN	CA	HA	CB	HB	CG2	HG21	HG1								
T111	172.95	130.62	7.27	61.96	4.18	71.82	4.47	22.36	1.43								
K112 C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1	CE	HE2	HE1	NZ
K112	176.99	123.66	8.60	59.50	3.98	32.29	1.82	1.82	25.26	1.49	1.43	29.41	1.72	1.62	42.57	3.02	3.02
I113 C	N	HN	CA	HA	CB	HB	CG1	HG12	HG11	CD1	HD11	CG2	HG21				
I113	176.55	114.72	7.72	64.31	3.95	38.88	1.69	28.68	1.61	1.19	14.62	0.89	18.61	0.89			
A114 C	N	HN	CA	HA	CB	HB1											
A114	179.86	123.21	8.10	55.48	4.16	18.94	1.50										
Q115 C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1	NE2	HE21	HE22				
Q115	176.53	121.07	8.27	59.83	4.10	28.79	2.21	2.21	34.48	2.58	2.58	112.73	7.65	6.76			
D116 C	N	HN	CA	HA	CB	HB2	HB1										
D116	177.94	118.99	9.02	56.98	4.48	40.60	2.80	2.63									
F117 C	N	HN	CA	HA	CB	HB2	HB1	CD1	HD1	CE1	HE1	CZ	HZ	CE2	HE2	CD2	HD2
F117	173.70	121.94	8.01	62.84	4.15	39.66	3.42	3.13	133.32	7.34	130.84	6.97	128.72	5.89	130.84	6.97	133.32
L118 C	N	HN	CA	HA	CB	HB2	HB1	CG	HG	CD1	HD11	CD2	HD21				
L118	171.85	110.93	6.30	53.26	4.35	42.08	1.60	1.29	26.90	1.83	26.18	0.23	23.28	0.53			

Q119	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1	NE2	HE21	HE22					
Q119		173.86	115.68	7.72	56.91	3.98	26.20	2.11	1.90	34.48	2.35	2.17	111.74	7.53	6.77				
L120	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG	CD1	HD11	CD2	HD21					
L120		175.96	117.27	8.21	55.62	4.22	42.80	1.69	1.57	26.90	1.54	26.38	0.90	22.89	0.76				
S121	C	N	HN	CA	HA	CB	HB2	HB1											
S121		171.90	114.44	8.04	58.13	4.45	64.36	3.81	3.81										
K122	C	N	HN	CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1	CE	HE2	HE1	NZ	HZ1
K122		172.80	123.83	8.24	54.60	4.62	33.13	1.82	1.72	25.00	1.44	1.44	29.50	1.66	1.66	42.50	2.97	2.97	
P123	C	N		CA	HA	CB	HB2	HB1	CG	HG2	HG1	CD	HD2	HD1					
P123		173.87			63.82	4.40	32.21	2.26	1.94	27.62	1.98	1.98	50.94	3.78	3.65				
N124	C	N	HN	CA	HA	CB	HB2	HB1	CG	ND2	HD21	HD22							
N124		177.50	123.83	7.94	55.06	4.42	40.58	2.71	2.71	112.72	7.49	6.79							