Supporting Information

Stereoselective intramolecular Nicholas reaction using epoxides as nucleophiles

*Fernando R. P. Crisóstomo, Tomás Martín and Víctor S. Martín**

Instituto Universitario de Bio-Organica “Antonio González”, Universidad de La Laguna,
C/Astrofísico Francisco Sánchez 2, 38206 La Laguna, Tenerife, Spain.

Index

¹ H, ¹³ C NMR and COSY spectra for compound 13 (R = Ac)	Pages S2-S3
NOE spectra for compound 13 (R = Ac).....	Pages S3-S4
¹ H, ¹³ C NMR and COSY spectra for compound 13 (R = Boc)	Page S4-S5
NOE spectra for compound 13 (R = Boc).....	Page S6
¹ H and COSY spectra for compound 13 (R = TBDPS).....	Page S7
NOE spectra for compound 13 (R = TBDPS)	Page S8
¹ H, ¹³ C NMR and COSY spectra for compound 14 (R = Ac).....	Pages S9-S10
NOE spectra for compound 14 (R = Ac).....	Pages S10-S11
¹ H, ¹³ C NMR and COSY spectra for compound 15 (R = Ac)	Pages S11-S12
NOE spectra for compound 15 (R = Ac).....	Page S13
¹ H and ¹³ C NMR spectra for compound 16.....	Page S14
NOE spectrum for compound 16	Page S15
¹ H, ¹³ C NMR and COSY spectra for compound 17.....	Pages S16-S17
NOE spectra for compound 17.....	Page S18
¹ H and ¹³ C NMR spectra for compound 20.....	Page S19
NOE spectra for compound 20	Page S20
¹ H spectra for 16 (from 20) and 23 (from 20).....	Page S21
¹ H, ¹³ C NMR and COSY spectra for compound 25a.....	Pages S22-S23
NOE spectra for compound 25a	Page S23-S24
¹ H, ¹³ C NMR and COSY spectra for compound 25b	Pages S24-S25
NOE spectra for compound 25b.....	Page S26

solvent: C₆D₆
nOe

solvent: C₆D₆
nOe

solvent: CDCl₃
nOe

solvent: CDCl₃
nOe

solvent: CDCl_3
nOe

solvent: CDCl₃
nOe

solvent: CDCl₃

solvent: CDCl₃
nOe

solvent: CDCl₃
nOe

solvent: $CDCl_3$
nOe

solvent: $CDCl_3$
nOe

Solvent: CDCl₃
nOe

Solvent: CDCl₃
nOe