STEREOSELECTIVE SYNTHESIS OF THE LITUARINE TRICYCLIC SPIROACETAL.

Jeremy Robertson,* Jonathan W. P. Dallimore and Paul Meo.

*Department of Chemistry, University of Oxford, Chemistry Research
Laboratory, Mansfield Road, Oxford, OX1 3TA, UK.*

SUPPORTING INFORMATION

¹H and ¹³C NMR Spectra for Compounds **8**, **9**, **12**, **13** and **16-20**.

Instrument DOX400
Chemist bmd
Group Jr

Butenolide pure
h1acq. au CDC13 e:\ DPchemist 60

MR@CHEM.OX

1892.5
1891.1

2940.7
2935.0
2909.3
2899.9
2853.1
2847.5
2840.4
2783.3
2757.7
2525.4
2518.8
2500.8
2435.2
2433.8
2429.6
2428.2
2395.4
2343.0
2337.4
1623.6
1612.4
1610.5
1608.7
1607.0
1601.0
1599.1
1597.6
1597.6
1595.8
1588.6
1587.1
1585.8
1584.0
1584.2
1582.7
1560.9
1558.4
1553.2
1551.8
1548.5
1545.1
1534.1
1070.6
1063.0
1056.0
985.5
978.6
915.0
894.9
888.1
810.9
809.4
803.3
801.3
798.5
796.7
789.4
787.4
783.8
780.8
778.6
775.2
773.2
770.9
768.6
762.8
758.5
756.0
751.7
748.6
747.6
744.5
739.6
738.3
732.5
731.2
725.7
724.7
721.4
720.6
712.4
705.4
702.1
700.6
697.0
692.6
690.9
688.3
687.0
685.9
681.8
678.6
675.5
671.1
669.5
667.6
665.3
664.5
663.0
656.0
652.6
651.2
622.2
619.8

Current Data Parameters
NAME Mar05-2003-60
EXPNO 1
PROCNO 1
F2 - Acquisition Parameters
Date_ 20030305
Time 22.09
INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 16
DS 2
SWH 8278.146 Hz
FIDRES 0.116314 Hz
AQ 3.9584243 s
RG 40.3
DW 60.400 Hz
DE 7.50 Hz
TE 300.0 K
D1 1.00000000 s
===== CHANNEL F1 =====
NUC1 1H
P1 9.00 Hz
PL1 0.00 dB
SFO1 400.2024714 MHz
F2 - Processing parameters
SI 32768
SF 400.2000028 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

Instrument DQX400
Chemist bmd
Group jr

butenolide pure
c13apt.au CDC13 e:\ DPchemist60

NAME
EXPNO
PROCNO

Current Data Parameters
NAME Mar05-2003-60
EXPNO 2
PROCNO 1

F2 - Acquisition Parameters
Date_ 20030305
Time 22.24

INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG apt.dp
TD 65536
SOLVENT CDCl3
NS 256
DS 4

SWH 26178.010 H
FIDRES 0.399445 H
AQ 1.2517875 s
RG 32768
WM 19.100 u
DE 7.50 u
TE 300.0 K

CNST2 145.0000000
D1 1.0000000 s
D12 0.00002000 s
d20 0.00689655 s
D21 0.00050000 s
P1 9.50 u

===== CHANNEL f1 =====
NUC1 13C
P2 19.00 u
P10 3.13 u
PL1 0.00 d
SF01 100.6403931 M

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00 u
PL2 0.00 d
PL12 19.00 d
SF02 400.2016008 M

F2 - Processing parameters
SI 32768
SF 100.6303718 M
WDW EM
SSB 0
LB 1.00 H
GB 0
PC 1.40

220 210 200 190 180 170 160 150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 ppm

Instrument DQX400
 Chemist bmd
 Group Jr
 exp1105 11
 h1acq.au CDC13 e:\ DPchemist 44

Current Data Parameters
 NAME May14-2003-44
 EXPNO 5
 PROCNO 1
 F2 - Acquisition Parameters
 Date_ 20030515
 Time 8.13
 INSTRUM av400
 PROBD 5 mm QNP 1H/13
 PULPROG zgpg30
 TD 65536
 SOLVENT CDC13
 NS 16
 DS 2
 SWH 8278.146 Hz
 FIDRES 0.126314 Hz
 AQ 3.9584243 s
 RG 50.8
 DW 60.400 s
 DE 7.50 s
 TE 300.0 K
 D1 1.00000000 s
 ===== CHANNEL f1 =====
 NUC1 1H
 P1 9.00 s
 PL1 0.00 dB
 SFO1 400.2024714 MHz
 F2 - Processing parameters
 SI 32768
 SF 400.2000028 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00

MR@CHEM.OX

Instrument DQX400
Chemist bmd
Group 1b

expt105 11
c13apt.au CDC13 e-11 DPChemist 44

Current Data Parameters
NAME May14-2003-44
EXPNO 6
PROCNO 1

F2 - Acquisition Parameters
Date_ 20030515
Time 8.28

INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG apt.dp
TD 65536
SOLVENT CDC13
NS 256
DS 4

SWH 26178.010 Hz
FIDRES 0.399445 Hz
AQ 1.2517875 s
RG 32768
DM 19.100 u
DE 7.50 u
TE 300.0 K

CNST2 145.0000000
CNST11 1.0000000
D1 2.00000000 s
d12 0.00002000 s
d20 0.00689655 s
D21 0.00050000 s
P1 9.50 u

===== CHANNEL F1 =====
NUC1 13C
P2 19.00 u
P10 3.13 u
P11 0.00 G
SFO1 100.6403931 MHz

===== CHANNEL F2 =====
CEDEPG2 wa1tz16
NUC2 1H
PCPD2 80.00 u
PL2 0.00 G
PL12 19.00 G
SFO2 400.2016008 MHz

F2 - Processing Parameters
SI 32768
SF 100.6303718 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40

MARCOCHEM.OX

Instrument DQX400
 Chemist pm
 Group tr
 pm keto-ester, 614.4444
 h1acq au CDC13 e-11 jrgpr 10

MIRACHEM.DXX

1898.5
 1897.4
 1896.5

1618.2
 1612.1
 1606.0

1002.8
 1001.7
 1000.1
 998.0
 995.5
 994.4
 993.4
 992.1
 988.0
 986.8
 985.6
 984.7
 983.4
 959.2
 958.2
 957.2
 952.9
 951.6
 947.8
 945.5
 943.5
 937.9
 935.6

23.3
 21.9
 17.7
 14.7
 11.7
 5.4

Current Data Parameters
 NAME Jul28-2004-10
 EXPNO 1
 PROCNO 1
 F2 - Acquisition Parameters
 Date_ 20040729
 Time 0.21
 INSTRUM av400
 PROBD 5 mm QNP 1H/13
 PULPROG zgpg30
 TD 65536
 SOLVENT CDC13
 NS 16
 DS 2
 SWH 8278.146
 FIDRES 0.126314
 AQ 3.9584243
 RG 25.4
 DW 60.400
 DE 7.50
 TE 300.0
 D1 1.00000000
 D1 1.00000000
 ===== CHANNEL f1 =====
 NUC1 1H
 P1 9.00
 PL1 0.00
 SFO1 400.2024714
 F2 - Processing parameters
 SI 32768
 SF 400.2000028
 WDW EM
 SSB 0
 LB 0.30
 GB 0
 PC 1.00

Instrument DQX400
Chemist pm
Group jr

c13apt.au CDC13 e:\jrgp 10

211.33
201.09

95.67

77.43
77.34
77.02
76.70

39.01

26.70
25.63
25.45

17.98

5.09
5.37

Current Data Parameters
NAME Jul128-2004-10
EXPNO 3
PROCNO 1

F2 - Acquisition Parameters

Date_ 20040729
Time 0.39
INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG apl.dp
TD 65536
SOLVENT CDC13
NS 256
DS 4
SWH 26178.010
FIDRES 0.399445
AQ 1.2517875
RG 32768
DM 19.100
DE 7.50
TE 300.0
CNS1 145.000000
CNS2 1.000000
CNS3 2.000000
D1 0.000000
d12 0.000000
d20 0.0068655
D21 0.0005000
P1 9.50

===== CHANNEL f1 =====
NUC1 13C
P2 19.00
P10 3.13
P11 0.00
SFO1 100.6403931

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00
PL2 0.00
PL12 19.00
SFO2 400.2016008

F2 - Processing parameters
SI 32768
SF 100.6303718
WDW EM
SSB 0
LB 1.00
GB 0
PC 1.40

Instrument DOX400
Chemist pm
Grain Jr
pm 242
h1acq.au CDC13 e:\jrgp 48

Current Data Parameters
NAME Jul29-2004-48
EXPNO 1
PROCNO 1
F2 - Acquisition Parameters
Date_ 20040730
Time 2.53
INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
DS 2
NS 16
DS 2
SWH 8278.146
FIDRES 0.126314
AQ 3.9584243
RG 45.3
DW 60.400
DE 7.50
TE 300.0
D1 1.00000000
===== CHANNEL F1 =====
NUC1 1H
P1 9.00
PL1 0.00
SFO1 400.2024714
F2 - Processing parameters
SI 32768
SF 400.2000028
WDW EM
SSB 0
LB 0.30
GB 0
PC 1.00

MICROCHEM

Instrument DQX400
Chemist pm
Group Jr
p111 442
c13apt.au CDC13 e:11 jrgjr 48

Current Data Parameters
NAME Jul29-2004-48
EXPNO 3
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040730
Time 3.11
INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG aptzgpg
TD 65536
SOLVENT CDC13
NS 256
DS 4
SWH 26178.010
FIDRES 0.399445
AQ 1.2517875
RG 32768
DW 19.100
DE 7.50
TE 300.0
CNST2 145.000000
CNST11 1.000000
D1 2.000000
d12 0.0002000
d20 0.00689655
D21 0.00050000
P1 9.50

===== CHANNEL f1 =====
NUC1 13C
P2 19.00
PL1 0.00
PL2 0.00
SF01 100.6403931
===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00
PL2 0.00
PL12 19.00
SF02 400.2016008

F2 - Processing parameters
SI 32768
WDW EM
SSB 0
LB 1.00
GB 0
PC 1.40

220 210 200 190 180 170 160 150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 ppm

Instrument DPX400
Chemist pm
Group Jr
p11213
Ch1acq.au CDC13 u Jrgrp 2

2923.8
2923.0
2922.0
2921.2
2795.7
2788.9
2782.1
2780.0
2773.2
2766.4
2515.5
2513.6
2512.4
2510.5
2399.3
2398.5
2396.1
2395.4
2340.2
2338.8
2337.2
2324.6
2323.1
2321.6

1685.7
1678.6
1671.5
1664.3
1415.7
1412.1
1409.0
1405.4
1127.4
1122.8
1116.4
1111.3
1090.5
1085.4
1079.2
1074.0
900.5
895.1
821.3
764.7
761.8
759.7
753.1
748.0
702.9
697.5
691.4
689.1
685.8
683.7
681.8
679.6
677.7
676.2
674.2
672.2
670.6
668.8
656.4
653.3
650.0
595.9
573.7
572.1
551.5
507.8
503.3
473.2
464.4
458.4
454.5
409.9
367.0
358.9
364.0
361.6
354.4
353.6
47.2
45.8
40.9
33.0

Current Data Parameters
NAME May28-2004-2
EXPNO 1
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040528
Time 10.32
INSTRUM dpx400
PROBHD 5 mm Dual 1H/1
PULPROG zg60
TD 32768
SOLVENT CDC13
NS 16
DS 2
SWH 5592.841 Hz
FIDRES 0.170680 Hz
AQ 2.9295092 sec
RG 25.4
DQ 89.400 us
DE 11.00 us
TE 300.0 K
D1 1.00000000 sec

===== CHANNEL f1 =====
NUC1 1H
P1 7.30 us
PL1 0.00 dB
SFO1 400.1320097 MHz
F2 - Processing Parameters
SI 32768
SF 400.1300176 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 0.60

MR@CHEM.OX

Instrument DQX400
Chemist pm
Group jr

pmu
c13apt.au CDC13 e:11 DPchemist 41

MP@CHEM.OX

166.49
156.25
148.64
147.32
140.72
122.06
122.02
121.38
110.04
104.43
78.78
78.39
78.33
78.14
77.35
77.03
76.72
74.34
65.76
60.11
53.34
34.65
34.06
31.49
31.26
31.03
29.31
29.08
27.21
26.88
26.07
26.03
25.92
25.64
25.61
25.56
23.69
23.43
22.27
22.17
22.13
19.07
18.21
18.00
15.18
14.18
13.97
3.95
3.90
4.10
4.56

Current Data Parameters
NAME May14-2003-41
EXPNO 4
PROCNO 1

F2 - Acquisition Parameters
Date_ 20030515
Time 7.23

INSTRUM 5 mm QNP 1H/13
PROBHD apt.dp
PULPROG 65536
TD CDC13
SOLVENT NS
DS 256

SWH 26178.010 H
FIDRES 0.399445 H
AQ 1.2517875 S
RG 32768
DW 19.100 U
DE 7.50 U
TE 300.0 K

CNST2 145.0000000
CNST11 1.0000000
D1 2.0000000 S
d12 0.0000200 S
d20 0.00689655 S
D21 0.0005000 S
P1 9.50 U

===== CHANNEL f1 =====
NUC1 13C
P2 19.00 U
PL0 3.13 U
PL1 0.00 G
SFO1 100.6403931 M

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00 U
PL2 0.00 G
PL12 19.00 G
SFO2 400.2016008 M

F2 - Processing parameters
SI 32768
SF 100.6303718 M
WDW EM
SSB 0
LB 1.00 H
GB 0
PC 1.40

220 210 200 190 180 170 160 150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 ppm

Instrument DPX400
Chemist pm
Group jr
pm223
Qh1acq.au CDC13 u jrgr 22

Current Data Parameters
NAME Jun14-2004-22
EXRNO 1
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040614
Time_ 13.37
INSTRUM dpx400
PROBHD 5 mm Dual 1H/1
PULPROG zg60
TD 32768
SOLVENT CDC13
NS 16
DS 2
SWH 5592.841 Hz
FIDRES 0.170680 Hz
AQ 2.9295092 sec
RG 35.9
PC 89.400 us
DE 11.00 us
TE 300.0 K
D1 1.00000000 sec

===== CHANNEL f1 =====
NUC1 1H
P1 7.30 us
PL 0.00 dB
SFO1 400.1320007 MHz

F2 - Processing parameters
SI 32768
SF 400.1300176 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 0.60

c13apt.au CDC13 e:\ DPchemist 22

MR@CHEM.OX

220 210 200 190 180 170 160 150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 ppm

Current Data Parameters
NAME May22-2003-22
EXPNO 1
PROCNO 1

F2 - Acquisition Parameters
Date_ 20030522
Time 23.35
INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG apt.dp
TD 65536
SOLVENT CDC13
NS 256
DS 4
SWH 26178.010 Hz
FIDRES 0.399445 Hz
AQ 1.2517875 s
RG 32768
DW 19.100 s
DE 7.50 s
TE 300.0 K
CNS1 145.0000000
CNS11 1.0000000
D1 2.0000000 s
d12 0.0002000 s
d20 0.0068955 s
D21 0.0005000 s
P1 9.50 s

===== CHANNEL F1 =====
NUC1 13C
P2 19.00 s
D10 3.13 s
PL1 0.00 s
SFO1 100.6403931 MHz

===== CHANNEL F2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00 s
PL2 0.00 s
PL12 19.00 s
SFO2 400.2016008 MHz

F2 - Processing Parameters
SI 32768
SF 100.6303718 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40

Current Data Parameters
NAME Apr21-2004-56
EXPNO 2

PROCNO 1

F2 - Acquisition Parameters
Date_ 20040422
Time 11.04

INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 16
DS 2
SWH 8278.146 H
FIDRES 0.126314 H
AQ 3.9584243 s
RG 20.2
DW 60.400 u
DE 7.50 u
TE 300.0 K
D1 1.00000000 s

===== CHANNEL f1 =====
NUC1 13
P1 9.00 u
PL1 0.00 dB
SFO1 400.2024714 MHz

F2 - Processing parameters
SI 32768
SF 400.2000028 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

Instrument DQX400
Chemist pm

pm203
c13apt.au CDC13 e:\jrgpr 19

MPROCHEM.OX

Current Data Parameters
NAME Apr22-2004-19
EXPNO 1
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040422
Time 22.41

INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG apt.dp
TD 65536
SOLVENT CDC13
NS 256

DS 4
SWH 26178.010 Hz
FIDRES 0.399445 Hz

AQ 1.2517875 s
RG 32768
DM 19.100 Hz

DE 7.50 Hz
TE 300.0 K
CNS11 145.0000000

D1 2.000000000 s
d12 0.00002000 s
d20 0.00689655 s

d21 0.00050000 s
p1 9.50 Hz

===== CHANNEL F1 =====
NUC1 13C
P2 19.00 Hz
P10 3.13 Hz

PL1 0.00 Hz
SFO1 100.6403931 MHz

===== CHANNEL F2 =====
CEDEPRG2 waltz16
NUC2 1H

PCPD2 80.00 Hz
PL2 0.00 Hz
PL12 19.00 Hz

SFO2 400.2016008 MHz

F2 - Processing Parameters
SI 32768
SF 100.6303718 MHz

WDW EM
SSB 0
LB 1.00 Hz
GB 0

PC 1.40

220 210 200 190 180 170 160 150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 ppm

Instrument DQX400
Chemist pm
Group jr
pm alcohol
htacq.au CDCl3 e:\jrgp 4

MICROCHEMIST

1096.5
1095.0
1082.1
1080.5
1079.1
1078.4
1074.6
1073.2
1067.1
1065.8
1063.3
1060.4
1056.5
1054.2
1048.1
1043.1
1042.3
1042.3
1041.1
1039.5
1039.1

2514.4
2512.5
2509.9
2389.4
2386.3
2381.6
1541.1
1535.7
1531.4
1526.0
1521.2
1517.8
1508.5
1506.7
1496.7
1488.5
1483.1
1478.0
1473.2
1467.7
1399.2
1394.0
1387.7
1383.2
1381.9
1377.9
1372.8
1368.3
1366.3
1362.1
1358.6
1350.6
1342.2
1337.2
1332.2
1328.2
1324.2
1320.2
1316.2
1312.2
1308.2
1304.2
1300.2
1296.2
1292.2
1288.2
1284.2
1280.2
1276.2
1272.2
1268.2
1264.2
1260.2
1256.2
1252.2
1248.2
1244.2
1240.2
1236.2
1232.2
1228.2
1224.2
1220.2
1216.2
1212.2
1208.2
1204.2
1200.2
1196.2
1192.2
1188.2
1184.2
1180.2
1176.2
1172.2
1168.2
1164.2
1160.2
1156.2
1152.2
1148.2
1144.2
1140.2
1136.2
1132.2
1128.2
1124.2
1120.2
1116.2
1112.2
1108.2
1104.2
1100.2
1096.2
1092.2
1088.2
1084.2
1080.2
1076.2
1072.2
1068.2
1064.2
1060.2
1056.2
1052.2
1048.2
1044.2
1040.2
1036.2
1032.2
1028.2
1024.2
1020.2
1016.2
1012.2
1008.2
1004.2
1000.2
996.2
992.2
988.2
984.2
980.2
976.2
972.2
968.2
964.2
960.2
956.2
952.2
948.2
944.2
940.2
936.2
932.2
928.2
924.2
920.2
916.2
912.2
908.2
904.2
900.2
896.2
892.2
888.2
884.2
880.2
876.2
872.2
868.2
864.2
860.2
856.2
852.2
848.2
844.2
840.2
836.2
832.2
828.2
824.2
820.2
816.2
812.2
808.2
804.2
800.2
796.2
792.2
788.2
784.2
780.2
776.2
772.2
768.2
764.2
760.2
756.2
752.2
748.2
744.2
740.2
736.2
732.2
728.2
724.2
720.2
716.2
712.2
708.2
704.2
700.2
696.2
692.2
688.2
684.2
680.2
676.2
672.2
668.2
664.2
660.2
656.2
652.2
648.2
644.2
640.2
636.2
632.2
628.2
624.2
620.2
616.2
612.2
608.2
604.2
600.2
596.2
592.2
588.2
584.2
580.2
576.2
572.2
568.2
564.2
560.2
556.2
552.2
548.2
544.2
540.2
536.2
532.2
528.2
524.2
520.2
516.2
512.2
508.2
504.2
500.2
496.2
492.2
488.2
484.2
480.2
476.2
472.2
468.2
464.2
460.2
456.2
452.2
448.2
444.2
440.2
436.2
432.2
428.2
424.2
420.2
416.2
412.2
408.2
404.2
400.2
396.2
392.2
388.2
384.2
380.2
376.2
372.2
368.2
364.2
360.2
356.2
352.2
348.2
344.2
340.2
336.2
332.2
328.2
324.2
320.2
316.2
312.2
308.2
304.2
300.2
296.2
292.2
288.2
284.2
280.2
276.2
272.2
268.2
264.2
260.2
256.2
252.2
248.2
244.2
240.2
236.2
232.2
228.2
224.2
220.2
216.2
212.2
208.2
204.2
200.2
196.2
192.2
188.2
184.2
180.2
176.2
172.2
168.2
164.2
160.2
156.2
152.2
148.2
144.2
140.2
136.2
132.2
128.2
124.2
120.2
116.2
112.2
108.2
104.2
100.2
96.2
92.2
88.2
84.2
80.2
76.2
72.2
68.2
64.2
60.2
56.2
52.2
48.2
44.2
40.2
36.2
32.2
28.2
24.2
20.2
16.2
12.2
8.2
4.2
0.2

Current Data Parameters
NAME Aug03-2004-4
EXPNO 1
PROCNO 1
F2 - Acquisition Parameters
Date_ 20040803
Time 18.09
INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 16
DS 2
SWH 8278.146
FIDRES 0.126314
AQ 3.9584243
RG 203.2
DM 60.400
DE 7.50
TE 300.0
D1 1.0000000
===== CHANNEL f1 =====
NUC1 1H
P1 9.00
PL1 0.00
SFO1 400.2024714
F2 - Processing parameters
SI 32768
SF 400.2000028
WDW EM
SSB 0
LB 0.30
GB 0
PC 1.00

Instrument DPX200
Chemist pm
Group jr
pm209
c13apt512.2au CDC13 u jrgrp 28

NAME
EXPNO
PROCNO
F2 - Acquisition Parameters
Date_ Time
INSTRUM
PROBHD
PULPROG
TD
SOLVENT
NS
DS
SWH
FIDRES
AQ
RG
DM
DE
TE
CNS11
D1
d12
d20
d21
P1

135.99
129.97
128.03
110.52
104.72
78.08
77.45
76.81
76.10
73.38
66.24
60.82
39.46
39.15
32.16
28.98
27.30
21.84
15.21

Current Data Parameters
NAME May04-2004-28
EXPNO 3
PROCNO 1
F2 - Acquisition Parameters
Date_ Time 20040505 5.05
INSTRUM dpx200
PROBHD 5 mm Dual 13C/
PULPROG apt.dp
TD 32768
SOLVENT CDC13
NS 512
DS 8
SWH 12077.295 H
FIDRES 0.368570 H
AQ 1.3566452 S
RG 16384
DM 41.400 U
DE 30.00 U
TE 300.0 K
CNS11 145.000000
D1 1.0000000
d12 0.0000200 S
d20 0.0068965 S
d21 0.0001000 S
P1 7.30 U
===== CHANNEL f1 =====
NUC1 13C
P2 14.60 U
P10 2.41 U
PL1 0.00 d
SF01 50.3277413 M
===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 110.00 U
PL2 -3.00 d
PL12 19.00 d
SF02 200.1308005 M
F2 - Processing parameters
SI 32768
SF 50.3227090 M
WDW EM
SSB 0
LB 2.00 H
GB 0
PC 1.40

210 200 190 180 170 160 150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 ppm

Instrument AMX500
 1H 0979 Paul Meo 6/7/04

Current Data Parameters
 NAME pm09790607
 EXNO 1
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20040707
 Time 2.14
 INSTRUM amx500
 PROBN 5 mm MSLINA
 PULPROG zgpg30
 TD 65536
 FIDRES 0.138946 Hz
 AQ 3.145779 sec
 RG 2048
 DM 48.000 usec
 DE 68.57 usec
 TE 300.0 K
 HLI 1 dB
 D1 1.0000000 sec
 P1 11.00 usec
 SFO1 499.9830875 MHz
 NUC1H1 1H

F2 - Processing parameters
 SI 32768
 SF 499.9800225 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00

1D NMR plot parameters
 CY 35.00 cm
 P1P 11.000 ppm
 F1 5459.78 Hz
 F2P -1.000 ppm
 F2 499.98 Hz
 PPMCM 0.34285 ppm/cm
 HZCM 171.42172 Hz/cm

Instrument AMX500
13C Q979 Paul Meo 6/7/04

Current Data Parameters
NAME pm09790607
EXPERNO 2
PROCNO 1

F2 - Acquisition Parameters

Date_ 20040707
Time 8.17
INSTRUM amx500
PROBHD 5 mm Maltinn
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 7168
DS 2
SWH 3333.332 Hz
FIDRES 0.508626 Hz
AQ 0.9810900 sec
RG 32768
IM 15.000 usec
DE 21.43 usec
TE 300.0 K
HL 1 dB
DL 2.0000000 sec
CPPRG waltz16
P1 100.00 usec
S4 25 dB
D1 0.0300000 sec
S2 19 dB
P2 7.30 usec
SFO 125.7318502 MHz
NUC1 13C

F2 - Processing parameters

SI 32768
SF 125.7200912 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40

1D NMR plot parameters

CA 35.00 cm
F1P 215.000 ppm
F1 27029.82 Hz
F2P -5.000 ppm
F2 -628.60 Hz
P1PM 6.28571 ppm/cm
HZCM 790.24060 Hz/cm