Suckling Dome and the Australian–Woodlark plate boundary in eastern Papua: The geology of the Keveri and Ada’u Valleys

I. D. LINDLEY

PO Box 587, Yass, NSW 2582, Australia

Email address: david.lindley3@bigpond.com

SUPPLEMENTARY PAPERS

Australian Journal of Earth Sciences (2014) **61**, 1125–1147.

<http://dx.doi.org/10.1080/08120099.2014.965980>

Copies of Supplementary Papers may be obtained from the Geological Society of Australia's website (www.gsa.org.au), the Australian Journal of Earth Sciences website (www.ajes.com.au) or from the National Library of Australia's Pandora archive (<http://nla.gov.au/nla.arc-25194>).

SUPPLEMENTARY PAPER

Figure A1 Geological map of the Keveri and Ada’u Valleys, eastern Papua. (Figure 4a in published paper)

GEOLOGY OF THE KEVERI AND ADA'U VALLEYS, EASTERN PAPUA

GEOLOGICAL SYMBOLS

	Accurate	Approximate
CONTACT		
FAULT Fault (showing direction of relative movement, ticks downthrown side)		
Thrust		
ACTIVE FAULT Fault (showing direction of relative movement, ticks downthrown side)		
STRUCTURE		
Bedding, facing known		
Bedding, horizontal		
Bedding, vertical		
MISCELLANEOUS		
Palaeontological determination on basalt and limestone breccia	15006	
Basalt and limestone breccia		
Village, abandoned		
Village, occupied		
Walking track		
Photograph locations (prefixed Fig.)		
MINERAL RESOURCE DATA		
Doriri hydrothermal Ni-PGM lode		
Keveri Goldfield		
Mineral occurrence		Commodities: Au = Gold; Cu = Copper; Pt = Platinum; Cr = Chromium

Black grid tick marks are 1 000 metre intervals of the Australian Map Grid,
Zone 55. Horizontal datum: Australian Geodetic Datum 1966

Map base from SAFIA (8678) 1:100 000 map sheet.
Base prepared by PGC Geophysics Consulting, Brisbane

GEOLOGICAL DATA

LOCALITY MAP