Supporting Information-Mediated Asymmetric Synthesis of β -Hydroxy α -Amino Phosphonates

Franklin A. Davis* and Kavirayani R. Prasad

Chemistry, Temple University, Philadelphia, Pennsylvania 19122

fdavis@temple.edu

Supporting Information Available

General Procedure. Column chromatography was performed on silica gel, Merck grade (230-400 mesh). Analytical and preparative thin-layer chromatography was performed on precoated silica gel plates (250 and 1000 microns) purchased from Analtech Inc. TLC plates were visualized with UV or in an iodine chamber or with a spray of ethanolic phosphomolybdic acid containing 1% sulfuric acid. Melting points were recorded on a Mel-Temp apparatus and are uncorrected. Optical rotations were measured on a Perkin-Elmer 341 polarimeter. IR spectra were recorded using NaCl plates or KBr discs, and ^1H NMR and ^{13}C NMR were recorded at 400 MHz and 100 MHz respectively. HRMS was performed on a Fissions ZAB HF double-focussing mass spectrometer.

isopropyl hydroxy sulfinimine
h1.gk

Current Data Parameters
NAME prasat
EXPNO 2589
PROCNO 1

F2 - Acquisition Parameters
Date_ 20020401
Time 11.48
INSTRUM spect
PROBHD 5 mm QNP 1H/13
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 8
DS 0
SWH 8278.146 Hz
FIDRES 0.126314 Hz
AQ 3.9584243 sec
RG 45.3
DW 60.400 usec
DE 6.00 usec
TE 300.0 K
D1 1.00000000 sec

===== CHANNEL f1 =====
NUC1 1H
P1 7.50 usec
PL1 0.00 dB
SFO1 400.0220001 MHz

F2 - Processing parameters
SI 32768
SF 400.0199280 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

1D NMR plot parameters
CX 20.00 cm
CY 12.50 cm
F1P 10.000 ppm
F1 4000.20 Hz
F2P -0.500 ppm
F2 -200.01 Hz
PPMCM 0.52500 ppm/cm
HZCM 210.01047 Hz/cm

2-2-02
hl.gk

Current Data Parameters
NAME: prasad
EXPNO: 1200
PROCNO: 1

F2 - Acquisition Parameters
Date_: 20020202
Time: 11.48
INSTRUM: spect
PROBHD: 5 mm QNP 1H/13
PULPROG: zg30
TD: 65536
SOLVENT: CDCl3
NS: 8
DS: 0
SWH: 8278.146 Hz
FIDRES: 0.126314 Hz
AQ: 3.9584243 sec
RG: 181
DM: 60.400 usec
DE: 6.00 usec
TE: 300.0 K
D1: 1.00000000 sec

===== CHANNEL f1 =====
NUC1: 1H
P1: 7.50 usec
PL1: 0.00 dB
SFO1: 400.0220001 MHz

F2 - Processing parameters
SI: 32768
SF: 400.0199112 MHz
WDW: EM
SSB: 0
LB: 0.30 Hz
GB: 0
PC: 1.00

1D NMR plot parameters
CX: 20.00 cm
CY: 12.50 cm
FLP: 10.000 ppm
F1: 4000.20 Hz
F2P: -0.500 ppm
F2: -200.01 Hz
PPMCM: 0.52500 ppm/cm
HZCM: 210.01045 Hz/cm

diethyl phosphite addn to lactal imine
hl.gk

Current Data Parameters
NAME prasad
EXPNO 2237
PROCNO 1

F2 - Acquisition Parameters
Date_ 20020304
Time 10.35
INSTRUM spect
PROBHD 5 mm QNP 1H/13
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 8
DS 0
SWH 8278.146 Hz
FIDRES 0.126314 Hz
AQ 3.9584243 sec
RG 101.6
DW 60.400 usec
DE 6.00 usec
TE 300.0 K
D1 1.00000000 sec

===== CHANNEL f1 =====
NUCL 1H
P1 7.50 usec
PL1 0.00 dB
SFO1 400.0220001 MHz

F2 - Processing parameters
SI 32768
SF 400.0200624 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

1D NMR plot parameters.
CX 20.00 cm
CY 12.50 cm
F1P 10.000 ppm
F1 4000.20 Hz
F2P -0.500 ppm
F2 -200.01 Hz
PPMCH 0.52500 ppm/cm
HZCM 210.01053 Hz/cm

lactaliphosphonate pure
hl.gk

Current Data Parameters
NAME: lased
EXPNO: 100
PROCNO: 1

Acquisition Parameters
Date_: 200306
Time: 11.15
INSTRUM: spect
PROBHD: 5mm QNP 1H/13
PULPROG: zgpg30
TD: 65536
SOLVENT: CDCl3
NS: 8
DS: 0
SWH: 8238.146 Hz
FIDRES: 0.176314 Hz
AQ: 3.9584243 sec
RG: 71.8
LB: 60.400 usec
GB: 0.00 usec
PC: 200.0 K
D1: 1.00700000 sec

===== CHANNEL f1 =====
NUC1: 1H
P1: 150.0000
PL1: 0.00 dB
SFO: 500.135091 MHz

F2 - Processing parameters
SI: 32768
SF: 499.820503 MHz
WDW: EM
SSB: 0
LB: 0.10 Hz
GB: 0
PC: 1.5

===== F1 =====
F1P: 12.50 MHz
F1: 100.620 MHz
F2P: 100.620 MHz
F2: 100.620 MHz
F3: 100.620 MHz
F4: 100.620 MHz

isopropyl TBDMS phosphonate
h1.gk

Current Data Parameters
NAME prasad
EXPNO 2399
PROCNO 1

F2 - Acquisition Parameters
Date_ 20020323
Time 16.13

INSTRUM spect

PROBHD 5 mm QNP 1H/13

PULPROG zg30

TD 65536

SOLVENT CDCl3

NS 8

DS 0

SWH 8278.146 Hz

FIDRES 0.126314 Hz

AQ 3.9584243 sec

RG 143.7

DW 60.400 usec

DE 6.00 usec

TE 300.0 K

D1 1.00000000 sec

===== CHANNEL f1 =====

NUC1 1H

P1 7.50 usec

PL1 0.00 dB

SFO1 400.0220001 MHz

F2 - Processing parameters

SI 32768

SF 400.0200711 MHz

WDW EM

SSB 0

LB 0.30 Hz

GB 0

PC 1.00

ID NMR plot parameters

CX 20.00 cm

CY 12.50 cm

F1P 10.000 ppm

F1 4000.20 Hz

F2P -0.500 ppm

F2 -200.01 Hz

PPMCM 0.52500 ppm/cm

HZCM 210.01054 Hz/cm

h1.gk

۵۴

```

Current Data Parameters
NAME          pasad
EXPNO         1160
PROCNO        1

F2 - Acquisition Parameters
Date_         20020201
Time          16.35
INSTRUM       spect
PROBHD        5 mm QNP 1H/13
PULPROG       zg30
TD            2930
SOLVENT       CDCl3
NS            8
DS            0
SMH           8278.146 Hz
FIDRES        0.12614 Hz
AQ            3.9584243 sec
RG            28.5
DW            60.400 usec
DE            6.00 usec
TE            300.0 K
D1            1.00000000 sec

===== CHANNEL f1 =====
NUC1          1H
P1            7.50 usec
PL1           0.00 dB
SFO1         400.0220001 MHz

F2 - Processing parameters
S1            32768
SF            400.0200496 MHz
WDW           EM
SSB           0
LB            0.30 Hz
GB            0
PC            1.00

1D NMR plot parameters
CX            20.00 cm
CY            12.50 cm
F1P           10.000 ppm
F1            4000.20 Hz.
F2P           -0.500 ppm
F2            -200.01 Hz
PPMCM         0.52500 ppm/cm
HZCM          210.01053 Hz/cm

```


Addition of $\text{KP}(\text{O})\text{OMe}_2$ to sulfinimine Ss
h1.gk

Current Data Parameters

NAME	prasad
EXPNO	440
PROCNO	1

F2 - Acquisition Parameters

Date_	20011126
Time	16.12
INSTRUM	spect
PROBHD	5 mm QNP 1H/13
PULPROG	zg30
TD	65536
SOLVENT	CDCl3
NS	16
DS	0
SMH	8278.146 Hz
FIDRES	0.126314 Hz
AQ	3.9584243 sec
RG	101.6
DM	60.400 usec
DE	6.00 usec
TE	300.0 K
D1	1.00000000 sec

===== CHANNEL f1 =====

NUC1	1H
P1	7.50 usec
PL1	0.00 dB
SFO1	400.0224703 MHz

F2 - Processing parameters

SI	32768
SF	400.0200683 MHz
WDW	EM
SSB	0
LB	0.30 Hz
GB	0
PC	1.00

1D NMR plot parameters

CX	20.00 cm
FLP	8.053 ppm
F1	3221.22 Hz
F2P	-0.886 ppm
F2	-354.60 Hz
PRMCM	0.44695 ppm/cm
HZCM	178.79088 Hz/cm

30

10a

105

[illegible]

isopropyl Hydroxy sulfinylamino phosphonate
hl.gk

105

7.49968
7.49586
7.48306
7.47911
7.24342
7.22356
7.16862

5.07055
5.06358
5.04660
5.03881
3.79626
3.79306
3.76973
3.76718
3.76000
3.73338
3.64134
3.61364
3.60613
3.58897
3.58117
3.58173
3.56699
3.53731
3.51984
3.49136
2.88025
2.81930
2.81707
2.87586
1.85906
1.89041
0.94155
0.92602
0.87484
0.85806
0.84534

7.418
8.966

3.312

34.905
0.509

11.158
0.515
3.816
4.065
0.401
24.835

Current Data Parameters
NAME prasad
EXNO 1225
PROCNO 1

F2 - Acquisition Parameters
Date_ 20020207
Time 16.23

INSTRUM spect

PROBHD 5 mm QNP 1H/13

PULPROG zg30

TD 65536

SOLVENT CDCl3

NS 8

DS 0

SMH 8278.146 Hz

FIDRES 0.126314 Hz

AQ 3.9584243 sec

RG 256

DW 60.400 usec

DE 6.00 usec

TE 300.0 K

D1 1.00000000 sec

===== CHANNEL f1 =====

NUC1 1H

P1 7.50 usec

PL1 0.00 dB

SFO1 400.0220001 MHz

F2 - Processing parameters

SI 32768

SF 400.0200503 MHz

WDW EM

SSB 0

LB 0.30 Hz

GB 0

PC 1.00

ID NMR plot parameters

CX 20.00 cm

CY 12.50 cm

F1P 10.000 ppm

F1 4000.20 Hz

F2P -0.500 ppm

F2 -200.01 Hz

PPMCM 0.52500 ppm/cm

HZCM 210.01053 Hz/cm

ppm 8 6 4 2 0

h1.gk

Current Data Parameters
NAME prasad
EXPRO 2580
PROCNO 1

F2 - Acquisition Parameters
Date_ 20020329
Time 15.28
INSTRUM spect
PROBHD 5 mm QNP 1H/13
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 8
DS 0
SMH 8278.146 Hz
FIDRES 0.126314 Hz
AQ 3.9584243 sec
RG 45.3
DM 60.400 usec
DE 6.00 usec
TE 300.0 K
D1 1.00000000 sec

===== CHANNEL f1 =====
NUC1 1H
P1 7.50 usec
PL1 0.00 dB
SFO1 400.0220001 MHz

F2 - Processing parameters
SI 32768
SF 400.0200297 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

ID NMR plot parameters
CX 20.00 cm
CY 12.50 cm
F1P 10.000 ppm
F1 4000.20 Hz
F2P -0.500 ppm
F2 -200.01 Hz
PPMCM 0.52500 ppm/cm
HZCM 210.01051 Hz/cm

methyl hydroxy amino diethyl phosphonate
h1.gk

11

Current Data Parameters
NAME prasad
EXPNO 2410
PROCNO 1

F2 - Acquisition Parameters
Date_ 20020309
Time 12.09
INSTRUM spect
PROBHD 5 mm QNP 1H/13
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 8
DS 0
SWH 8278.146 Hz
FIDRES 0.126314 Hz
AQ 3.9584243 sec
RG 101.6
DW 60.400 usec
DE 6.00 usec
TE 300.0 K
D1 1.00000000 sec

===== CHANNEL f1 =====
NUC1 1H
P1 7.50 usec
PL1 0.00 dB
SFO1 400.0220001 MHz

F2 - Processing parameters
SI 32768
SF 400.0200417 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

ID NMR plot parameters
CX 20.00 cm
CY 12.50 cm
F1P 10.000 ppm
F1 4000.20 Hz
F2P -0.500 ppm
F2 -200.01 Hz
PPMCM 0.52500 ppm/cm
HZCM 210.01053 Hz/cm