Supplementary Information

Synthesis and Liquid Crystalline Property of H-shaped 1,3,4-Thiadiazole Dimers

Jie Han*, Qiong Wang, Jing Wu, Yu-Peng Li, Li-Rong Zhu

Department of Chemistry, Nankai University, Tianjin 300071, China

Figure S1 The DSC thermogram of **M₁** upon the second heating and first cooling at the rate of $\pm 10^{\circ}\text{C min}^{-1}$

Figure S2 The DSC thermogram of **D₁** upon the second heating and first cooling at the rate of $\pm 10^{\circ}\text{C min}^{-1}$

Figure S3. The DSC thermogram of **M₂** upon the second heating and first cooling at the rate of $\pm 10^{\circ}\text{C min}^{-1}$

Figure S4 The DSC thermogram of **D₂** upon the second heating and first cooling at the rate of $\pm 10^{\circ}\text{C min}^{-1}$

Figure S1 The DSC thermogram of **M**₁ upon the second heating and first cooling at the rate of $\pm 10^{\circ}\text{C min}^{-1}$

Figure S2 The DSC thermogram of **D**₁ upon the second heating and first cooling at the rate of $\pm 10^{\circ}\text{C min}^{-1}$

Figure S3. The DSC thermogram of **M₂** upon the second heating and first cooling at the rate of $\pm 10^{\circ}\text{C min}^{-1}$

Figure S4 The DSC thermogram of **D₂** upon the second heating and first cooling at the rate of $\pm 10^{\circ}\text{C min}^{-1}$