Synthesis of Enantiopure Peptidomimetics and Oligo- β -peptides *via* Nucleophilic Ring-opening of β -lactams.

Alberto Macías,^a Antonio Morán Ramallal,^a Eduardo Alonso^a, Carlos del Pozo,^b *

and Javier González^a *

a. Departamento de Química Orgánica e Inorgánica, Universidad de Oviedo, Julián Clavería 8, 33006 Oviedo (Spain).

b. Departamento de Química Orgánica, Universidad de Valencia, 46100-Burjassot, Valencia (Spain).

figf@uniovi.es carlos.pozo@uv.es

(17 PAGES)

- a) Complete citation of Gaussian 98, Revision A.3 (S2).
- b) General experimental methods (S2).
- c) Synthesis of *N*-sulfonyl- β -lactam derivatives (S3).
- d) Synthesis of β -lactam peptidomimetic analogue of melanostatin (-)-20 and synthetic intermediates (S4-S7).
- e) HPLC analysis of the β -lactams (-)-3 and (+)-3, (S7, figure S1).
- f) Cartesian coordinates (angstroms) and energies (hartrees) of the Becke3LYP/6-31+G* optimized structures (S8-S12).
- g) Spectra of **9f**, (-)-20, **4a**, **4b**, **4c**, (S132-S17, figures S2-S6).

a) Complete citation of Gaussian 98, Revision A.3.:

Frisch, M. J.; Trucks, G. W.; Schlegel, H. B.; Scuseria, G. E.; Robb, M. A.; Cheeseman, J. R.; Zakrzewski, V. G.; Montgomery, Jr., J. A.; Stratmann, R. E.; Burant, J. C.; Dapprich, S.; Millam, J. M.; Daniels, A. D.; Kudin, K. N.; Strain, M. C.; Farkas, O.; Tomasi, J.; Barone, V.; Cossi, M.; Cammi, R.; Mennucci, B.; Pomelli, C.; Adamo, C.; Clifford, S.; Ochterski, J.; Petersson, G. A.; Ayala, P. Y.; Cui, Q.; Morokuma, K.; Malick, D. K.; Rabuck, A. D.; Raghavachari, K.; Foresman, J. B.; Cioslowski, J.; Ortiz, J. V.; Stefanov, B. B.; Liu, G.; Liashenko, A.; Piskorz, P.; Komaromi, I.; Gomperts, R.; Martin, R. L.; Fox, D. J.; Keith, T.; Al-Laham, M. A.; Peng, C. Y.; Nanayakkara, A.; Gonzalez, C.; Challacombe, M.; Gill, P. M. W.; Johnson, B.; Chen, W.; Wong, M. W.; Andres, J. L.; Gonzalez, C.; Head-Gordon, M.; Replogle, E. S.; Pople, J. A. Gaussian, Inc., Pittsburgh, PA, 1998. <http://www.gaussian.com/>.

b) General. All melting points are uncorrected. Anhydrous methylene chloride was refluxed over calcium hydride and distilled immediately prior to use. Anhydrous ether was obtained by distillation from sodium and benzophenone. Chromatographic purifications were performed on silica gel (230-400 mesh) by flash technique. Analytical TLC plates (covered with silica gel 60 F₂₅₄) were viewed by UV light or developed by heating after treatment with an acidic solution of Ce(IV) and Mo(VI) or a basic solution of KMnO₄. Chemical shifts are expressed in parts per million (δ), referred to TMS in ¹H-NMR experiments and to deuterated solvent in ¹³C-NMR experiments. Standard benchtop techniques were employed for handling air-sensitive reagents. Specific rotation $[\alpha]_D$ is given in deg per dm at 20° C, and the concentration (*c*) is expressed in g per 100 ml in CHCl₃. The Cbz-L-proline acid chloride was prepared as described in the literature [Alonso, A.; López-Ortiz, F.; Pozo, del C.; Peralta, E.; Macías, A. González, J. *J. Org. Chem.* **2001**, *66*, 6333].

Synthesis of *N*-sulfonyl- β -lactam (**9f**).

($\pm$)-5-Benzylloxycarbonyl-2,5-diazaspiro[3,4]octan-1-one (9e**)** The *N*-unsubstituted- β -lactam **9e** was prepared according to the published procedure.¹⁵ A solution of the β -lactam **9b** (2 mMol) in acetonitrile (15 ml) was cooled to 0 °C, and treated with a solution of CAN (6 mMol) in water (25 ml) over 5 min. The reaction was stirred at 0 °C until total disappearance of the starting material (45 min., monitored by TLC) and diluted with 50 ml of water. The mixture was extracted with EtOAc (2 x 25 ml). The organic extracts were washed with 5 % sodium bicarbonate (25 ml) and the aqueous extracts back-washed with EtOAc (25 ml). The combined organic solutions were washed with 10 % sodium sulfite (3 x 25 ml), 5 % sodium bicarbonate (25 ml) and brine. The resulting solution was swirled over charcoal for 30 min, anhydrous Na₂SO₄ was added and the mixture was filtered through Celite. The solution was then concentrated in vacuo and the resulting crude was purified through column chromatography (Hexane/EtOAc 1:2), to afford, 370 mg of **9e**, in 71% yield. Mp 88-91 °C. ¹H and ¹³C-NMR show the presence of rotamers about the carbamate bond in $\approx$ 2:1 ratio. ¹H-NMR (300 MHz, CDCl₃) δ 1.70-2.42 (m, 4H), 3.12-3.89 (m, 4H), 5.02-5.20 (m, 2H), 6.30, 6.56 (sa, 1H), 7.16-7.38 (m, 5H); ¹³C-NMR (75 MHz, CDCl₃) δ 22.6, 23.2, 33.6, 35.0, 47.6, 48.3, 49.3, 50.8, 66.9, 67.4, 73.5, 74.2, 127.8, 128.2, 135.8, 136.1, 153.6, 153.9, 170.9, 171.1; IR (KBr) 1694, 1763, 3337 cm⁻¹; MS (ESI⁺) *m/z* 299 (M+K), 283 (M+Na), 261 (M+H). Anal. Calcd. for C₁₄H₁₆N₂O₃: C, 64.60; H, 6.20; N, 10.76. Found: C, 64.38; H, 6.22; N, 10.80.

($\pm$)-Tetrabutylammonium 5-benzylloxycarbonyl-1-oxo-2,5-diazaspiro[3,4]octan-2-sulfonate (9f**).** Prepared according to the published procedure,¹⁵ using 0.25 mMol of the of *N*-unsubstituted- β -lactam **9e**, to afford 77 mg of **9f**, in 53% yield as a colorless oil. ¹H and ¹³C-NMR show the presence of rotamers about the carbamate bond in $\approx$ 1:1 ratio. ¹H-NMR (300 MHz, CDCl₃) δ 0.91 (m, 12H), 1.28-1.40 (m, 8H), 1.48-1.93 (m, 10H), 2.07-2.30 (m, 2H), 3.10-3.49 (m, 11H), 3.84, 3.89 (d, *J* = 5.1; *J* = 4.8 Hz, 1H), 4.88-5.23 (m, 2H), 7.10-7.50 (m, 5H); ¹³C-NMR (75 MHz, CDCl₃) δ 13.5, 19.4, 22.6, 23.1, 23.6, 34.0, 34.7, 47.6, 47.9, 53.4, 54.7, 58.0, 66.4, 67.0, 70.6, 71.3, 127.2, 127.4, 127.8, 128.0, 128.2, 128.5, 136.1, 136.4, 153.1, 153.8, 165.7, 166.2; IR (KBr) 1694, 1770, 3496 cm⁻¹; MS (ESI⁻) *m/z* 339 (M). Anal. Calcd. for C₃₀H₅₁N₃O₆S: C, 61.93; H, 8.84; N, 7.22;. Found: C, 62.02; H, 8.82; N, 7.20.

Synthesis of β -lactam peptidomimetic analogue of melanostatin (-)-20.

(-)-(4*R*)-5-[(2*S*)-1-*tert*-butoxycarbonylpyrrolidin-2-ylcarbonyl]-2-(4-methoxyphenyl)-2,5-

diazaspiro[3,4]octan-1-one (-)-15. To a stirred solution of β -lactam (-)-3 (0.929 g, 4 mMol) in dry THF (30 ml), was added HOBt (4 mMol), *N*-*tert*-butoxycarbonyl-L-proline (4 mMol) and cooled to 0 °C. Dicyclohexylcarbodiimide (DCC) (4.2 mMol) was added and the mixture was allowed to warm to room temperature for 2 days. After this time, the solution was filtered and the solid (*N,N*-dicyclohexylurea) discarded. The solvent was evaporated and the residue was dissolved in EtOAc (15 ml). Saturated aqueous NaHCO₃ (20 ml) was added and the aqueous layer extracted with EtOAc (2x15 ml). The combined organic layers were washed with brine (25 mL) and dried over anhydrous Na₂SO₄. The solution was then concentrated and purified through column chromatography (Hexane/EtOAc 1:2), to afford, 0.859 g of (-)-15, in 50% yield. White foam. $[\alpha]_D^{20} = -70.7$ (c 1.0, CHCl₃). $R_f = 0.37$ (EtOAc). ¹H and ¹³C-NMR show the presence of rotamers about the carbamate bond in $\approx 1:1$ ratio. ¹H-NMR (300 MHz, CDCl₃) δ 1.34 (s, 9H), 1.62-2.41 (m, 8H), 3.20-3.52 (m, 4H), 3.61-3.92 (m, 4H), 4.12 (m, 1H), 4.28-4.43 (m, 1H), 6.75 (m, 2H), 7.22 (m, 2H); ¹³C-NMR (75 MHz, CDCl₃) δ 23.3, 23.6, 23.7, 24.0, 28.1, 29.1, 30.2, 33.0, 46.4, 46.6, 47.5, 47.6, 51.4, 51.8, 55.2, 57.4, 72.2, 79.0, 79.1, 113.9, 114.0, 117.5, 131.8, 131.9, 153.0, 154.2, 155.6, 155.7, 165.1, 165.4, 171.5, 171.9; IR (KBr) 1661, 1695, 1753 cm⁻¹; MS (FAB⁺) m/z 430 (M+H), 330 (M-Boc+2H). HRMS Calcd for C₂₃H₃₁N₃O₅ 429.2264. Found 429.2272. Anal. Calcd. for C₂₃H₃₁N₃O₅: C, 64.32; H, 7.27; N, 9.78. Found: C, 64.45; H, 7.30; N, 9.79.

(-)-(4*R*)-5-[(2*S*)-1-*tert*-butoxycarbonylpyrrolidin-2-ylcarbonyl]-2,5-diazaspiro[3,4]octan-1-one (-)-16.

Prepared from (-)-15 (2 mMol) according to the general procedure described above to achieve the oxidative removal of the *p*-methoxyphenyl group, to afford after column chromatography, 420 mg of (-)-16, in 65% yield. White foam. $[\alpha]_D^{20} = -60.6$ (c 0.5, CHCl₃). $R_f = 0.42$ (EtOAc/MeOH 7:1). ¹H and ¹³C-NMR show the presence of rotamers about the carbamate bond in $\approx 1.5:1$ ratio. ¹H-NMR (300 MHz, CDCl₃) δ 1.29, 1.33 (s, 9H), 1.53-2.30 (m, 8H), 3.03, 3.08 (d, $J = 4.7$; $J = 4.4$ Hz, 1H), 3.21-3.51 (m, 3 H), 3.62, 3.76 (m, 1H), 3.89 (d, $J = 4.5$ Hz, 1H), 4.25, 4.36 (dd, $J = 8.1$, $J = 4.1$; $J = 7.8$, $J = 3.4$ Hz, 1H), 5.58, 5.67 (broad s, 1H); ¹³C-NMR (75 MHz, CDCl₃) δ 23.5, 23.8, 24.1, 28.3, 29.2, 30.3, 33.2, 46.6, 46.7, 47.7, 48.5, 48.8, 57.7, 74.8, 79.3, 79.4, 153.4, 154.4,

170.1, 170.5, 171.8, 172.1; IR (KBr) 1676, 1697, 1758, 1778, 3282 cm^{-1} ; MS (FAB⁺) m/z 324 (M+H). HRMS Calcd for (C₁₆H₂₅N₃O₄+H) 324.1923. Found 324.1913. Anal. Calcd. for C₁₆H₂₅N₃O₄: C, 59.42; H, 7.79; N, 12.99. Found: C, 59.49; H, 7.80; N, 12.94.

(-)-(4R)-2-[(Benzyloxycarbonyl)methyl]-5-[(2S)-1-tert-butoxycarbonylpyrrolidin-2-ylcarbonyl]-2,5-diazaspiro[3,4]octan-1-one (-)-17. To a stirred solution of the *N*-H β -lactam (-)-16 (0.404 g, 1.25 mMol) in dry acetonitrile (13 ml) at room temperature, was added CsCO₃ (0.49 g, 1.5 mMol) and benzyl bromoacetate (297 μl , 1.87 mMol) and the mixture was stirred for 4 h at the same temperature. Water (20 ml) and EtOAc (40 ml) were added to the mixture, the organic layer was separated and the aqueous phase was extracted with AcOEt (2x20 ml). The combined organic layers were washed with brine (30 mL), and dried over anhydrous Na₂SO₄. The solution was then concentrated and purified through column chromatography to afford, 306 mg of (-)-17, in 52% yield. Colorless oil. $[\alpha]_{\text{D}}^{20} = -33.5$ (c 0.7, CHCl₃). $R_f = 0.35$ (EtOAc). ¹H and ¹³C-NMR show the presence of rotamers about the carbamate bond in $\approx 1:1$ ratio. ¹H-NMR (300 MHz, CDCl₃) δ 1.19, 1.23 (s, 9H), 1.50-2.15 (m, 8H), 3.10-3.77 (m, 7H), 4.11-4.34 (m, 2H), 4.92 (m, 2H), 7.12 (m, 5H); ¹³C-NMR (75 MHz, CDCl₃) δ 22.9, 23.1, 23.2, 23.6, 27.6, 27.7, 28.7, 29.7, 32.3, 42.5, 46.0, 46.2, 47.1, 47.2, 52.8, 53.1, 57.0, 66.3, 73.5, 78.5, 78.6, 127.6, 127.9, 134.5, 152.6, 153.7, 167.5, 168.5, 168.8, 171.1, 171.5; IR (NaCl) 1659, 1700, 1766 cm^{-1} ; MS (FAB⁺) m/z 472 (M+H), 372 (M-Boc+2H). HRMS Calcd for (C₂₅H₃₃N₃O₆+H) 472.2448. Found 472.2446. Anal. Calcd. for C₂₅H₃₃N₃O₆: C, 63.68; H, 7.05; N, 8.91. Found: C, 63.81; H, 7.04; N, 8.88.

(-)-(4R)-2-[3-Aza-4-(benzyloxycarbonyl-2-oxobutyl)-5-[(2S)-1-tert-butoxycarbonylpyrrolidin-2-ylcarbonyl]-2,5-diazaspiro[3,4]octan-1-one (-)-19. The benzyl protecting group of β -lactam (-)-17 (189 mg, 0.40 mMol) was removed according to the general procedure, to afford the acid 18, in 99% yield, which was employed in the next step without further purification. To a stirred solution of *p*-toluenesulfonate salt of glycine benzyl ester (125 mg, 0.37 mMol) and NEt₃ (52 μl , 0.37 mMol) in dry THF (5 ml), were added HOBt (0.37 mMol) and acid 18 (141 mg, 0.37 mMol). The solution was cooled to 0 °C, dicyclohexylcarbodiimide (0.39 mMol) was added and the mixture was allowed to warm to room temperature for 15 h. After this time, the solution was filtered and the solid (*N,N*-dicyclohexylurea) discarded. The solvent was evaporated and the residue

was dissolved in EtOAc (10 ml). Saturated aqueous NaHCO₃ (10 ml) was added and the aqueous layer extracted with EtOAc (2x10 ml). The combined organic layers were washed with brine (15 ml) and dried over anhydrous Na₂SO₄. The solution was then concentrated and purified through column chromatography (EtOAc/MeOH 10:1), to afford, 150 mg of **(-)-19**, in 77% yield. Colorless oil. $[\alpha]_D^{20} = +12.1$ (c 0.5, CHCl₃). R_f = 0.32 (EtOAc/MeOH 10:1). ¹H and ¹³C-NMR show the presence of rotamers about the carbamate bond in ≈ 1:1 ratio. ¹H-NMR (600 MHz, CDCl₃) δ 1.37, 1.40 (s, 9H), 1.75-2.28 (m, 7H), 2.33 (m, 1H), 3.16, 3.31(d, *J* = 4.6; *J* = 4.7, 1H), 3.40 (m, 1H), 3.47-3.58 (m, 3H), 3.77, 3.93 (m, 1H), 3.82, 3.92 (dd, *J* = 17.7, *J* = 5.6, 1H), 3.95, 4.03 (d, *J* = 4.6, 1H), 4.17, 4.19 (dd, *J* = 17.7, *J* = 5.6, 1H), 4.40, 4.48 (m, 1H), 4.51 (m, 1H), 5.13 (m, 2 H), 7.29-7.38 (m, 5H), 8.73, 8.80 (t, *J* = 5.6, 1H); ¹³C-NMR (150 MHz, CDCl₃) δ 23.5, 23.8, 23.9, 24.2, 28.3, 28.4, 29.3, 30.3, 32.7, 41.2, 41.3, 45.0, 46.7, 46.8, 48.1, 53.6, 53.7, 57.9, 58.0, 66.7, 66.8, 74.7, 79.5, 128.1, 128.2, 128.5, 135.6, 135.7, 153.3, 154.4, 167.7, 168.1, 168.3, 169.0, 172.4, 172.9; IR (NaCl) 1651, 1694, 1769, 3288 cm⁻¹; MS (FAB⁺) *m/z* 529 (M+H). HRMS Calcd for (C₂₇H₃₆N₄O₇+H) 529.2662. Found 529.2646. Anal. Calcd. for C₂₇H₃₆N₄O₇: C, 61.35; H, 6.86; N, 10.60. Found: C, 61.53; H, 6.88; N, 10.56.

(-)-(4*R*)-2-[3-Aza-4-(benzyloxycarbonyl-2-oxobutyl)-5-[(2*S*)-pyrrolidin-2-ylcarbonyl]-2,5-

diazaspiro[3,4]octan-1-one (-)-20. To a solution of the *N*-Boc protected compound **(-)-19** (80 mg, 0.15 Mmol) in CH₂Cl₂ (5 mL), cooled to 0°C was added TFA (1 ml) and the mixture was stirred for 2 h. The solution was evaporated and the residue was dissolved in CH₂Cl₂ (15 ml). Saturated aqueous NaHCO₃ (15 ml) was added and the aqueous layer extracted with in CH₂Cl₂ (2x15 ml). The combined organic layers were washed with brine (25 mL) and dried over anhydrous Na₂SO₄. The solution was then concentrated and purified through column chromatography to afford, 50 mg of **(-)-20**, in 78% yield. Colorless oil. $[\alpha]_D^{20} = -51.1$ (c 1.0, CHCl₃). R_f = 0.46 (EtOAc/MeOH 2:1). ¹H-NMR (400 MHz, CDCl₃) δ 1.80-2.45 (m, 8H), 2.88 (d, *J* = 12.2, 1H), 2.96 (d, *J* = 12.2, 1H), 3.29 (d, *J* = 16.7, 1H), 3.36 (d, *J* = 16.7, 1H), 3.40-3.80 (m, 4H), 4.03 (dd, *J* = 18.0, *J* = 5.2, 1H), 4.13 (dd, *J* = 18.0, *J* = 5.2, 1H), 4.32-4.50 (m, 1H), 5.18 (m, 2H), 7.30 (m, 6H); ¹³C-NMR (100 MHz, CDCl₃) δ 21.1, 22.6, 28.8, 32.5, 40.9, 45.0, 45.5, 52.4, 54.8, 60.4, 67.1, 70.0, 128.3, 128.5, 128.6, 135.2, 166.6, 167.8, 169.7, 171.2;

IR (NaCl) 1659, 1746, 3328 cm^{-1} ; MS (FAB⁺) m/z 429 (M+H). HRMS Calcd for (C₂₂H₂₈N₄O₅+H) 429.2138. Found 429.2129. Anal. Calcd. for C₂₂H₂₈N₄O₅: C, 61.67; H, 6.59; N, 13.08. Found: C, 61.54; H, 6.59; N, 13.11.

c) HPLC analysis of the β -lactams (-)-3 and (+)-3:

The enantiomeric purity of this compounds was determined by HPLC (see Figure S1), using the Chiralcel ODR-H column as the stationary phase and a mixture of NaClO₄ aq. 0.5 M / acetonitrile (50:50) as the mobile phase, at a rate of 0.4 mL min⁻¹. In these conditions, two separated peaks were obtained for the racemic mixture ($\pm$)-3, with retention times (t_R) of 6.9 and 7.9 min. Chromatograph of (-)-3 shows only one peak corresponding to an e.e. > 99%. Chromatograph of (+)-3 shows two peaks, indicating an e.e. = 97 %.

Figure S1. Chromatographs of ($\pm$)-3, (-)-3 and (+)-3.

d) Cartesian coordinates (angstroms) and energies (hartrees) of the Becke3LYP/6-31+G*

optimized structures.

2-syn				2-anti			
C	.597051	-2.189172	1.973430	C	.294433	-1.855900	2.131953
C	.673677	-.995807	1.004732	C	.361143	-.782383	1.035346
N	-.216071	.064914	1.491228	N	-.489092	.365412	1.384975
N	1.128347	-1.004551	-1.410234	N	.411163	-.576097	-1.402895
C	.841867	-1.121965	-2.829608	C	-.075540	-.754438	-2.763925
C	.637138	.200567	-3.584850	C	.965179	-1.208874	-3.794785
N	.564384	1.335240	-2.842673	N	2.163664	-1.619768	-3.300426
C	.243578	-1.359195	-.435372	C	-.080319	-1.310701	-.355754
O	-.834166	-1.904000	-.654011	O	-.817611	-2.281123	-.488724
C	-.199672	1.329145	1.000766	C	-.257405	1.628107	.939895
C	-1.290936	2.263311	1.530324	C	-1.240699	2.697929	1.427279
O	.556201	.184314	-4.809412	O	.694943	-1.193943	-4.989924
O	.644402	1.702159	.173806	O	.685312	1.894848	.183124
C	1.735672	-3.228211	1.875785	C	1.570636	-2.711874	2.283571
C	1.705868	-4.060062	.582939	C	1.946936	-3.483312	1.008734
C	1.685992	-4.154297	3.103175	C	1.409866	-3.676176	3.469763
C	-2.623063	2.086886	.744031	C	-2.592579	2.636172	.656516
N	-.928989	3.679380	1.391701	N	-.725877	4.057140	1.224107
C	-1.920466	4.362004	.536298	C	-1.627036	4.794394	.316670
C	-3.187107	3.516195	.706604	C	-2.984569	4.117139	.531735
H	-.372101	-2.688655	1.836715	H	-.567898	-2.506319	1.938720
H	.609587	-1.769500	2.988574	H	.119294	-1.346025	3.088661
H	1.689523	-.583517	1.004637	H	1.379690	-.385295	.956285
H	-1.000046	-.217223	2.067432	H	-1.307201	.189346	1.955864
H	1.948499	-.481568	-1.130729	H	.824790	.323181	-1.156217
H	1.646570	-1.659034	-3.342750	H	-.867657	-1.508943	-2.744367
H	-.071090	-1.714365	-2.932802	H	-.509135	.177908	-3.140779
H	.421011	2.204308	-3.340342	H	2.854199	-1.988858	-3.940052
H	.594546	1.361708	-1.826382	H	2.327330	-1.669162	-2.305264
H	-1.455939	2.024292	2.592537	H	-1.419856	2.524135	2.500088
H	2.691207	-2.680819	1.911402	H	2.399379	-2.025591	2.520480
H	1.853752	-3.450409	-.313857	H	2.175005	-2.811018	.172521
H	.746442	-4.581380	.475362	H	1.132094	-4.142425	.687820
H	2.500221	-4.816211	.599367	H	2.838395	-4.098080	1.183084
H	.745911	-4.721481	3.127921	H	.596314	-4.390492	3.286623
H	1.762068	-3.588699	4.040169	H	1.181049	-3.137922	4.398166
H	2.508972	-4.878323	3.080487	H	2.327821	-4.252825	3.635175
H	-3.293648	1.361107	1.215481	H	-3.341937	2.025814	1.171645
H	-2.417854	1.738315	-.275709	H	-2.438834	2.205841	-.341169
H	-2.055786	5.399187	.863281	H	.224621	4.019162	.863580
H	-1.618567	4.377802	-.524374	H	-1.638786	5.859272	.574995
H	.013655	3.767962	1.020866	H	-1.324482	4.704881	-.740274
H	-3.910684	3.665878	-.101304	H	-3.688455	4.302827	-.286102
H	-3.680255	3.759200	1.656008	H	-3.441703	4.472480	1.463536
HF=-954.6056073				HF=-954.6037714			

5-syn				5-anti			
C	2.220783	-1.967416	-.590931	C	4.822504	1.318781	0.710077
N	1.815738	-.612807	-.937238	N	3.572026	0.637535	0.405566
C	.800883	-1.515006	-.463986	C	3.542493	-0.623435	-0.100610
C	.013483	-1.280748	.828308	O	4.545230	-1.253245	-0.423686
O	.284060	-1.025929	1.983098	C	2.152135	-1.265315	-0.237990
C	-.550380	-1.743429	-1.166944	N	1.031299	-0.353996	-0.286561
N	-1.169779	-1.443820	.145775	C	0.442956	0.402091	-1.416151
C	-2.526766	-1.106459	.504937	C	-0.747994	0.681540	-0.480954
H	-.754057	-2.761393	-1.516575	C	-0.049940	-0.199868	0.560568
H	-.774616	-1.010756	-1.948877	O	-0.284355	-0.595173	1.681408
H	2.531708	-2.581704	-1.432860	C	-1.604147	1.879438	-0.195991
H	2.767572	-2.117933	.339213	N	-2.135649	0.687638	-0.834211
C	2.101703	.581331	-.283265	C	-3.072312	-0.205228	-0.303958
C	-3.001394	.301984	.087521	O	-2.970470	-1.411374	-0.378938
H	-3.227539	-1.824285	.069036	O	-4.126341	0.460652	0.206988
H	-2.610416	-1.180224	1.595277	C	-5.203091	-0.369215	0.686562
N	-2.050040	1.241782	-.127687	H	1.037171	1.266665	-1.730522
O	-4.207696	.521052	-.012140	H	0.188451	-0.225502	-2.277391
C	-2.414007	2.617910	-.441124	H	-1.544661	2.759791	-0.832659
H	-1.498765	3.173881	-.653911	H	-1.863967	2.059393	0.846446
H	-3.072381	2.646553	-1.314557	H	4.648176	2.397809	0.730363
H	-2.940876	3.088332	.397130	H	5.232859	1.000730	1.676811
H	-1.069295	1.043966	.042082	H	5.552815	1.083162	-0.066828
O	3.417764	.732023	-.075737	H	2.701648	1.030302	0.739206
O	1.246953	1.411080	-0.019384	H	-5.955697	0.326928	1.057320
C	3.816797	1.989055	.509911	H	-5.604805	-0.975630	-0.129253
H	4.900685	1.925610	.605529	H	-4.848833	-1.022135	1.487917
H	3.533382	2.816661	-.145132	H	2.000216	-1.925270	0.624604
H	3.346312	2.115024	1.487818	H	2.174713	-1.894043	-1.135052
HF=-815.938763				HF=-815.9351432			

6-syn				6-anti			
C	3.130034	-1.231738	-.289765	C	5.098779	1.014298	-.033618
C	2.140725	-2.429498	-.388393	N	3.755173	.457569	.015063
C	.978420	-1.403332	-.336198	C	3.512043	-.873548	-.118127
C	-.027728	-1.395698	.851604	O	4.377676	-1.705779	-.373652
O	.062857	-1.400628	2.061970	C	2.055836	-1.315506	.092781
N	1.967283	-.335287	-.420843	N	1.052968	-.278615	-.017807
C	-.283677	-1.400190	-1.247477	C	.332954	.233632	-1.203014
N	-1.091296	-1.391841	-.012990	C	-.681519	.889783	-.221056
C	-2.514976	-1.308052	.210702	N	-2.113297	.687937	-.350000
C	-3.163709	.069312	-.031380	C	-2.790566	-.489204	-.231685
O	-4.388801	.142360	-.128306	O	-4.116706	-.269487	-.064645
N	-2.337478	1.136334	-.104611	C	-4.927987	-1.454168	.035702
C	-2.865692	2.483715	-.265663	C	-.951645	2.415922	-.095349
H	-.396742	-.501918	-1.862699	C	-2.470854	2.081886	-.040953
H	-.424220	-2.301980	-1.855943	C	.115721	.153151	.895679
H	2.198563	-2.978798	-1.331545	O	.009258	.013044	2.095026
H	2.165386	-3.127619	.450892	O	-2.263759	-1.589940	-.301457
H	-2.701662	-1.584312	1.254466	H	-.109726	-.561557	-1.811775
H	-3.044343	-2.028879	-.421444	H	.921604	.918622	-1.823430
H	-1.333674	1.030507	.017271	H	-.653833	2.984416	-.980304
H	-3.505377	2.541920	-1.152105	H	-.540833	2.881935	.802940
H	-2.023422	3.169790	-.376570	H	2.986760	1.041699	.317838
H	-3.464546	2.779565	.603497	H	5.574742	1.014483	.955415
H	3.635093	-1.136040	.676748	H	5.055593	2.039927	-.411278
H	3.858193	-1.127085	-1.099623	H	5.704216	.404375	-.706869
C	1.780596	.974852	-.120252	H	-2.926829	2.199439	.947720
O	.677298	1.508185	-.027140	H	-3.105254	2.553209	-.797862
O	2.956600	1.621021	.027942	H	-5.947162	-1.090846	.171361
C	2.863666	3.028345	.320039	H	-4.849337	-2.049434	-.877858
H	3.895588	3.365734	.419805	H	-4.616237	-2.058095	.891581
H	2.363979	3.554940	-.497202	H	1.978042	-1.742503	1.099855
H	2.313391	3.188354	1.250405	H	1.852447	-2.120295	-.622629
HF=-855.279245				HF=-855.271772			

7-syn				7-anti			
C	.958854	1.176541	-.812427	C	-2.123475	2.696753	.327471
N	1.253460	.976517	.616504	C	-.760172	2.366478	-.298458
C	-.528917	1.432220	-.398511	C	-.685788	.830168	-.232838
C	-.037026	1.122618	1.051725	N	-2.085033	.425305	-.295429
N	-1.587290	.578913	-.936108	C	-3.021811	1.560154	-.177014
C	-1.074936	2.853573	-.621277	C	.362279	.126365	-1.158796
O	-.555587	1.063340	2.148083	N	1.127322	-.210449	.059651
O	4.190421	-.957240	1.577672	C	2.139052	-1.226450	.257962
C	2.482235	.701007	1.322591	C	3.584326	-.807760	-.044198
C	3.040401	-.729348	1.201243	N	3.818377	.530757	-.093038
N	2.211762	-1.668145	.694267	C	5.155651	1.082012	-.249046
C	2.626694	-3.059109	.588631	C	.162777	.236084	.937420
C	-1.504492	-.776336	-.902776	O	.063065	.181252	2.144264
C	-2.817396	1.329391	-1.267346	C	-2.444276	-.888782	-.226124
O	-.531944	-1.413647	-.501708	O	-3.793746	-1.036536	-.214266
C	-2.598876	2.675046	-.564802	C	-4.259209	-2.395320	-.128686
O	-2.625777	-1.361629	-1.387199	O	4.453631	-1.659212	-.210320
C	-2.631109	-2.800792	-1.373320	O	-1.654436	-1.823996	-.194957
H	1.124339	.288416	-1.427917	H	-.021598	-.757192	-1.675025
H	1.469067	2.045422	-1.246467	H	.899543	.783545	-1.851737
H	-.767277	3.207570	-1.614169	H	-.734026	2.683706	-1.349435
H	-.691842	3.558682	.122186	H	.079499	2.841522	.218032
H	2.301709	.896158	2.385567	H	2.092660	-1.535155	1.309215
H	3.273078	1.383740	.992174	H	1.917008	-2.109196	-.352739
H	1.263338	-1.424335	.421560	H	3.050375	1.143822	.147184
H	3.572371	-3.135916	.042664	H	5.675928	1.167337	.713745
H	1.849939	-3.609613	.053416	H	5.089251	2.071728	-.709733
H	2.771202	-3.505950	1.579353	H	5.735624	.419188	-.894533
H	-2.906115	1.444964	-2.355763	H	-3.462314	1.791566	-1.156295
H	-3.696855	.790842	-.909684	H	-3.833260	1.312711	.510021
H	-2.931155	2.611614	.477174	H	-2.053343	2.661133	1.420298
H	-3.142095	3.491106	-1.051093	H	-2.497274	3.684003	.038623
H	-2.518892	-3.173899	-.352279	H	-3.893264	-2.868006	.786226
H	-1.823173	-3.192322	-1.996711	H	-3.921787	-2.970796	-.994652
H	-3.601999	-3.083591	-1.781392	H	-5.347327	-2.322202	-.116122
HF=-864.623047				HF=-894.615556			

8-syn				8-anti			
C	1.006795	-.894232	-.400587	C	.519938	.275024	.178531
C	1.948989	-2.064617	-.741538	C	.669529	1.248100	1.360628
C	3.226939	-2.107933	.093236	C	1.400925	2.534624	.926832
C	3.959893	-.780909	-.092234	C	2.716847	2.223218	.190967
C	3.075589	.383207	.338859	C	2.491656	1.213121	-.944202
N	1.735713	.386897	-.320386	N	1.834238	-.005445	-.413807
C	1.003407	1.548141	-.223529	C	2.582477	-1.016044	.147921
O	-.216852	1.639627	-.329704	O	2.171521	-1.828740	.966592
C	.040942	-1.201682	.788034	C	-.543754	.721725	-.880247
O	.154020	-1.302097	1.994645	O	-.644440	1.604700	-1.710703
C	-.286198	-.990147	-1.290481	C	-.422131	-.949274	.389839
N	-1.023936	-1.332073	-.062471	N	-1.390631	-.293301	-.516493
C	-2.391023	-1.737230	.167163	C	-2.565432	-.813615	-1.182517
H	2.220179	-1.976723	-1.803763	H	1.231260	.732938	2.151869
H	2.985643	-2.264231	1.152935	H	.746152	3.114206	.263573
H	3.850921	-2.951235	-.226924	H	1.597640	3.159093	1.807159
H	4.879371	-.742890	.504931	H	3.147273	3.145086	-.220936
H	4.251932	-.659837	-1.145037	H	3.454023	1.810925	.894872
H	2.925534	.345152	1.427451	H	1.830417	1.633060	-1.706889
H	3.556259	1.329957	.100657	H	3.426289	.921676	-1.421113
O	1.783843	2.634676	-.016633	O	3.847887	-1.040130	-.344064
C	-3.465017	-.638269	.073194	C	-3.880352	-.755058	-.389224
H	-.617203	-.068214	-1.767004	H	-.037257	-1.889420	-.008069
H	-.256606	-1.810322	-2.018435	H	-.783548	-1.094924	1.411936
H	1.375015	-2.992685	-.634748	H	-.318749	1.492470	1.772672
C	1.089310	3.890874	.081072	C	4.676292	-2.108707	.144836
H	1.869592	4.629736	.266572	H	5.642422	-1.962776	-.339870
H	.564297	4.112158	-.851657	H	4.776984	-2.051549	1.231765
H	.374685	3.869495	.907437	H	4.251872	-3.078248	-.128646
O	-4.653315	-.960330	.078662	O	-4.839791	-1.434265	-.743423
N	-3.029629	.638748	.000523	N	-3.895602	.086989	.676940
H	-2.033871	.839757	.011930	H	-3.074435	.657358	.830212
C	-3.965779	1.751646	-.050147	C	-5.093377	.332582	1.465772
H	-3.400350	2.669739	-.224790	H	-4.814928	.525275	2.505980
H	-4.688109	1.608077	-.860034	H	-5.663592	1.187877	1.081242
H	-4.524537	1.842700	.888732	H	-5.727050	-.554984	1.417842
H	-2.677829	-2.527487	-.536597	H	-2.707199	-.236286	-2.103852
H	-2.442370	-2.161265	1.176030	H	-2.408594	-1.860304	-1.467863
HF=-933.931164				HF= -855.271772			

22-syn				23-syn			
C	0.104000	1.227900	-1.980250	C	0.035800	1.074650	-1.769850
N	0.928000	1.298000	-0.759350	N	0.806800	1.120849	-0.514050
C	-1.139100	1.516700	-1.069750	C	-1.258900	1.049250	-0.885750
C	-0.115600	1.475200	0.104750	C	-0.272000	1.035450	0.320750
N	-2.261200	0.572500	-1.026050	N	-2.232000	-0.039950	-1.017850
C	-1.827100	2.881300	-1.277950	C	-2.155700	2.305350	-0.978050
O	-0.184100	1.573900	1.316850	O	-0.385300	1.001850	1.531850
O	4.256000	-0.194900	-0.763650	O	4.347700	0.264450	-0.592550
C	2.355300	1.238800	-0.546550	C	2.216700	1.296750	-0.250550
C	3.027299	-0.139700	-0.687850	C	3.130500	0.093150	-0.546550
N	2.221900	-1.222100	-0.697850	N	2.529900	-1.105050	-0.722450
C	2.774000	-2.565800	-0.785550	C	3.306200	-2.313350	-0.965550
C	-3.573200	1.264600	-1.023150	S	-1.904300	-1.657750	-0.976850
O	-0.704100	-1.522700	-0.699650	C	-3.638201	0.423149	-1.093550
C	-3.210600	2.703000	-0.639750	O	-0.450701	-1.792650	-0.845450
O	-2.913200	-1.383500	0.679450	C	-3.540901	1.835650	-0.509950
C	-2.244500	-1.222700	1.955150	O	-2.615201	-2.210150	0.379550
O	-3.126500	-1.692900	-1.759250	C	-1.956301	-1.972050	1.654250
H	0.105900	0.243800	-2.455350	O	-2.644900	-2.322350	-2.034950
H	0.339000	2.010900	-2.712150	H	0.213499	0.175650	-2.365250
H	-1.926300	3.072600	-2.354450	H	0.155000	1.972750	-2.388150
H	-1.247300	3.700000	-0.841150	H	-2.201701	2.633149	-2.024050
H	2.549300	1.597300	0.470550	H	-1.754301	3.130450	-0.382550
H	2.869800	1.915900	-1.237850	H	2.323400	1.541850	0.812050
H	1.210800	-1.127100	-0.622450	H	2.608299	2.143150	-0.826050
H	3.400999	-2.669600	-1.677550	H	1.521800	-1.182950	-0.649450
H	1.942799	-3.272200	-0.839050	H	3.976100	-2.171250	-1.819250
H	3.392900	-2.795400	0.089550	H	2.613599	-3.130450	-1.178150
H	-4.027000	1.212800	-2.021950	H	3.917900	-2.571250	-0.093450
H	-4.256000	0.790600	-0.312450	H	-3.979401	0.425550	-2.136250
H	-3.138900	2.797000	0.449650	H	-4.287600	-0.240850	-0.517350
H	-3.944200	3.430100	-1.002250	H	-3.578801	1.794250	0.584150
H	-1.888500	-0.196100	2.079950	H	-4.347700	2.487050	-0.859450
H	-1.402700	-1.916600	2.022650	H	-1.822800	-0.902850	1.835050
H	-2.993401	-1.461000	2.712150	H	-0.992400	-2.484750	1.674450
P	-2.117800	-1.044300	-0.688450	H	-2.635901	-2.406851	2.388150
C	-3.445700	-3.099500	-1.707050	HF=-1329.8282843			
H	-3.984300	-3.330800	-0.783950				
H	-4.081300	-3.293200	-2.572350				
H	-2.533400	-3.700000	-1.774950				
HF=-1313.0577494							

e) Spectra of compounds 9f, (-)-20, 4a, 4b, 4c.

Figure S2. ^1H and ^{13}C NMR spectra of (+)-9f.

Figure S3. ^1H and ^{13}C NMR spectra of (+)-20.

Figure S4. ^1H and ^{13}C NMR spectra of (+)-4a.

Figure S5. ^1H and ^{13}C NMR spectra of (-)-4b.

Figure S6. ^1H and ^{13}C NMR spectra (-)-4c.