Supporting Information

The Wewakpeptins, Cyclic Depsipeptides from a Papua New Guinea Collection of the Marine Cyanobacterium *Lyngbya semiplena*

Bingnan Han,[†] Doug Goeger,[†] Maier, Claudia S.,[‡] William H. Gerwick^{*,†}

[†]College of Pharmacy, [‡]Department of Chemistry, Oregon State University, Corvallis, Oregon 97331

General Experimental Procedures

NMR and MS Data of Wewakpeptin A-D (1-4)

- S1 ¹H NMR for wewakpeptin A (**1**) in CDCl₃.
- S2 ¹³C NMR for wewakpeptin A (**1**) in CDCl₃.
- S3 ¹H-¹H COSY plot for wewakpeptin A (**1**) in CDCl₃.
- S4 HSQC plot for wewakpeptin A (**1**) in CDCl₃.
- S5 HSQC-TOCSY plot for wewakpeptin A (**1**) in CDCl₃.
- S6 HMBC plot for wewakpeptin A (**1**) in CDCl₃.
- S7 ¹H NMR for wewakpeptin B (**2**) in CDCl₃.
- S8 ¹³C NMR for wewakpeptin B (**2**) in CDCl₃.
- S9 ¹H NMR for wewakpeptin C (**3**) in CDCl₃.
- S10 ¹³C NMR for wewakpeptin C (**3**) in CDCl₃.
- S11 ¹H-¹H COSY plot for wewakpeptin A (**3**) in CDCl₃.
- S12 HSQC plot for wewakpeptin A (**3**) in CDCl₃.
- S13 HSQC-TOCSY plot for wewakpeptin A (**3**) in CDCl₃.
- S14 HMBC plot for wewakpeptin A (**3**) in CDCl₃.

- S15 ^1H NMR for wewakpeptin D (**4**) in CDCl_3 .
- S16 ^{13}C NMR for wewakpeptin D (**4**) in CDCl_3 .
- S17 Full MS for m/z 984.7 from ESI-MS/MS of wewakpeptin A (**1**).
- S18 Full MS^2 for m/z 985.00 from ESI-MS/MS of wewakpeptin A (**1**).
- S19 Full MS^3 for m/z 985.00, 899.40 from ESI-MS/MS of wewakpeptin A (**1**).
- S20 Full MS^3 for m/z 984.60, 899.60 from ESI-MS/MS of wewakpeptin A (**1**).
- S21 Full MS for m/z 1004.5 from ESI-MS/MS of wewakpeptin C (**3**).
- S22 Full MS^2 for m/z 1004.00 from ESI-MS/MS of wewakpeptin C (**3**).
- S23 Full MS^3 for m/z 1004.00, 834.00 from ESI-MS/MS of wewakpeptin C (**3**).
- S24 Full MS^3 for m/z 1004.00, 919.50 from ESI-MS/MS of wewakpeptin C (**3**).

Biological Assay

- S25 Figures of Cytotoxicity Assays with Neuro-2a and H460 cells

S1 ^1H NMR for wewakpeptin A (1) in CDCl_3 .

S2 ^{13}C NMR for wewakpeptin A (1) in CDCl_3 .

S3 ^1H - ^1H COSY plot for wewakepeptin A (1) in CDCl_3 .

Current Data Parameters

NAME	130535C3
EXPNO	2
PROCNO	1
INSTRUM	gm400
PROBHD	5 mm BBO 1-6
PULPROG	cosygp
TD	2648
SOLVENT	CDCl3
NS	2
DS	8
SWH	4006.418 Hz
FIDRES	1.956295 Hz
AQ	0.255404 sec
RG	203.2
NUC1	124.800 usec
DE	5.00 usec
TE	300.0 K
DO	0.0000300 sec
D1	2.00000000 sec
D13	0.0000300 sec
D16	0.0025000 sec
RG	0.0024980 sec

***** CHANNEL f1 *****

NUC1	1H
PQ	11.30 usec
P1	11.30 usec
PL1	0.00 dB
SC1	400.0120000 MHz

***** GRADIENT CHANNEL *****

GRPM1	SINE 100
GRPM2	SINE 100
GRX1	0.00 %
GRX2	0.00 %
GRY1	0.00 %
GRY2	0.00 %
GRZ1	10.00 %
GRZ2	10.00 %
P16	1000.00 usec

F1 - Acquisition Parameters

NOO	1
TD	128
SC1	400.012 MHz
F1FREQS	31.300078 Hz
SN	10.016 ppm

F2 - Processing Parameters

SI	3248
SF	400.0100102 MHz
WDM	SINE
SSB	0
LB	0.00 Hz
GB	0
PC	1.00

F3 - Processing Parameters

SI	1024
SC	0
SF	400.0100000 MHz
WDM	SINE
SSB	0
LB	0.00 Hz
GB	0

2D NMR plot parameters

CX2	16.00 cm
CX1	16.00 cm
F2RLO	10.008 ppm
F2LO	4003.26 Hz
F2H1	-0.008 ppm
F2H1	-3.15 Hz
F1RLO	10.008 ppm
F1LO	4003.26 Hz
F1H1	-0.008 ppm
F1H1	-3.15 Hz
F2PMCH	0.52599 ppm/cm
F2H1CH	250.40067 Hz/cm
F1PMCH	0.52599 ppm/cm
F1H1CH	250.40067 Hz/cm

[illegible]

[illegible]

S6 HMBC plot for wewakpepin A (1) in CDCl₃.

Current Data Parameter

NAME	1305.S6C33
EXPNO	12
PROCNO	1
OU	/a
USER	nan

F2 - Acquisition Parameter

Date_	20021129
Time	22:46
INSTRUM	gpc400
PROBHD	5 mm BBO Z-G
PULPROG	zgpg30
TD	2048
SOLVENT	CDCl3
NS	230
DS	4
SWH	4058.442 Hz
FIDRES	1.98161 Hz
AQ	0.252636 sec
RG	1096
OR	123.200 usec
DE	6.00 usec
TE	300.0 K
DO	0.0000300 sec
D1	2.00000000 sec
D2	0.00345000 sec
D6	0.12000000 sec
D13	0.0000300 sec
D16	0.00025000 sec
IN0	0.0002485 sec

***** CHANNEL f1 *****

NUC1	1H
P1	11.30 usec
P2	22.50 usec
PL1	0.00 dB
SFO1	400.0120000 MHz

***** CHANNEL f2 *****

NUC2	13C
P3	7.50 usec
PL2	-3.00 dB
SFO2	100.5261333 MHz

F1 - Acquisition Parameter

MD0	2
TD	128
SFO1	100.5261333 MHz
FIDRES	157.19181 Hz
SR	200.022 ppm

F2 - Processing Parameter

SI	400.0093950 MHz
WDW	SINE
SSB	0
LB	0.00 Hz
GB	0
PC	1.40

F1 - Processing Parameter

SI	100.5261333 MHz
WDW	SINE
SSB	0
LB	0.00 Hz
GB	0

20 MHz 1D10 Acquisition

CD1	16.00 cm
F2PULC	10.073 ppm
F2PULD	4029.27 Hz
F2PULI	-0.073 ppm
F2PULJ	-29.17 Hz
F2PULO	200.021 ppm
F2PULI	20118.62 Hz
F2PULJ	-0.021 ppm
F2PULO	-2.10 Hz
F2PULC	0.56366 ppm/c
F2PULD	225.46889 Hz/c
F2PULO	12.50282 ppm/c
F2PULI	1257.54529 Hz/c

S7 ^1H NMR for wewakpeptin B (2) in CDCl_3 .

S8 ^{13}C NMR for wewakpeptin B (2) in CDCl_3 .

S9 ^1H NMR for wewakpeptin C (3) in CDCl_3 .

S10 ^{13}C NMR for wewakeptin C (3) in CDCl_3 .

Current Data Parameters

1981

20021025

68 x 300

cosypp

MeOH

1

1.453673

512

5.00

0.00000300

0.00000300

0.00033360

***** CHANNEL 11

0.000

-3.00
300 1345007

COGNITIVE CHANGES

SINE: 100

0.00 2

0.00 %

10.00 x

1

300.1335 M_r

9, 986, 6

- Processing para

200.1300053
CINE

000

1.00

Progressing Narrative

२३

SINE

0.00 Hz

15.00 cm

9.973 ppm

-0.015 ppm

9.973 ppm

-0.015 ppm

0.62423 ppm/

0.62423 ppm/

```

NAME          Current Data Parameters
NO            130502626
UNIT          1
USER          nam

F2 - Acquisition Parameters
Date         20021110
Time         15:23
INSTRUM      HP8360
FREQ        5.960 MHz
MODE         CW
PWR          20dB
SOLVR        COX13
N2           315
Sens         323.4 dBm
FIDELITY     1
FIDRES       0.162675 Hz
F2           5.960000 Hz
DE           6.00 uHz
CLOCK        10.000000 MHz
CLOCK2       10.000000 MHz
CLOCK3       1.000000 MHz
CLOCK4       2.0000000 Hz
CLOCK5       0.0000000 Hz
CLOCK6       0.0000000 Hz
CLOCK7       0.0000000 Hz
CLOCK8       0.0000000 Hz
CLOCK9       0.0000000 Hz
CLOCK10      0.0000000 Hz
CLOCK11      0.0000000 Hz
CLOCK12      0.0000000 Hz
CLOCK13      0.0000000 Hz
CLOCK14      0.0000000 Hz
CLOCK15      0.0000000 Hz
CLOCK16      0.0000000 Hz
CLOCK17      0.0000000 Hz
CLOCK18      0.0000000 Hz
CLOCK19      0.0000000 Hz
CLOCK20      0.0000000 Hz
CLOCK21      0.0000000 Hz
CLOCK22      0.0000000 Hz
CLOCK23      0.0000000 Hz
CLOCK24      0.0000000 Hz
CLOCK25      0.0000000 Hz
CLOCK26      0.0000000 Hz
CLOCK27      0.0000000 Hz
CLOCK28      0.0000000 Hz
CLOCK29      0.0000000 Hz
CLOCK30      0.0000000 Hz
CLOCK31      0.0000000 Hz
CLOCK32      0.0000000 Hz
CLOCK33      0.0000000 Hz
CLOCK34      0.0000000 Hz
CLOCK35      0.0000000 Hz
CLOCK36      0.0000000 Hz
CLOCK37      0.0000000 Hz
CLOCK38      0.0000000 Hz
CLOCK39      0.0000000 Hz
CLOCK40      0.0000000 Hz
CLOCK41      0.0000000 Hz
CLOCK42      0.0000000 Hz
CLOCK43      0.0000000 Hz
CLOCK44      0.0000000 Hz
CLOCK45      0.0000000 Hz
CLOCK46      0.0000000 Hz
CLOCK47      0.0000000 Hz
CLOCK48      0.0000000 Hz
CLOCK49      0.0000000 Hz
CLOCK50      0.0000000 Hz
CLOCK51      0.0000000 Hz
CLOCK52      0.0000000 Hz
CLOCK53      0.0000000 Hz
CLOCK54      0.0000000 Hz
CLOCK55      0.0000000 Hz
CLOCK56      0.0000000 Hz
CLOCK57      0.0000000 Hz
CLOCK58      0.0000000 Hz
CLOCK59      0.0000000 Hz
CLOCK60      0.0000000 Hz
CLOCK61      0.0000000 Hz
CLOCK62      0.0000000 Hz
CLOCK63      0.0000000 Hz
CLOCK64      0.0000000 Hz
CLOCK65      0.0000000 Hz
CLOCK66      0.0000000 Hz
CLOCK67      0.0000000 Hz
CLOCK68      0.0000000 Hz
CLOCK69      0.0000000 Hz
CLOCK70      0.0000000 Hz
CLOCK71      0.0000000 Hz
CLOCK72      0.0000000 Hz
CLOCK73      0.0000000 Hz
CLOCK74      0.0000000 Hz
CLOCK75      0.0000000 Hz
CLOCK76      0.0000000 Hz
CLOCK77      0.0000000 Hz
CLOCK78      0.0000000 Hz
CLOCK79      0.0000000 Hz
CLOCK80      0.0000000 Hz
CLOCK81      0.0000000 Hz
CLOCK82      0.0000000 Hz
CLOCK83      0.0000000 Hz
CLOCK84      0.0000000 Hz
CLOCK85      0.0000000 Hz
CLOCK86      0.0000000 Hz
CLOCK87      0.0000000 Hz
CLOCK88      0.0000000 Hz
CLOCK89      0.0000000 Hz
CLOCK90      0.0000000 Hz
CLOCK91      0.0000000 Hz
CLOCK92      0.0000000 Hz
CLOCK93      0.0000000 Hz
CLOCK94      0.0000000 Hz
CLOCK95      0.0000000 Hz
CLOCK96      0.0000000 Hz
CLOCK97      0.0000000 Hz
CLOCK98      0.0000000 Hz
CLOCK99      0.0000000 Hz
CLOCK100     0.0000000 Hz
CLOCK101     0.0000000 Hz
CLOCK102     0.0000000 Hz
CLOCK103     0.0000000 Hz
CLOCK104     0.0000000 Hz
CLOCK105     0.0000000 Hz
CLOCK106     0.0000000 Hz
CLOCK107     0.0000000 Hz
CLOCK108     0.0000000 Hz
CLOCK109     0.0000000 Hz
CLOCK110     0.0000000 Hz
CLOCK111     0.0000000 Hz
CLOCK112     0.0000000 Hz
CLOCK113     0.0000000 Hz
CLOCK114     0.0000000 Hz
CLOCK115     0.0000000 Hz
CLOCK116     0.0000000 Hz
CLOCK117     0.0000000 Hz
CLOCK118     0.0000000 Hz
CLOCK119     0.0000000 Hz
CLOCK120     0.0000000 Hz
CLOCK121     0.0000000 Hz
CLOCK122     0.0000000 Hz
CLOCK123     0.0000000 Hz
CLOCK124     0.0000000 Hz
CLOCK125     0.0000000 Hz
CLOCK126     0.0000000 Hz
CLOCK127     0.0000000 Hz
CLOCK128     0.0000000 Hz
CLOCK129     0.0000000 Hz
CLOCK130     0.0000000 Hz
CLOCK131     0.0000000 Hz
CLOCK132     0.0000000 Hz
CLOCK133     0.0000000 Hz
CLOCK134     0.0000000 Hz
CLOCK135     0.0000000 Hz
CLOCK136     0.0000000 Hz
CLOCK137     0.0000000 Hz
CLOCK138     0.0000000 Hz
CLOCK139     0.0000000 Hz
CLOCK140     0.0000000 Hz
CLOCK141     0.0000000 Hz
CLOCK142     0.0000000 Hz
CLOCK143     0.0000000 Hz
CLOCK144     0.0000000 Hz
CLOCK145     0.0000000 Hz
CLOCK146     0.0000000 Hz
CLOCK147     0.0000000 Hz
CLOCK148     0.0000000 Hz
CLOCK149     0.0000000 Hz
CLOCK150     0.0000000 Hz
CLOCK151     0.0000000 Hz
CLOCK152     0.0000000 Hz
CLOCK153     0.0000000 Hz
CLOCK154     0.0000000 Hz
CLOCK155     0.0000000 Hz
CLOCK156     0.0000000 Hz
CLOCK157     0.0000000 Hz
CLOCK158     0.0000000 Hz
CLOCK159     0.0000000 Hz
CLOCK160     0.0000000 Hz
CLOCK161     0.0000000 Hz
CLOCK162     0.0000000 Hz
CLOCK163     0.0000000 Hz
CLOCK164     0.0000000 Hz
CLOCK165     0.0000000 Hz
CLOCK166     0.0000000 Hz
CLOCK167     0.0000000 Hz
CLOCK168     0.0000000 Hz
CLOCK169     0.0000000 Hz
CLOCK170     0.0000000 Hz
CLOCK171     0.0000000 Hz
CLOCK172     0.0000000 Hz
CLOCK173     0.0000000 Hz
CLOCK174     0.0000000 Hz
CLOCK175     0.0000000 Hz
CLOCK176     0.0000000 Hz
CLOCK177     0.0000000 Hz
CLOCK178     0.0000000 Hz
CLOCK179     0.0000000 Hz
CLOCK180     0.0000000 Hz
CLOCK181     0.0000000 Hz
CLOCK182     0.0000000 Hz
CLOCK183     0.0000000 Hz
CLOCK184     0.0000000 Hz
CLOCK185     0.0000000 Hz
CLOCK186     0.0000000 Hz
CLOCK187     0.0000000 Hz
CLOCK188     0.0000000 Hz
CLOCK189     0.0000000 Hz
CLOCK190     0.0000000 Hz
CLOCK191     0.0000000 Hz
CLOCK192     0.0000000 Hz
CLOCK193     0.0000000 Hz
CLOCK194     0.0000000 Hz
CLOCK195     0.0000000 Hz
CLOCK196     0.0000000 Hz
CLOCK197     0.0000000 Hz
CLOCK198     0.0000000 Hz
CLOCK199     0.0000000 Hz
CLOCK200     0.0000000 Hz
CLOCK201     0.0000000 Hz
CLOCK202     0.0000000 Hz
CLOCK203     0.0000000 Hz
CLOCK204     0.0000000 Hz
CLOCK205     0.0000000 Hz
CLOCK206     0.0000000 Hz
CLOCK207     0.0000000 Hz
CLOCK208     0.0000000 Hz
CLOCK209     0.0000000 Hz
CLOCK210     0.0000000 Hz
CLOCK211     0.0000000 Hz
CLOCK212     0.0000000 Hz
CLOCK213     0.0000000 Hz
CLOCK214     0.0000000 Hz
CLOCK215     0.0000000 Hz
CLOCK216     0.0000000 Hz
CLOCK217     0.0000000 Hz
CLOCK218     0.0000000 Hz
CLOCK219     0.0000000 Hz
CLOCK220     0.0000000 Hz
CLOCK221     0.0000000 Hz
CLOCK222     0.0000000 Hz
CLOCK223     0.0000000 Hz
CLOCK224     0.0000000 Hz
CLOCK225     
```

HSQC-TOCSY plot for wewakpeptin A (3) in CDCl₃.

S14 HMBC plot for wewakepepin A (3) in CDCl₃.

Current Data Parameters

NAME	15055620
EXPNO	12
PROCNO	1
Q /s	nan
USER	nan

F2 - Acquisition Parameters

DATE_	20021205
TIME	19.39
INSTRUM	gpc400
PULPROG	5 mm BBD Z-G
PL1PROG	inv4331p06
TD	2048
SOLVENT	CDCl3
NS	200
DS	4
SWH	4058.442 Hz
FIDRES	1.981651 Hz
AQ	0.2621636 sec
RG	7298.2
DW	123.200 usec
DE	5.00 usec
TE	300.0 K
TD	0.0000300 sec
D1	2.00000000 sec
D2	0.00145000 sec
D6	0.06300000 sec
D13	0.0000300 sec
D16	0.0002500 sec
TD0	0.0002465 sec

***** CHANNEL f1 *****

NUC1	1H
P1	11.30 usec
P2	22.60 usec
PL1	0.00 dB
PL2	0.00 dB
PL3	0.00 dB
PL4	0.00 dB
PL5	0.00 dB
PL6	0.00 dB
PL7	0.00 dB
PL8	0.00 dB
PL9	0.00 dB
PL10	0.00 dB
PL11	0.00 dB
PL12	0.00 dB
PL13	0.00 dB
PL14	0.00 dB
PL15	0.00 dB
PL16	0.00 dB
PL17	0.00 dB
PL18	0.00 dB
PL19	0.00 dB
PL20	0.00 dB
PL21	0.00 dB
PL22	0.00 dB
PL23	0.00 dB
PL24	0.00 dB
PL25	0.00 dB
PL26	0.00 dB
PL27	0.00 dB
PL28	0.00 dB
PL29	0.00 dB
PL30	0.00 dB
PL31	0.00 dB
PL32	0.00 dB
PL33	0.00 dB
PL34	0.00 dB
PL35	0.00 dB
PL36	0.00 dB
PL37	0.00 dB
PL38	0.00 dB
PL39	0.00 dB
PL40	0.00 dB
PL41	0.00 dB
PL42	0.00 dB
PL43	0.00 dB
PL44	0.00 dB
PL45	0.00 dB
PL46	0.00 dB
PL47	0.00 dB
PL48	0.00 dB
PL49	0.00 dB
PL50	0.00 dB
PL51	0.00 dB
PL52	0.00 dB
PL53	0.00 dB
PL54	0.00 dB
PL55	0.00 dB
PL56	0.00 dB
PL57	0.00 dB
PL58	0.00 dB
PL59	0.00 dB
PL60	0.00 dB
PL61	0.00 dB
PL62	0.00 dB
PL63	0.00 dB
PL64	0.00 dB
PL65	0.00 dB
PL66	0.00 dB
PL67	0.00 dB
PL68	0.00 dB
PL69	0.00 dB
PL70	0.00 dB
PL71	0.00 dB
PL72	0.00 dB
PL73	0.00 dB
PL74	0.00 dB
PL75	0.00 dB
PL76	0.00 dB
PL77	0.00 dB
PL78	0.00 dB
PL79	0.00 dB
PL80	0.00 dB
PL81	0.00 dB
PL82	0.00 dB
PL83	0.00 dB
PL84	0.00 dB
PL85	0.00 dB
PL86	0.00 dB
PL87	0.00 dB
PL88	0.00 dB
PL89	0.00 dB
PL90	0.00 dB
PL91	0.00 dB
PL92	0.00 dB
PL93	0.00 dB
PL94	0.00 dB
PL95	0.00 dB
PL96	0.00 dB
PL97	0.00 dB
PL98	0.00 dB
PL99	0.00 dB
PL100	0.00 dB

***** CHANNEL f2 *****

NUC2	13C
P3	7.50 usec
PL2	-3.00 dB
PL3	0.00 dB
PL4	0.00 dB
PL5	0.00 dB
PL6	0.00 dB
PL7	0.00 dB
PL8	0.00 dB
PL9	0.00 dB
PL10	0.00 dB
PL11	0.00 dB
PL12	0.00 dB
PL13	0.00 dB
PL14	0.00 dB
PL15	0.00 dB
PL16	0.00 dB
PL17	0.00 dB
PL18	0.00 dB
PL19	0.00 dB
PL20	0.00 dB
PL21	0.00 dB
PL22	0.00 dB
PL23	0.00 dB
PL24	0.00 dB
PL25	0.00 dB
PL26	0.00 dB
PL27	0.00 dB
PL28	0.00 dB
PL29	0.00 dB
PL30	0.00 dB
PL31	0.00 dB
PL32	0.00 dB
PL33	0.00 dB
PL34	0.00 dB
PL35	0.00 dB
PL36	0.00 dB
PL37	0.00 dB
PL38	0.00 dB
PL39	0.00 dB
PL40	0.00 dB
PL41	0.00 dB
PL42	0.00 dB
PL43	0.00 dB
PL44	0.00 dB
PL45	0.00 dB
PL46	0.00 dB
PL47	0.00 dB
PL48	0.00 dB
PL49	0.00 dB
PL50	0.00 dB
PL51	0.00 dB
PL52	0.00 dB
PL53	0.00 dB
PL54	0.00 dB
PL55	0.00 dB
PL56	0.00 dB
PL57	0.00 dB
PL58	0.00 dB
PL59	0.00 dB
PL60	0.00 dB
PL61	0.00 dB
PL62	0.00 dB
PL63	0.00 dB
PL64	0.00 dB
PL65	0.00 dB
PL66	0.00 dB
PL67	0.00 dB
PL68	0.00 dB
PL69	0.00 dB
PL70	0.00 dB
PL71	0.00 dB
PL72	0.00 dB
PL73	0.00 dB
PL74	0.00 dB
PL75	0.00 dB
PL76	0.00 dB
PL77	0.00 dB
PL78	0.00 dB
PL79	0.00 dB
PL80	0.00 dB
PL81	0.00 dB
PL82	0.00 dB
PL83	0.00 dB
PL84	0.00 dB
PL85	0.00 dB
PL86	0.00 dB
PL87	0.00 dB
PL88	0.00 dB
PL89	0.00 dB
PL90	0.00 dB
PL91	0.00 dB
PL92	0.00 dB
PL93	0.00 dB
PL94	0.00 dB
PL95	0.00 dB
PL96	0.00 dB
PL97	0.00 dB
PL98	0.00 dB
PL99	0.00 dB
PL100	0.00 dB

F1 - Acquisition Parameters

NOO	2
TD	128
SF01	100.5826 MHz
FIDRES	157.153151 Hz
SV	200.022 DPA

F2 - Processing Parameters

SI	2048
SF	400.0100143 MHz
WDW	SINE
SSB	0
LB	0.00 Hz
GB	0
PC	1.40

F1 - Processing Parameters

SI	1024
SF	100.5826550 MHz
WDW	SINE
SSB	0
LB	0.00 Hz
GB	0

2D NMR plot parameter

CH2	18.00 cm
CH1	16.00 cm
F2PUL	8.432 DPA
F2PUL	3380.86 Hz
F2PUL	0.415 DPA
F2PUL	165.60 Hz
F2PUL	181.462 DPA
F2PUL	18251.96 Hz
F2PUL	8.963 DPA
F2PUL	901.76 Hz
F2PUL	0.44641 DPA/C
F2PUL	178.56956 Hz/Cm
F2PUL	10.78107 DPA/C
F2PUL	1084.38721 Hz/Cm

S15 ^1H NMR for wevakeptin D (4) in CDCl_3 .

S16 ^{13}C NMR for wewakpeptin D (4) in CDCl_3 .

Full MS² for m/z 985.00 from ESI-MS/MS of wewakpeptin A (1).

T: + c Full ms3 985.00@32.00 899.40@32.00 [245.00-1000.00]

1305J5C3A1 #268-300 RT: 7.08-7.88 AV: 33 NL: 1.76E3
T: + c Full ms3 984.60@33.00 899.60@33.00 [245.00-1010.00]

S20 Full MS³ for m/z 984.60, 899.60 from ESI-MS/MS of wevakeptin A (1).

bingnan_c2b_tr_1 #471 RT: 10.95 AV: 1 NL: 4.41E5
T: + c Full ms [300.00-1100.00]

bingnan_c2b_tr_1 #475491 RT: 11.08-11.67 AV: 17 NL: 2.03E6
T: + c Full ms2 1004.00@35.00 [300.00-1100.00]

bingnan_c2b_tr_1 #735 RT: 19.31 AV: 1 NL: 3.71E4

T: + c Full ms3 1004.00@35.00 834.00@35.00 [300.00-1100.00]

bingnan_c2b_tr_1 #720 RT: 18.53 AV: 1 NL: 3.04E4
T: + c Full ms3 1004.00@35.00 919.50@35.00 [300.00-1100.00]

Figures. Cytotoxicity of wewakpeptins A-D, panels A-D respectively, to H460 cells (solid lines) and neuro-2a cells (broken lines). Cells were exposed to the indicated concentration of chemical for 48 hr before assessment of toxicity by MTT reduction. Where error bars are not present, they are occluded by the data point.