Supporting Information

Titanocene(II)-promoted Stereoselective Alkenylation Utilizing (Z)-Alkenyl Sulfones

Akitoshi Ogata, Masami Nemoto, Kenji Kobayashi, Akira Tsubouchi, and Takeshi Takeda*

Department of Applied Chemistry, Graduate School of Engineering, Tokyo University of
Agriculture and Technology, Koganei, Tokyo 184-8588, Japan

Procedure for the deuteration experiment and characterization data for all compounds

General: ^1H (300 MHz) and ^{13}C (75 MHz) NMR spectra were recorded in CDCl_3 and chemical shifts (δ) are quoted in parts per million from tetramethylsilane for ^1H and CDCl_3 for ^{13}C spectroscopy. IR absorptions are reported in cm^{-1} .

Deuteration Experiment. To a THF (1.5 mL) solution of **1**, prepared from Cp_2TiCl_2 (149 mg, 0.6 mmol), magnesium turnings (16 mg, 0.66 mmol), $\text{P}(\text{OEt})_3$ (0.21 mL, 1.2 mmol), and molecular sieves 4A (60 mg), was added a THF (1 mL) solution of **2d** (84 mg, 0.4 mmol) dropwise over 5 min and the mixture was stirred for 5 min at 0°C . After D_2O (0.1 mL) was added, stirring was continued for 1 h at 0°C . The usual workup and purification by PTLC (hexane/AcOEt, 98:2) gave deuterated 4,4-diphenylbut-1-ene *d*-**12** (19 mg, 22%) and crude dideuterated 4-(methylsulfonyl)-1,1-diphenylbutane *d*-**13**. Pure *d*-**13** (30 mg, 26%) was obtained by further purification by PTLC (hexane/AcOEt/ CHCl_3 , 4:4:1).

Characterization Data

(1Z,3E)-1,2,6-Triphenylhexa-1,3-diene (5a): mp $110\text{--}112^\circ\text{C}$; ^1H NMR δ 2.40 (dt, $J = 7.6, 7.3$ Hz, 2H), 2.66 (t, $J = 7.8$ Hz, 2H), 5.35 (dt, $J = 15.4, 7.2$ Hz, 1H), 6.43 (d, $J = 15.4$ Hz, 1H), 6.49 (s, 1H), 6.85 (d, $J = 7.1$ Hz, 2H), 6.98–7.45 (m, 13H); ^{13}C NMR δ 34.9, 35.8, 125.8, 126.5, 127.1, 127.9, 128.3, 128.4, 128.7, 129.2, 129.3, 129.5, 133.1, 135.9, 137.0, 138.8, 141.5, 141.8; IR (KBr) 3057, 3024, 2923, 1600, 1494, 1442, 979, 919, 749, 704, 521, 495 cm^{-1} ; Anal. Calcd for $\text{C}_{24}\text{H}_{22}$: C, 92.86; H, 7.14. Found: C, 92.48; H, 7.32.

(1Z,3E)-1,2-Diphenyldeca-1,3-diene (5b): ^1H NMR δ 0.87 (t, $J = 6.5$ Hz, 3H), 1.18–1.42 (m, 8H), 2.09 (dt, $J = 6.8, 6.8$ Hz, 2H), 5.31 (dt, $J = 15.4, 7.3$ Hz, 1H), 6.41 (d, $J = 15.4$ Hz, 1H), 6.49 (s, 1H), 6.81–6.89 (m, 2H), 6.99–7.43 (m, 8H); ^{13}C NMR δ 14.1, 22.6, 28.9, 29.2, 31.7, 33.0, 126.4, 127.1, 127.8, 128.7, 128.9, 129.2, 129.5, 134.4, 135.2, 137.1, 138.9, 141.8; IR (neat) 3021, 2925, 2854, 1597, 1494, 1444, 964, 916, 786, 755, 703 cm^{-1} ; Anal. Calcd for $\text{C}_{22}\text{H}_{26}$: C, 90.98; H, 9.02. Found: C, 91.27; H, 9.39.

(3E,5E)-1-Phenyl-5-propylnona-3,5-diene (5c): ^1H NMR δ 0.91 (t, $J = 7.3$ Hz, 6H), 1.32–1.48

(m, 4H), 2.07 (dt, $J = 7.5, 7.3$ Hz, 2H), 2.12-2.21 (m, 2H), 2.39 (dt, $J = 7.5, 7.5$ Hz, 2H), 2.71 (t, $J = 7.9$ Hz, 2H), 5.35 (t, $J = 7.3$ Hz, 1H), 5.59 (dt, $J = 15.8, 6.8$ Hz, 1H), 5.98 (d, $J = 15.8$ Hz, 1H), 7.12-7.32 (m, 5H); ^{13}C NMR δ 13.9, 14.3, 22.2, 23.0, 29.0, 30.2, 34.9, 36.3, 125.7, 126.1, 128.2, 128.4, 131.1, 134.2, 138.0, 142.1; IR (neat) 3086, 3062, 3026, 2958, 2871, 1604, 1496, 1455, 1377, 1339, 1076, 1031, 964, 745, 698 cm^{-1} ; Anal. Calcd for $\text{C}_{18}\text{H}_{26}$: C, 89.19; H, 10.81. Found: C, 89.23; H, 10.57.

(1E,3E)-2-Butyl-1,6-diphenylhexa-1,3-diene (5d): ^1H NMR δ 0.91 (t, $J = 7.2$ Hz, 3H), 1.36 (tq, $J = 7.3, 7.3$ Hz, 2H), 1.45-1.59 (m, 2H), 2.34-2.43 (m, 2H), 2.47 (dt, $J = 7.9, 7.2$ Hz, 2H), 2.76 (t, $J = 7.7$ Hz, 2H), 5.81 (dt, $J = 15.6, 7.0$ Hz, 1H), 6.14 (d, $J = 15.7$ Hz, 1H), 6.37 (s, 1H), 7.12-7.28 (m, 10H); ^{13}C NMR δ 13.9, 23.1, 27.3, 31.4, 35.0, 36.1, 125.8, 126.3, 128.1, 128.3, 128.5, 128.7, 128.9, 129.1, 134.6, 138.0, 140.8, 141.9; IR (neat) 3060, 3025, 2955, 2929, 2870, 1603, 1496, 1454, 964, 748, 698 cm^{-1} ; Anal. Calcd for $\text{C}_{22}\text{H}_{26}$: C, 90.98; H, 9.02. Found: C, 90.60; H, 8.78.

(1E,3E)-2-Butyl-1,4-diphenylbuta-1,3-diene (5e): ^1H NMR δ 0.96 (t, $J = 7.2$ Hz, 3H), 1.38-1.51 (m, 2H), 1.56-1.70 (m, 2H), 2.50-2.60 (m, 2H), 6.62 (s, 1H), 6.66 (d, $J = 16.2$ Hz, 1H), 6.88 (d, $J = 16.2$ Hz, 1H), 7.18-7.26 (m, 2H), 7.30-7.39 (m, 6H), 7.43-7.50 (m, 2H); ^{13}C NMR δ 13.9, 23.1, 27.2, 31.4, 126.3, 126.6, 127.2, 127.6, 128.3, 128.6, 128.8, 131.8, 133.3, 137.7, 137.8, 140.9; IR (neat) 3026, 2956, 2871, 1594, 1492, 1445, 959, 745, 692 cm^{-1} ; Anal. Calcd for $\text{C}_{20}\text{H}_{22}$: C, 91.55; H, 8.45. Found: C, 91.13; H, 8.67.

(1E,3E)-2-(Benzyloxymethyl)-1-phenyldeca-1,3-diene (5f): ^1H NMR δ 0.90 (t, $J = 6.3$ Hz, 3H), 1.21-1.48 (m, 8H), 2.15 (dt, $J = 7.0, 7.0$ Hz, 2H), 4.22 (s, 2H), 4.56 (s, 2H), 5.91 (dt, $J = 15.8, 6.9$ Hz, 1H), 6.18 (d, $J = 15.8$ Hz, 1H), 6.64 (s, 1H), 7.15-7.40 (m, 10H); ^{13}C NMR δ 14.1, 22.6, 29.0, 29.4, 31.8, 33.1, 65.3, 72.6, 126.9, 127.7, 128.1, 128.3, 128.9, 131.9, 132.3, 132.8, 135.9, 137.0, 138.1; IR (neat) 3026, 2925, 1598, 1495, 1454, 1376, 1252, 1205, 1070, 1029, 963, 923, 749, 698 cm^{-1} ; Anal. Calcd for $\text{C}_{24}\text{H}_{30}\text{O}$: C, 86.18; H, 9.04. Found: C, 85.79; H, 8.95.

A Mixture of (1E,3E)-1,6-Diphenyl-2-(3-phenylpropyl)hexa-1,3-diene and (3E,5Z)-1,5,9-Triphenylnona-3,5-diene (5g) (the ratio of regioisomers; 98 : 2): ^1H NMR

δ 1.57-1.69 (m, 0.04H), 1.78-1.92 (m, 1.96H), 1.92-2.00 (m, 0.04H), 2.27-2.49 (m, 3.96H), 2.51 (t, $J = 7.5$ Hz, 0.04H), 2.63 (t, $J = 8.0$ Hz, 0.04H), 2.64 (t, $J = 7.4$ Hz, 1.96H), 2.72 (t, $J = 7.8$ Hz, 1.96H), 5.18 (dt, $J = 15.6, 7.0$ Hz, 0.02H), 5.16 (t, $J = 7.5$ Hz, 0.02H), 5.69 (dt, $J = 15.9, 6.9$ Hz, 0.98H), 6.11 (dd, $J = 15.8, 0.7$ Hz, 0.98H), 6.26 (d, $J = 15.4$ Hz, 0.02H), 6.36 (s, 0.98H), 7.06-7.37 (m, 15H); ^{13}C NMR (major isomer) δ 27.0, 30.6, 34.9, 36.00, 36.01, 125.77, 125.81, 126.3, 128.2, 128.26, 128.30, 128.4, 128.5, 128.6, 128.9, 129.4, 134.4, 137.8, 140.2, 141.8, 142.0; IR (neat) 3025, 2932, 1603, 1495, 1453, 1030, 965, 747, 697 cm^{-1} ; Anal. Calcd for $\text{C}_{27}\text{H}_{28}$: C, 91.99; H, 8.01. Found: C, 92.09; H, 8.34.

A Mixture of (1*E*,3*E*)-1,4-Diphenyl-2-(3-phenylpropyl)buta-1,3-diene and (1*E*,3*Z*)-1,3,7-Triphenylhepta-1,3-diene (5h) (the ratio of regioisomers; 95 : 5): ^1H NMR δ 1.62-1.75 (m, 0.10H), 1.89-2.08 (m, 2H), 2.47-2.63 (m, 2H), 2.73 (t, $J = 7.2$ Hz, 1.90H), 5.87 (t, $J = 7.6$ Hz, 0.05H), 6.01 (d, $J = 16.1$ Hz, 0.05H), 6.47 (d, $J = 16.3$ Hz, 0.95H), 6.58 (s, 0.95H), 6.83 (d, $J = 16.3$ Hz, 0.95H), 6.99 (d, $J = 16.0$ Hz, 0.05H), 7.13-7.43 (m, 15H); ^{13}C NMR (major isomer) δ 26.6, 30.6, 36.0, 125.9, 126.3, 126.7, 127.3, 127.6, 128.29, 128.35, 128.6, 128.65, 128.74, 132.0, 133.0, 137.6, 140.3, 141.9; IR (neat) 3025, 2938, 1602, 1494, 1445, 1074, 1029, 960, 745, 694 cm^{-1} ; Anal. Calcd for $\text{C}_{25}\text{H}_{24}$: C, 92.54; H, 7.46. Found: C, 92.30; H, 7.47.

A Mixture of (3*E*,5*E*)-4-Methyl-1,8-diphenylocta-3,5-diene and (2*E*,4*E*)-3-Phenethyl-7-phenylhepta-2,4-diene (5i) (the ratio of regioisomers; 47 : 53): ^1H NMR δ 1.55 (d, $J = 7.0$ Hz, 1.59H), 1.68 (s, 1.41H), 2.32-2.52 (m, 4H), 2.60-2.77 (m, 4H), 5.42 (t, $J = 7.0$ Hz, 0.47H), 5.45 (q, $J = 7.1$ Hz, 0.53H), 5.54-5.72 (m, 1H), 6.00 (d, $J = 15.6$ Hz, 0.53H), 6.09 (d, $J = 15.7$ Hz, 0.47H), 7.10-7.34 (m, 10H); ^{13}C NMR δ 12.4, 13.4, 28.8, 30.1, 34.4, 34.75, 34.78, 35.8, 36.2, 36.3, 125.5, 125.7, 125.8, 125.9, 126.8, 128.2, 128.27, 128.29, 128.40, 128.43, 128.5, 129.7, 130.7, 131.6, 133.7, 134.1, 135.1, 138.0, 141.95, 142.02, 142.4; IR (neat) 3085, 3061, 3026, 2924, 2855, 1603, 1496, 1453, 1030, 964, 744, 697 cm^{-1} ; Anal. Calcd for $\text{C}_{21}\text{H}_{24}$: C, 91.25; H, 8.75. Found: C, 91.25; H, 8.67.

(1*Z*,3*E*)-1,2,6,6-Tetraphenylhexa-1,3-diene (5j): mp 87-89 $^{\circ}\text{C}$; ^1H NMR δ 2.83 (dd, $J = 7.1, 7.1$ Hz, 2H), 3.96 (t, $J = 7.8$ Hz, 1H), 5.21 (dt, $J = 15.2, 7.4$ Hz, 1H), 6.34 (d, $J = 15.4$ Hz, 1H), 6.40

(s, 1H), 6.81 (dd, $J = 7.3, 2.4$ Hz, 2H), 6.93-7.07 (m, 5H), 7.10-7.32 (m, 13H); ^{13}C NMR δ 39.1, 51.4, 126.1, 126.5, 127.1, 127.8, 128.0, 128.3, 128.5, 129.2, 129.2, 129.4, 132.1, 136.8, 136.9, 138.5, 141.4, 144.4; IR (KBr) 3060, 3024, 2918, 1947, 1599, 1494, 1446, 1156, 1069, 1030, 969, 918, 755, 696 cm^{-1} ; Anal. Calcd for $\text{C}_{30}\text{H}_{26}$: C, 93.22; H, 6.78. Found: C, 93.15; H, 6.84.

(*E*)-2-Benzyl-1,7-diphenylhept-4-en-3-ol (6a): ^1H NMR δ 1.41 (s, 1H), 2.04-2.19 (m, 1H), 2.30-2.45 (m, 3H), 2.53 (d, $J = 7.0$ Hz, 2H), 2.70 (t, $J = 7.5$ Hz, 2H), 2.78 (dd, $J = 13.7, 7.1$ Hz, 1H), 4.01 (bs, 1H), 5.51 (dd, $J = 15.5, 6.3$ Hz, 1H), 5.64 (dt, $J = 15.4, 6.5$ Hz, 1H), 7.03-7.38 (m, 15H); ^{13}C NMR δ 33.9, 35.2, 35.5, 35.6, 48.0, 72.7, 125.8, 125.9, 128.20, 128.24, 128.3, 128.4, 129.1, 129.2, 131.4, 131.8, 140.8, 141.1, 141.5; IR (neat) 3409, 3060, 3026, 2925, 1603, 1495, 1453, 1030, 973, 749, 699 cm^{-1} ; Anal. Calcd for $\text{C}_{26}\text{H}_{28}\text{O}$: C, 87.60; H, 7.92. Found: C, 87.46; H, 8.32.

(*E*)-2-Benzyl-1-phenylundec-4-en-3-ol (6b): ^1H NMR δ 0.89 (t, $J = 6.8$ Hz, 3H), 1.20-1.65 (m, 9H), 2.05 (dt, $J = 6.6, 6.6$ Hz, 2H), 2.10-2.21 (m, 1H), 2.46 (dd, $J = 13.7, 7.4$ Hz, 1H), 2.52-2.70 (m, 2H), 2.85 (dd, $J = 13.6, 7.1$ Hz, 1H), 4.04 (dd, $J = 5.9, 3.8$ Hz, 1H), 5.53 (dd, $J = 15.5, 6.2$ Hz, 1H), 5.64 (dt, $J = 15.5, 6.1$ Hz, 1H), 7.06-7.30 (m, 10H); ^{13}C NMR δ 14.1, 22.6, 28.8, 29.2, 31.7, 32.3, 35.2, 35.7, 48.1, 72.9, 125.8, 128.2, 128.3, 129.16, 129.19, 130.5, 133.3, 140.9, 141.1; IR (neat) 3411, 3061, 3026, 2925, 2855, 1671, 1495, 1454, 1387, 1095, 1030, 971, 750, 700 cm^{-1} ; Anal. Calcd for $\text{C}_{24}\text{H}_{32}\text{O}$: C, 85.66; H, 9.58. Found: C, 85.59; H, 9.89.

(*E*)-1,5-Diphenylpent-1-en-3-ol (6c): ^1H NMR δ 1.71 (s, 1H), 1.82-2.07 (m, 2H), 2.64-2.85 (m, 2H), 4.29 (dt, $J = 6.4, 6.6$ Hz, 1H), 6.24 (dd, $J = 15.9, 6.7$ Hz, 1H), 6.57 (d, $J = 15.9$ Hz, 1H), 7.14-7.41 (m, 10H); ^{13}C NMR δ 31.7, 38.7, 72.3, 125.9, 126.5, 127.7, 128.40, 128.45, 128.6, 130.6, 132.2, 136.6, 141.8; IR (neat) 3367, 3026, 2925, 1602, 1495, 1453, 1030, 967, 748, 694 cm^{-1} ; Anal. Calcd for $\text{C}_{17}\text{H}_{18}\text{O}$: C, 85.67; H, 7.61. Found: C, 85.22; H, 7.83.

(*E*)-1-Phenyltetradec-3-en-5-ol (6d): ^1H NMR δ 0.88 (t, $J = 6.7$ Hz, 3H), 1.17-1.35 (m, 14H), 1.38-1.60 (m, 3H), 2.35 (dt, $J = 7.5, 7.5$ Hz, 2H), 2.70 (t, $J = 7.7$ Hz, 2H), 4.01 (dt, $J = 6.5, 6.5$ Hz, 1H), 5.46 (ddt, $J = 15.3, 7.1, 1.2$ Hz, 1H), 5.66 (dt, $J = 16.1, 6.7$ Hz, 1H), 7.11-7.32 (m, 5H); ^{13}C NMR δ 14.1, 22.7, 25.4, 29.3, 29.55, 29.58, 31.9, 33.9, 35.6, 37.3, 73.0, 125.8, 128.3, 128.4, 130.8,

133.9, 141.7; IR (neat) 3357, 3027, 2925, 2854, 1604, 1496, 1455, 968, 746, 698 cm^{-1} ; Anal. Calcd for $\text{C}_{20}\text{H}_{32}\text{O}$: C, 83.27; H, 11.18. Found: C, 83.34; H, 11.33.

(E)-6-Ethyl-1-phenyldec-3-en-5-ol (6e) (a mixture of diastereomers): ^1H NMR δ 0.82-0.98 (m, 6H), 1.03-1.50 (m, 10H), 2.38 (dt, $J = 7.2, 7.2$ Hz, 2H), 2.70 (t, $J = 7.6$ Hz, 2H), 4.02 (bs, 1H), 5.47 (dd, $J = 15.4, 6.9$ Hz, 1H), 5.67 (dt, $J = 15.4, 6.5$ Hz, 1H), 7.13-7.35 (m, 5H); ^{13}C NMR δ 11.4, 11.6, 14.1, 21.9, 22.2, 23.08, 23.10, 28.6, 28.8, 29.4, 29.6, 34.0, 35.7, 45.2, 45.3, 74.67, 74.74, 125.8, 128.3, 128.4, 131.4, 131.5, 132.2, 132.3, 141.7; IR (neat) 3381, 3086, 3062, 3027, 2928, 2871, 1604, 1496, 1455, 1378, 1135, 1076, 1011, 971, 745, 698 cm^{-1} ; Anal. Calcd for $\text{C}_{18}\text{H}_{28}\text{O}$: C, 83.02; H, 10.84. Found: C, 82.90; H, 11.22.

(E)-4-Ethyl-1-phenyloct-1-en-3-ol (6f) (a mixture of diastereomers): ^1H NMR δ 0.83-0.98 (m, 6H), 1.17-1.57 (m, 9H), 1.61 (s, 1H), 4.24-4.34 (m, 1H), 6.23 (dd, $J = 15.9, 6.8$ Hz, 1H), 6.57 (d, $J = 15.9$ Hz, 1H), 7.19-7.42 (m, 5H); ^{13}C NMR δ 11.5, 11.7, 14.1, 22.0, 22.4, 23.1, 28.6, 29.0, 29.5, 29.6, 45.5, 45.6, 74.66, 74.70, 126.4, 127.5, 128.5, 130.7, 130.8, 131.28, 131.31, 136.9; IR (neat) 3377, 3082, 3060, 3027, 2958, 2871, 1600, 1578, 1495, 1463, 1379, 1300, 1203, 1138, 1068, 1012, 967, 911, 748, 693 cm^{-1} ; Anal. Calcd for $\text{C}_{16}\text{H}_{24}\text{O}$: C, 82.70; H, 10.41. Found: C, 82.70; H, 10.71.

(E)-1,5-Diphenylpent-2-en-1-ol (6g): ^1H NMR δ 1.90 (d, $J = 2.9$ Hz, 1H), 2.38 (dt, $J = 7.4, 7.4$ Hz, 2H), 2.71 (t, $J = 7.8$ Hz, 2H), 5.13 (d, $J = 6.4$ Hz, 1H), 5.66 (ddt, $J = 15.2, 6.6, 1.2$ Hz, 1H), 5.78 (dt, $J = 15.2, 6.1$ Hz, 1H), 7.10-7.38 (m, 10H); ^{13}C NMR δ 33.9, 35.4, 75.0, 125.8, 126.1, 127.5, 128.3, 128.43, 128.45, 131.5, 133.0, 141.6, 143.1; IR (neat) 3354, 3060, 3027, 2925, 2854, 1667, 1603, 1495, 1453, 1195, 1071, 969, 913, 847, 747, 698 cm^{-1} ; Anal. Calcd for $\text{C}_{17}\text{H}_{18}\text{O}$: C, 85.67; H, 7.61. Found: C, 85.44; H, 7.72.

(E)-1,3-Diphenylprop-2-en-1-ol (6h): ^1H NMR δ 2.13 (s, 1H), 5.37 (d, $J = 6.4$ Hz, 1H), 6.37 (dd, $J = 15.9, 6.5$ Hz, 1H), 6.68 (d, $J = 15.8$ Hz, 1H), 7.18-7.46 (m, 10H); ^{13}C NMR δ 75.1, 126.3, 126.6, 127.76, 127.77, 128.5, 128.6, 130.5, 131.5, 136.5, 142.7; IR (neat) 3350, 3027, 1600, 1494, 1450, 1191, 1067, 966, 745, 695 cm^{-1} .

(1E,4E)-1-Phenyllocta-1,4-dien-3-ol (6i): ^1H NMR δ 0.91 (t, $J = 7.3$ Hz, 3H), 1.42 (tq, $J = 7.4$, 7.4 Hz, 2H), 1.76 (s, 1H), 2.04 (dt, $J = 7.0$, 7.0 Hz, 2H), 4.71-4.82 (m, 1H), 5.58 (ddt, $J = 15.4$, 6.5, 1.3 Hz, 1H), 5.74 (dtd, $J = 15.4$, 6.5, 0.8 Hz, 1H), 6.25 (dd, $J = 15.9$, 6.2 Hz, 1H), 6.59 (d, $J = 15.9$ Hz, 1H), 7.18-7.41 (m, 5H); ^{13}C NMR δ 13.7, 22.2, 34.3, 73.7, 126.5, 127.6, 128.5, 130.2, 131.1, 131.2, 132.8, 136.7; IR (neat) 3420, 3026, 2958, 2871, 1683, 1600, 1494, 1451, 1378, 1071, 971, 748, 699 cm^{-1} ; Anal. Calcd for $\text{C}_{14}\text{H}_{18}\text{O}$: C, 83.12; H, 8.97. Found: C, 83.14; H, 9.21.

(E)-3-Methyl-1,7-diphenylhept-4-en-3-ol (6j): ^1H NMR δ 1.29 (s, 3H), 1.43 (s, 1H), 1.70-1.88 (m, 2H), 2.38 (dt, $J = 7.6$, 7.6 Hz, 2H), 2.48-2.67 (m, 2H), 2.71 (t, $J = 7.6$ Hz, 2H), 5.55 (dt, $J = 15.6$, 1.1 Hz, 1H), 5.69 (dt, $J = 15.6$, 6.5 Hz, 1H), 7.12-7.30 (m, 10H); ^{13}C NMR δ 28.3, 30.4, 34.0, 35.8, 44.4, 72.7, 125.7, 125.8, 127.3, 128.26, 128.31, 128.5, 137.4, 141.7, 142.5; IR (neat) 3399, 3084, 3061, 3026, 2928, 2855, 1603, 1496, 1454, 1372, 1067, 1030, 973, 746, 698 cm^{-1} ; Anal. Calcd for $\text{C}_{20}\text{H}_{24}\text{O}$: C, 85.67; H, 8.63. Found: C, 85.35; H, 8.53.

(E)-5-Phenethyltridec-6-en-5-ol (6k): ^1H NMR δ 0.88 (t, $J = 6.7$ Hz, 3H), 0.99 (t, $J = 6.8$ Hz, 3H), 1.21-1.63 (m, 15H), 1.70-1.92 (m, 2H), 2.07 (dt, $J = 6.5$, 6.5 Hz, 2H), 2.54-2.72 (m, 2H), 5.46 (dt, $J = 15.6$, 1.1 Hz, 1H), 5.64 (dt, $J = 15.6$, 6.7 Hz, 1H), 7.15-7.32 (m, 5H); ^{13}C NMR δ 14.1, 22.6, 23.2, 25.8, 28.8, 29.4, 30.1, 31.7, 32.3, 41.2, 42.9, 74.9, 125.6, 128.3, 129.0, 135.5, 142.8; IR (neat) 3457, 3086, 3062, 2927, 1604, 1496, 1455, 1378, 973, 746, 698 cm^{-1} ; Anal. Calcd for $\text{C}_{21}\text{H}_{34}\text{O}$: C, 83.38; H, 11.33. Found: C, 83.17; H, 11.43.

(E)-3-Phenethyl-1-phenylundec-4-en-3-ol (6l): ^1H NMR δ 0.89 (t, $J = 6.7$ Hz, 3H), 1.23-1.46 (m, 8H), 1.49 (s, 1H), 1.75-1.97 (m, 4H), 2.11 (dt, $J = 6.8$, 6.8 Hz, 2H), 2.57-2.75 (m, 4H), 5.52 (d, $J = 15.7$ Hz, 1H), 5.71 (dt, $J = 15.7$, 6.7 Hz, 1H), 7.12-7.32 (m, 10H); ^{13}C NMR δ 14.1, 22.6, 28.8, 29.5, 30.1, 31.7, 32.3, 43.2, 74.9, 125.7, 128.3, 128.4, 129.6, 135.0, 142.5; IR (neat) 3452, 3061, 3026, 2925, 2854, 1603, 1496, 1454, 1060, 1031, 973, 747, 698 cm^{-1} ; Anal. Calcd for $\text{C}_{25}\text{H}_{34}\text{O}$: C, 85.66; H, 9.78. Found: C, 85.39; H, 9.54.

(E)-3-Ethyl-7-phenylhept-4-en-3-ol (6m): ^1H NMR δ 0.80 (t, $J = 7.4$ Hz, 6H), 1.31 (s, 1H), 1.39-1.58 (m, 4H), 2.38 (dt, $J = 7.1$, 7.1 Hz, 2H), 2.70 (t, $J = 7.7$ Hz, 2H), 5.38 (d, $J = 15.8$ Hz, 1H),

5.62 (dt, $J = 15.7, 6.7$ Hz, 1H), 7.11-7.33 (m, 5H); ^{13}C NMR δ 7.8, 33.0, 34.2, 36.0, 75.2, 125.7, 127.9, 128.2, 128.5, 136.0, 141.8; IR (neat) 3462, 3086, 3062, 3027, 2966, 2934, 2878, 2854, 1604, 1496, 1454, 1375, 1348, 1261, 1189, 1132, 1031, 975, 745, 698 cm^{-1} ; Anal. Calcd for $\text{C}_{15}\text{H}_{22}\text{O}$: C, 82.52; H, 10.16. Found: C, 82.64; H, 9.99.

(*E*)-3-Pentyl-1-phenyloct-1-en-3-ol (6n): ^1H NMR δ 0.88 (t, $J = 6.7$ Hz, 6H), 1.20-1.43 (m, 12H), 1.52 (s, 1H), 1.55-1.69 (m, 4H), 6.20 (d, $J = 16.1$ Hz, 1H), 6.57 (d, $J = 16.1$ Hz, 1H), 7.18-7.43 (m, 5H); ^{13}C NMR δ 14.0, 22.6, 23.3, 32.3, 41.3, 75.5, 126.3, 127.2, 127.5, 128.5, 136.0, 137.2; IR (neat) 3446, 3082, 3060, 3026, 2931, 1600, 1496, 1466, 1378, 1138, 1059, 970, 911, 747, 693 cm^{-1} ; Anal. Calcd for $\text{C}_{19}\text{H}_{30}\text{O}$: C, 83.15; H, 11.02. Found: C, 83.05; H, 11.28.

(*E*)-1-(4-Phenylbut-1-enyl)cyclohexan-1-ol (6o): ^1H NMR δ 1.28 (s, 1H), 1.20-1.35 (m, 1H), 1.38-1.69 (m, 9H), 2.35 (dt, $J = 7.6, 7.6$ Hz, 2H), 2.69 (t, $J = 7.8$ Hz, 2H), 5.55 (dt, $J = 15.7, 1.1$ Hz, 1H), 5.69 (dt, $J = 15.7, 6.5$ Hz, 1H), 7.12-7.32 (m, 5H); ^{13}C NMR δ 22.2, 25.6, 34.2, 35.8, 38.0, 71.2, 125.8, 127.1, 128.2, 128.5, 138.5, 141.8; IR (neat) 3387, 3026, 2930, 2854, 1604, 1496, 1452, 1345, 1258, 1174, 1055, 1033, 972, 907, 746, 698 cm^{-1} ; Anal. Calcd for $\text{C}_{16}\text{H}_{22}\text{O}$: C, 83.43; H, 9.63. Found: C, 83.13; H, 9.73.

(*E*)-4-Phenyl-1-(4-phenylbut-1-enyl)cyclohexan-1-ol (6p): mp 80-83 $^{\circ}\text{C}$; ^1H NMR δ 1.22 (s, 1H), 1.57 (dt, $J = 13.4, 4.0$ Hz, 2H), 1.65-1.78 (m, 4H), 1.79-1.98 (m, 2H), 2.35 (dt, $J = 7.3, 7.3$ Hz, 2H), 2.46 (tt, $J = 12.5, 3.2$ Hz, 1H), 2.70 (t, $J = 7.8$ Hz, 2H), 5.59 (d, $J = 15.6$ Hz, 1H), 5.72 (dt, $J = 15.6, 6.5$ Hz, 1H), 7.12-7.35 (m, 10H); ^{13}C NMR δ 29.1, 34.1, 35.8, 37.7, 43.7, 70.3, 125.8, 125.9, 126.5, 126.9, 128.2, 128.3, 128.5, 139.3, 141.8, 147.2; IR (KBr) 3409, 3059, 3025, 2926, 2852, 1601, 1493, 1452, 1388, 1217, 1153, 1028, 964, 925, 742, 697 cm^{-1} ; Anal. Calcd for $\text{C}_{22}\text{H}_{26}\text{O}$: C, 86.23; H, 8.55. Found: C, 85.88; H, 8.75.

(*E*)-1,1,3-Triphenylprop-2-en-1-ol (6q)²: mp 100-103 $^{\circ}\text{C}$; ^1H NMR δ 2.40 (m, 1H), 6.65 (d, $J = 15.9$ Hz, 1H), 6.83 (dd, $J = 15.9, 0.7$ Hz, 1H), 7.19-7.46 (m, 15H); ^{13}C NMR δ 79.4, 126.7, 126.9, 127.3, 127.7, 128.2, 128.5, 129.2, 135.2, 136.6, 146.0; IR (KBr) 3555, 3530, 3083, 3056, 3026, 1598, 1489, 1446, 1154, 1065, 1028, 976, 757, 738, 700 cm^{-1} ; Anal. Calcd for $\text{C}_{21}\text{H}_{18}\text{O}$: C, 88.08; H,

6.34. Found: C, 88.07; H, 6.31.

(1E,4E)- 3-Methyl-1-phenyldeca-1,4-dien-3-ol (6r): ^1H NMR δ 0.89 (t, J = 6.8 Hz, 3H), 1.21-1.43 (m, 6H), 1.46 (s, 3H), 1.69 (s, 1H), 2.05 (dt, J = 6.7, 6.7 Hz, 2H), 5.64 (d, J = 15.8 Hz, 1H), 5.71 (dt, J = 15.7, 5.8 Hz, 1H), 6.31 (d, J = 16.1 Hz, 1H), 6.60 (d, J = 16.1 Hz, 1H), 7.18-7.45 (m, 5H); ^{13}C NMR δ 14.0, 22.5, 28.5, 28.9, 31.4, 32.2, 73.0, 126.4, 127.2, 127.4, 128.5, 129.4, 135.6, 135.9, 137.0; IR (neat) 3376, 3026, 2926, 2856, 1600, 1495, 1448, 1367, 1175, 1069, 970, 747, 693 cm^{-1} ; Anal. Calcd for $\text{C}_{17}\text{H}_{24}\text{O}$: C, 83.55; H, 9.90. Found: C, 83.23; H, 9.86.

(E)-3-Methyl-1,7,7-triphenylhept-4-en-3-ol (6s): ^1H NMR δ 1.19 (s, 3H), 1.34 (s, 1H), 1.59-1.78 (m, 2H), 2.28-2.50 (m, 2H), 2.77-2.86 (m, 2H), 4.01 (t, J = 7.9 Hz, 1H), 5.49 (d, J = 15.8 Hz, 1H), 5.58 (dt, J = 15.6, 6.0 Hz, 1H), 7.02-7.35 (m, 15H); ^{13}C NMR δ 28.3, 30.3, 38.4, 44.3, 51.4, 72.6, 125.6, 126.1, 126.17, 126.19, 127.9, 128.0, 128.26, 128.29, 128.4, 138.6, 142.5, 144.36, 144.40; IR (neat) 3419, 3060, 3026, 2927, 1601, 1495, 1451, 1370, 1179, 1068, 1031, 974, 911, 749, 698 cm^{-1} ; Anal. Calcd for $\text{C}_{26}\text{H}_{28}\text{O}$: C, 87.60; H, 7.92. Found: C, 87.22; H, 7.96.

4,4-Diphenylbut-1-ene (12)³: ^1H NMR δ 2.81 (dd, J = 7.3, 7.3 Hz, 2H), 4.00 (t, J = 7.9 Hz, 1H), 4.94 (d, J = 10.3 Hz, 1H), 5.02 (d, J = 17.0 Hz, 1H), 5.63-5.79 (m, 1H), 7.11-7.30 (m, 10H); ^{13}C NMR δ 39.9, 51.2, 116.3, 126.2, 127.9, 128.4, 136.8, 144.5; IR (neat) 3061, 3026, 2977, 2925, 1640, 1600, 1494, 1450, 1415, 1115, 1075, 1032, 994, 913, 787, 741, 698, 650, 611, 580 cm^{-1} .

1-(Methylsulfonyl)-4,4-diphenylbutane (13): mp 108 $^{\circ}\text{C}$; ^1H NMR δ 1.75-1.90 (m, 2H), 2.21 (dt, J = 7.8, 7.8 Hz, 2H), 2.80 (s, 3H), 3.00 (t, J = 7.9 Hz, 2H), 3.92 (t, J = 7.8 Hz, 1H), 7.12-7.34 (m, 10H); ^{13}C NMR δ 21.2, 34.2, 40.3, 50.9, 54.5, 126.5, 127.6, 128.6, 143.9; IR (KBr) 3059, 3024, 2950, 2877, 1597, 1491, 1448, 1406, 1288, 1216, 1141, 1084, 1047, 1027, 957, 917, 766, 707 cm^{-1} ; Anal. Calcd for $\text{C}_{17}\text{H}_{20}\text{O}_2\text{S}$: C, 70.80; H, 6.99. Found: C, 70.47; H, 7.13.

Deuterated 4,4-Diphenylbut-1-ene (d-12): ^1H NMR δ 2.82 (ddd, J = 8.0, 6.8, 1.4 Hz, 2H), 4.00 (t, J = 7.8 Hz, 1H), 4.90-4.97 (m, 0.30H), 4.97-5.15 (m, 1H), 5.64-5.79 (m, 1H), 7.10-7.32 (m, 10H).

Dideuterated 1-(Methylsulfonyl)-4,4-diphenylbutane (*d*-13): ^1H NMR δ 1.73-1.88 (m, 1.25H), 2.19 (t, $J = 7.7$ Hz, 2H), 2.78 (s, 3H), 2.93-3.05 (m, 1.15H), 3.91 (t, $J = 7.8$ Hz, 1H), 7.14-7.34 (m, 10H).

1,1,8,8-Tetraphenylocta-3,5-diene (15) (a mixture of stereoisomers): mp 140-141 $^\circ\text{C}$; ^1H NMR δ 2.76 (t, $J = 7.2$ Hz, 3.08H), 2.84 (t, $J = 7.5$ Hz, 0.92H), 3.89-4.02 (m, 2H), 5.18 (dt, $J = 10.8, 7.2$ Hz, 0.23H), 5.27-5.47 (m, 1.54H), 5.54 (dt, $J = 15.0, 7.2$ Hz, 0.23H), 5.76-5.99 (m, 1.77H), 6.28 (dd, $J = 14.9, 10.9$ Hz, 0.23H), 7.11-7.30 (m, 20H); ^{13}C NMR (major isomer) δ 38.8, 51.5, 126.1, 127.9, 128.4, 130.4, 131.8, 144.5; IR (KBr) 3083, 3060, 2911, 3843, 1598, 1493, 1450, 995, 915, 792, 747, 696 cm^{-1} ; Anal. Calcd for $\text{C}_{32}\text{H}_{30}$: C, 92.71; H, 7.29. Found: C, 92.44; H, 7.50.

References

- (1) Watson, I. D. G.; Styler, S. A.; Yudin, A. K. *J. Am. Chem. Soc.* **2004**, *126*, 5086.
- (2) Auburn, P. R.; Mackenzie, P. B.; Bosnich, B. *J. Am. Chem. Soc.* **1985**, *107*, 2033.
- (3) Sharma, G. V. M.; Reddy, K. L.; Lakshmi, P. S.; Ravi, R.; Kunwar, A. C. *J. Org. Chem.* **2006**, *71*, 3967.

53 : 47
5i

53 : 47
5i

13