Supporting Information 2

^1H and ^{13}C NMR

Total Synthesis of ($\pm$)-Taiwaniaquinol B via a Domino Intramolecular Friedel-Crafts Acylation/Carbonyl α -*tert*-Alkylation Reaction

Eric Fillion and Dan Fishlock*

Department of Chemistry, University of Waterloo, Waterloo, Ontario N2L 3G1, Canada

efillion@uwaterloo.ca

Methyl 4-bromo-3,5-methoxybenzoate (6)

Methyl 4-bromo-3,5-methoxybenzoate (6)

Methyl 4-isoprenyl-3,5-dimethoxybenzoate (7)

Methyl 4-isoprenyl-3,5-dimethoxybenzoate (7)

4-Isopropyl-3,5-dimethoxybenzoic acid

4-Isopropyl-3,5-dimethoxybenzoic acid

4-Isopropyl-3,5-dimethoxyacetophenone (8)

4-Isopropyl-3,5-dimethoxyacetophenone (8)

Methyl 3-(4-isopropyl-3,5-dimethoxyphenyl)-3-oxopropanoate

Methyl 3-(4-isopropyl-3,5-dimethoxyphenyl)-3-oxopropanoate

1-(4-Isopropyl-3,5-dimethoxyphenyl)-5-methyl-5-hexen-1-one (9)

1-(4-Isopropyl-3,5-dimethoxyphenyl)-5-methyl-5-hexen-1-one (9)

5-[1-(4-isopropyl-3,5-dimethoxyphenyl)-5-methyl-5-hexenylidene]-2,2-dimethyl-1,3-dioxane-4,6-dione (10)

5-[1-(4-isopropyl-3,5-dimethoxyphenyl)-5-methyl-5-hexenylidene]-2,2-dimethyl-1,3-dioxane-4,6-dione (10)

**(±)-5-[1-(4-isopropyl-3,5-dimethoxyphenyl)-1,5-dimethyl-5-hexenyl]-2,2-dimethyl-1,3-dioxane-4,6-dione
(4a)**

**(±)-5-[1-(4-isopropyl-3,5-dimethoxyphenyl)-1,5-dimethyl-5-hexenyl]-2,2-dimethyl-1,3-dioxane-4,6-dione
(4a)**

(±)-7-Isopropyl-6,8-dimethoxy-1,1,4a-trimethyl-2,3,4,4a,9,9a-hexahydro-1H-9-fluorenone (2a)

(±)-7-Isopropyl-6,8-dimethoxy-1,1,4a-trimethyl-2,3,4,4a,9,9a-hexahydro-1H-9-fluorenone (2a)

6-Isopropyl-5,7-Dimethoxy-3-Methyl-3-(4-Methyl-3-pentenyl)-1-indanone (11b)

6-Isopropyl-5,7-Dimethoxy-3-Methyl-3-(4-Methyl-4-pentenyl)-1-indanone (11a)

6-Isopropyl-5,7-Dimethoxy-3-Methyl-3-(4-Methyl-3-pentenyl)-1-indanone (11b)

6-Isopropyl-5,7-Dimethoxy-3-Methyl-3-(4-Methyl-4-pentenyl)-1-indanone (11a)

**(±)-5-[1-(4-Isopropyl-3,5-dimethoxyphenyl)-1,5-dimethyl-4-hexenyl]-2,2-dimethyl-1,3-dioxane-4,6-dione
(4b)**

**(±)-5-[1-(4-Isopropyl-3,5-dimethoxyphenyl)-1,5-dimethyl-4-hexenyl]-2,2-dimethyl-1,3-dioxane-4,6-dione
(4b)**

**(±)-5-[1-(4-Isopropyl-3,5-dimethoxyphenyl)-1,4-dimethyl-4-pentenyl]-2,2-dimethyl-1,3-dioxane-4,6-dione
(4c)**

(±)-5-[1-(4-Isopropyl-3,5-dimethoxyphenyl)-1,4-dimethyl-4-pentenyl]-2,2-dimethyl-1,3-dioxane-4,6-dione (4c)

6-Isopropyl-5,7-dimethoxy-1,1,3a-trimethyl-1,2,3,3a,8,8a-hexahydrocyclopenta[a]inden-8-one (2b)

6-Isopropyl-5,7-dimethoxy-1,1,3a-trimethyl-1,2,3,3a,8,8a-hexahydrocyclopenta[a]inden-8-one (2b)

7-Isopropyl-6,8-dimethoxy-2a,5,5-trimethyl-1,2,2a,3,4,5-hexahydro-1-acenaphthylenone (12)

7-Isopropyl-6,8-dimethoxy-2a,5,5-trimethyl-1,2,2a,3,4,5-hexahydro-1-acenaphthylenone (12)

(±)-8-Hydroxy-7-isopropyl-6-dimethoxy-1,1,4a-trimethyl-2,3,4,4a,9,9a-hexahydro-1H-9-fluorenone

(±)-8-Hydroxy-7-isopropyl-6-dimethoxy-1,1,4a-trimethyl-2,3,4,4a,9a-hexahydro-1H-9-fluorenone

(±)-Taiwaniaquinol B

[(±)-5,8-Dihydroxy-7-isopropyl-6-dimethoxy-1,1,4a-trimethyl-2,3,4,4a,9,9a-hexahydro-1H-9-fluorenone] (1)

(±)-Taiwaniaquinol B

[(±)-5,8-Dihydroxy-7-isopropyl-6-dimethoxy-1,1,4a-trimethyl-2,3,4,4a,9,9a-hexahydro-1H-9-fluorenone] (1)