Incorporating Green Chemistry Concepts into Mobile Chemistry Applications and Their Potential Uses

Sean Ekins^{*1‡}, Alex M. Clark^{2‡} and Antony J. Williams^{3‡}

¹ Collaborations in Chemistry, 5616 Hilltop Needmore Road, Fuquay-Varina, NC 27526, U.S.A.

² Molecular Materials Informatics, 1900 St. Jacques #302, Montreal, Quebec, Canada H3J 2S1.

³ Royal Society of Chemistry, 904 Tamaras Circle, Wake Forest, NC 27587, U.S.A.

*Corresponding author: E-mail: ekinssean@yahoo.com

KEYWORDS

Drug Discovery, Green Chemistry, Mobile Applications, Open Drug Discovery Teams

Green Chemistry related information is generally proprietary and papers on the topic are commonly behind pay walls which limits their accessibility. Several new mobile applications (Apps) have been recently released for the Apple iOS platform, which incorporate green chemistry concepts. Due to the large number of people who now own a mobile device across all demographics, this population represents a highly novel way to communicate green chemistry, which has not previously been appreciated. We have made the American Chemical Society Green Chemistry Institute[®] (ACS GCI) Pharmaceutical Roundtable Solvent Selection Guide more accessible, and increased its visibility by creating a free mobile app for the Apple iOS platform called Green Solvents. We have also used this content for molecular similarity calculations using additional solvents to predict potential environmental and health categories, which could help in solvent selection. This approach predicted the correct waste or health class for over 60% of solvents when the Tanimoto similarity was > 0.5 . Additional mobile apps that incorporate green chemistry content or concepts are also described including Open Drug Discovery Teams and Yield101. Making green chemistry information freely available or at very low cost via such apps is a paradigm shift that could be exploited by content providers and scientists to expose their green chemistry ideas to a larger audience.

For Table of Contents Only

Incorporating Green Chemistry Concepts into Mobile Chemistry Applications and Their Potential Uses

Sean Ekins, Alex M. Clark and Antony J. Williams

Synopsis

This paper describes a free mobile application (app) called Green Solvents which makes the American Chemical Society Green Chemistry Institute® Pharmaceutical Roundtable Solvent Selection Guide more accessible. The information it contains can be used to influence chemists to use more sustainable solvents and represents an educational tool for students to introduce them to an important aspect of green chemistry. We describe how this solvent information can be used for inference of other solvent classification and how such green chemistry concepts can be incorporated in other mobile apps.

INTRODUCTION

One mission of the chemicals industry is to discover and develop products that are useful for global populations, without damaging the environment. Green Chemistry is “*the utilization of a set of principles that reduces or eliminates the use or generation of hazardous substances in the design, manufacture and application of chemical products*”.¹ As an example, the pharmaceutical industry has the goal of improving the health of people throughout the world and, through various green chemistry initiatives, is also committed to ensuring a healthy environment. There are many challenges associated with supporting a healthy environment as the majority of pharmaceutical molecules require multiple complex synthetic steps to produce. There is high attrition in pharmaceutical research, so many compounds will need to be made but only a very small fraction will make it into the clinic and, far less, into the marketplace. It is therefore important to design a green process as early as possible when the cost is lower and the quantities of chemicals made are relatively small compared to when they are dramatically scaled up for manufacturing. Much of the focus has been on optimizing material and energy use, preventing and minimizing waste, increasing use of renewable materials and energy, having safe processes and eliminating or minimizing the use of hazardous chemicals.

As solvents can make up a large percentage of materials used in the manufacture of bulk active pharmaceutical ingredients, if we are to make synthetic processes “greener” it would be ideal to select greener solvents.² This has stimulated several companies to implement their own guides regarding the importance of solvent selection.² A recent consortium organized by the American Chemical Society called the Green Chemistry Institute® (ACS GCI) Pharmaceutical Roundtable³

currently involves 14 pharmaceutical companies, and has developed a solvent selection guide publicly available on their website.⁴ The ACS GCI Pharmaceutical Roundtable Solvent Selection Guide lists the 60 solvents by chemical name and rates the solvents against safety, health, air, water and waste categories with scores from 1 (few issues) to 10 (most concern) with additional color coding (green, yellow and red). In our opinion the availability of this guide is not widely known because, to our knowledge, it has not been extensively publicized and its utility may be hampered because it only exists as a document in PDF format that is on the ACS GCI website (that also requires registration). The limitations in access and utility encouraged us to recast the content in a novel manner to greatly enhance its visibility and availability to practicing chemists. We have also used the solvent classification data for enabling predictions for solvents outside the guide.

Mobile devices such as smartphones and tablet computers have seen rapid uptake in recent years and the associated app stores include a growing number of chemistry software apps.⁵ These apps generally perform one or two functions and can be thought of as individually packaged features rather than the relatively heavyweight programs commonly used in desktop computing. However, such apps *can* use data interchange and be used in the workflow to increase the productivity of chemists.⁶ Mobile apps for chemistry are a nascent area to delivering or "appifying" data and may be disruptive to many currently used paradigms for presenting information and for education.⁷

We have used the ACS GCI Pharmaceutical Roundtable Solvent Selection Guide data as a starting point to develop the first mobile app for green chemistry called Green Solvents (Table 1,

Figure 1) that is currently freely available for iPhone, iPod and iPad. The advantages of developing such software is that it makes the solvent guide available at the bench or whenever the chemist is away from a desktop computer with internet connectivity. We will describe the development and uses of this app including its value as an educational tool for students with the goal being to foster an understanding of green chemistry through selecting a “greener solvent”. This work has also stimulated the implementation of other green chemistry features in cheminformatics apps (that we will describe) and suggested additional apps that could be created in future.

EXPERIMENTAL METHODS

Solvent selection guide The ACS GCI Pharmaceutical Roundtable Solvent Selection Guide³ rates the listed solvents against 5 categories: safety, health, environment (air), environment (water), and environment (waste).⁸ Key parameters and criteria were then chosen for each category (e.g. flammability is one of the safety criteria). The summary table assigns a score from 1 to 10 for each solvent under the respective categories, with a score of 10 being of most concern and a score of 1 suggesting few issues. This is further simplified by using color coding with scores in the range 1 to 3 shown as green, 4 to 7 as yellow and 8 to 10 as red. This allows quick comparison between various solvents.

Green Solvents App Software Development The app was build using the Objective-C programming language, the API provided by Apple for native iOS development, and the MMDSLib library for cheminformatics functionality such as structure rendering. MMDSLib was originally developed for the Mobile Molecular DataSheet app, and is used to provide key

functionality for a number of other apps.⁹ The solvent information was entered manually, and is bundled as part of the app resources. Within a period of 3 days the app was developed and submitted to iTunes for approval¹⁰ as a free app for the iPhone, iPod and iPad platforms. The Green Solvents app went from an idea to a downloadable app available within a week.¹¹⁻¹⁴

Green Solvents App Software Application The Green Solvents app uses solvent structures grouped by chemical class as the primary point of entry. These solvents are also color coded with a brown background suggesting less desirable and a green background suggesting those that are more desirable. The user can scroll through all the solvents and click on a molecule of interest. This opens a box which lists the molecule name, CAS registry number, scores for each category with color coding as well as links out to the ChemSpider website¹⁵, the Mobile Reagents app¹⁶ and the Mobile Molecular DataSheet.¹⁷ By clicking away from this box, it returns to the list of solvents.

Categorization of Additional Solvents Additional solvents not in the Green Solvents App were extracted from the GSK solvent selection guide.² The 2D structures were downloaded as Molfiles from ChemSpider.^{15, 18} Their similarity to the 60 solvents used in the Green Solvents app was calculated using MDL public keys with the Tanimoto similarity (Discovery Studio 3.5 (San Diego, CA)).¹⁹⁻²² The solvent/s with the closest similarity was used to infer the likely scoring information for two of the 5 categories defined by the ACS GCI (health and environment (waste)). These were then compared with the available classifications published by GSK² to assess utility of the app for such gap-filling or decision making exercises. It is important to note that the scoring scales as published for these two solvent selection guides are opposite and thus the predictions were compared via the color coding (red, green and yellow).

RESULTS

While the focus of this work is on the development of the Green Solvents app which is freely available, we have accumulated considerable data that can be used for inference of solvent classification for categories important for green chemistry. We now describe the results from this analysis. Sixty four unique solvents that were not in the Green Solvents App were extracted from the GSK solvent selection guide² to create a ‘test set’. The similarity of these 64 solvents to the solvents from the ACS GCI Pharmaceutical Roundtable Solvent Selection Guide in the Green Solvents app was assessed (Table S1). The most similar solvent was used to predict potential waste and health scoring information classes (Table S2). These represent 2 of the 5 categories of scoring information in the ACS GCI Pharmaceutical Roundtable Solvent Selection Guide which most closely overlap. After excluding predictions for GSK solvents with Tanimoto similarity ≤ 0.5 to those in the ACS GCI Pharmaceutical Roundtable Solvent Selection Guide, 50 solvents remained (Table S2). Of these, the Waste class was correctly predicted for 31 (62%) solvents and the Health class was predicted for 33 (66%) solvents.

CONCLUSIONS

It has recently been suggested²⁶ that the pharmaceutical industry has perhaps adopted green chemistry as enthusiastically as it has because it has the most to gain, since their manufacturing plants generate 25 to greater than 100 times more waste than product. Solvent selection is key in determining the sustainability of future commercial production as solvents can make up greater than 50% of materials used in the manufacture of bulk active pharmaceutical ingredients.⁴ This shift to greener solvents is further illustrated by Pfizer’s synthesis of sildenafil citrate (Viagra) in

which all the chlorinated solvents were replaced with less toxic alternatives, along with steps to recover and reuse them.²⁷ Some have also indicated that logP drift (the undesirable preferential success of higher logP compounds in a synthesis array) may be minimized or reversed in chemical reactions performed in aqueous media²⁸ which are likelier greener. Green solvents however are not always more efficient than the widely used chlorinated solvents and this may be a counteracting consideration.

In developing mobile apps for chemistry we have assumed many chemists now have a smartphone and/or tablet computer. Our research aims to deliver cheminformatics solutions via mobile apps as they are easier to use when in the lab or in locations without a desktop computer. While the e-lab notebook is generally used in the office, in contrast a mobile phone will be in the chemists pocket at all times and apps can be used anywhere, anytime and are generally intuitive. It should be noted however that even e-lab notebooks are also being increasingly appified. While early chemistry apps provided minimal features like simple sketching or molecule properties, newer chemistry apps are becoming increasingly sophisticated.^{5, 6} While for the Green Solvents app the iPhone-size limitations are minimal, the presentation on the iPad is more dramatic (Figure 1). These apps are likely excellent adjuncts for e-lab notebooks, but are certainly advantageous in their mobility. It is feasible that future mobile apps for chemistry will include fully functioning lab notebooks⁵ and these may be connected with apps like Green Solvents to enable collaborative workflows.⁶

We have briefly described elsewhere how the Green Solvents app development was initiated via collaborations using social media.¹¹⁻¹⁴ It is widely understood that chemists both read and

interpret chemical structures readily and hence we chose the depiction of solvent 2D structures rather than names as the primary visual display in the app. While this takes up more display area than a molecule name, the presentation of data in large tables may be overwhelming (as would occur if the table was printed out and used for reference) and result in errors by the reader. Therefore, we have abstracted and highlighted data for just the solvent in question once a structure is selected. We have also provided links out of the app to gather more information on the solvents from additional websites. We have distributed the Green Solvents app as a free product as a way to disseminate information on green chemistry and specifically we make use of the precompetitive efforts from the ACS GCI Pharmaceutical Roundtable to reach a much larger audience. This app, like most free apps, has a small banner advertisement which does not detract from the content of the app or its usability on a mobile device. Importantly, this app was not funded by the ACS or any other organization and is therefore independent. This allows us considerable flexibility in app design and content as well as future updates.

We have leveraged a cheminformatics app platform as the underlying technology to enable rapid app development for Green Solvents. This app conveys the solvent information in a manner easily and clearly discerned by chemists. The mobility, size and flexibility of such mobile devices suggests them as an obvious adjunct to e-lab notebooks in that they can be used in the laboratory or in the field. Experiences derived from this first mobile app for green chemistry also suggests that other green chemistry content could be readily converted into apps to further increase the audience and to educate them in the benefits of green chemistry concepts and recommendations.

Creating the Green Solvents app also motivated the addition of the *process mass intensity* (PMI) calculation²⁹ which is another green chemistry feature, into the Yield101 app³⁰ (Figure 2). A third recently developed mobile app connected to green chemistry is the Open Drug Discovery Teams (ODDT) app^{31, 32} (Figure 3). ODDT is a free mobile app intended as a research topic aggregator of science data collected from various sources on the internet such as Twitter and Google Alerts. It exists to facilitate interdisciplinary teamwork and deliver access to information that is highly relevant and focused on the topic areas of interest. Research topics include areas of chemistry and adjacent molecule-oriented biomedical sciences, with an emphasis on those which are most amenable to open research at present. We have focused on green chemistry as a topic within this app due to its potential importance for scientists involved in drug discovery for rare and neglected diseases, in particular. There is high attrition in drug discovery, so many compounds will need to be made but only a very small fraction will make it into the clinic and, far less, into the marketplace. It is therefore important to design a green process as early as possible when the cost is lower and the quantities of chemicals made are relatively small compared to when they are dramatically scaled up for manufacturing. We feel these global neglected and rare disease researchers would benefit greatly from being informed about green chemistry principles early on and that this has not been considered by any of the major organizations driving green chemistry educational initiatives. The ODDT app has also been used to visualize the ACS GCI Pharmaceutical Roundtable Solvent Selection Guide in a different format as it was Tweeted out as a table of structures and classifications to reach an even wider audience for those following the hashtag #greenchemistry. This list of solvents is now freely accessible by anyone using ODDT and can be readily exported and used for other purposes. To date we are the first researchers that have created and used mobile apps to communicate green

chemistry concepts and this could revolutionize how we educate scientists in the future via simple intuitive mobile apps.

Our aim is that chemists around the world can readily learn about the environmental impact of the solvents they use while they are in the lab using their iPhone or iPad, and thereby use the information to influence their solvent selection. Since the release of the Green Solvents app in June 2011, it has been downloaded more than 2500 times. While we have focused on just the Apple iOS operating system for the time being, in future it may be possible to make this app available on other mobile operating systems, specifically Android³³ and therefore further increase its adoption to an even wider global audience.

Apps for science continue to expand in number, diversity and capabilities. They may be categorized into scientific discipline and further sub-categorized based on applications within a branch of science. As a service to the community we have established a wiki site³⁴ hosting a growing list of scientific apps for all available mobile platforms. This is a valuable resource which will continue to expand in content and may be useful for creation of future science-focused app stores by us or others. The Green Solvents app could be extended in future to add more solvents such as those included in the 110 molecule GSK solvent selection guide,² if these also become part of the ACS GCI Pharmaceutical Roundtable Solvent Selection Guide.

We have previously used a 2-dimensional (2D) method using MDL keys and Tanimoto similarity²⁰⁻²² to predict cross-reactivity with immunoassays for drugs of abuse and therapeutic monitoring. We now extend this approach further to suggest the use for solvents. We have used

the solvents in the GSK solvent selection guide that are not in the ACS GCI Pharmaceutical Roundtable Solvent Selection Guide as a prediction set for molecular similarity calculations to categorize them for two classifications relevant to green chemistry. We found that 62-66% of the classification predictions for solvents were correct when using the Tanimoto similarity to suggest the closest solvent. It is likely that increasing the similarity coefficient threshold could also improve the success rate further as would having consistent scoring systems between the GSK and ACS GCI Pharmaceutical Roundtable Solvent Selection Guides. Perhaps more importantly, it should also be considered that using other molecular descriptors or physicochemical properties besides the MDL Keys (e.g. other fingerprint descriptors, predicted hydrophobicity etc.) would impact the similarity results such that other solvents could be returned and therefore differing classifications produced. For example we have previously compared MDL fingerprints and long range functional class fingerprint description 6 used with the Tanimoto Coefficient for the same sets of compounds for cross-reactivity with immunoassays for drugs of abuse and therapeutic monitoring and illustrated differences in the resulting values.²¹ However, from previous studies MDL Keys seem a useful starting point for such analyses.^{19, 21, 22, 35} Analysis of different approaches for inference of solvent categorization classification as well as similarity metrics (Tanimoto versus Euclidean versus Manhattan coefficients) are worthy of further exploration that is outside the scope of this present study. The value of such similarity predictions is that they could be used to assist and accelerate categorization of solvents and produce updated solvent selection guides. Such a similarity calculation could be readily implemented in the Green Solvents or other apps.

The use of the Green Solvents, Yield101 and ODDT apps are likely the first of many future green chemistry apps to be created by us or others. Later apps may provide educational value by: describing the 12 principles of green chemistry,¹ presenting the latest news on this topic (as in ODDT), providing calculators for green chemistry metrics or using crowdsourcing for enhancing collaboration in the field.⁸ Mobile apps represent the latest paradigm in scientific communication and a pursuit of green chemistry should exploit these new capabilities. Green chemistry apps can promote the topic effectively which is also highly desirable.

Note added while in review

During the review of this manuscript a mobile app called Lab Solvents has been developed for the Android operating system that combines the GSK Solvent selection guide and the ACS GCI Pharmaceutical Roundtable Solvent Selection Guide.³⁶

Figure 1. The entry page on the Green Solvents App for iPhone (A) iPad (B). The content is assessed by touching a molecule and it opens a new page (C) with molecule details that lists scores (good = 1, bad = 10) for safety, health, air, water and waste criteria. In addition, CAS

number and links out to ChemSpider ¹⁵ and Mobile Reagents ¹⁶ databases for more details on the solvent are included. Touch anywhere else on the screen and the page closes.

Figure 2. Figure showing how the green chemistry concept Process Mass Intensity (PMI) is incorporated into the Yield101 app on an iPhone.

Figure 3. Figure showing A. how the Open Drug Discovery Teams app incorporates green chemistry as a topic B. illustrating content automatically captured from tweets with the hashtags

#greenchemistry and #acsgci C. The green solvents app molecule contents were tweeted from the MolSync app and are available in the app as stored content along with properties.

Table 1. Mobile Apps discussed in this article.

Green Solvents³⁷. A reference app which compiles a list of common solvents with information about their environmental impact and hazards³⁸. Content can be viewed within the app, and shared with other apps.

Mobile Reagents³⁹. A mobile access point to a large collection of commercially available compounds, with associated vendor information. Searches can be done by name, by drawing structures, or by photographing structures or QR codes.

ChemSpider Mobile⁴⁰. A mobile client for the ChemSpider service that provides structure drawing capabilities. Once located, entries are viewed by launching the mobile web browser to open the mobile-friendly result page.

Mobile Molecular DataSheet (MMDS)⁴¹. A multifunctional chemistry app, which provides editing tools for structures, reactions and collections with auxiliary data. Supports all of the communication techniques described in this article.

Open Drug Discovery Teams (ODDT)³¹. A mobile app, that is “FlipBoard-like” and chemistry aware which aggregates tweets and Google Alerts RSS feeds for select scientific topics including Malaria, Tuberculosis, Huntington’s Disease, HIV/AIDS, Sanfilippo Syndrome, Green Chemistry, Drug Repurposing, Hunter Syndrome, Global Genes, H5N1 (bird flu) and Giant Axonal Neuropathy.

Author Contributions

The manuscript was written through contributions of all authors. All authors have given approval to the final version of the manuscript. ‡These authors contributed equally.

Funding Sources

None

ACKNOWLEDGMENT

The authors acknowledge Bob Peoples at ACS GCI for discussions on green chemistry and app development, and we kindly acknowledge the ACS GCI Pharmaceutical Roundtable which initially created the Solvent Selection Guide and made it publicly available. SE acknowledges Dr. Ingrid Mergelsberg (Merck) for inspiration at the 15th Annual Green Chemistry & Engineering Conference which he attended courtesy of the Center for Green Chemistry & Engineering at Yale. He also gratefully acknowledges Accelrys for providing Discovery Studio.

Supporting information

Supporting information representing Table S1 and Table S2 is available from the *ACS Sustainable Chemistry & Engineering* website.

Conflicts of interest

Antony J. Williams is employed by the Royal Society of Chemistry which produces ChemSpider and ChemSpider Synthetic Pages mobile apps discussed in this article. Alex M. Clark is the owner of Molecular Materials Informatics, Inc., which has produced the apps described in this article.

ABBREVIATIONS

ACS GCI, American Chemical Society Green Chemistry Institute; API, Application programming Interface; GSK, GlaxoSmithKline; MMDS, mobile molecular datasheet; ODDT, Open Drug Discovery Teams

REFERENCES

- (1). Anastas, P. T.; Warner, J. C. *Green Chemistry: Theory and Practice*. Oxford University Press Inc.: New York, 1998.
- (2). Henderson, R. K.; C., J.-G.; Constable, D. J. C.; Alston, S. R.; Inglis, G. G. A.; Fisher, G.; Sherwood, J.; Binks, S. P.; Curzons, A. D. Expanding GSK's solvent selection guide - embedding sustainability into solvent selection starting at medicinal chemistry. *Green Chem* **2011**, 13, 854-862.
- (3). American Chemical Society Green Chemistry Institute Pharmaceutical Roundtable www.acs.org/gcipharmaroundtable
- (4). American Chemical Society Green Chemistry Institute Pharmaceutical Roundtable Solvent Selection Guide. <http://surveys.acs.org/se.ashx?s=04BD76CC0E5496A7>
- (5). Williams, A. J.; Ekins, S.; Clark, A. M.; Jack, J. J.; Apodaca, R. L. Mobile apps for chemistry in the world of drug discovery. *Drug Disc Today* **2011**, 16, 928-939.
- (6). Clark, A. M.; Ekins, S.; Williams, A. J. Redefining cheminformatics with intuitive collaborative mobile apps. *Molecular Informatics* **2012**, 31, 569-584.
- (7). Williams, A. J.; Pence, H. E. Smart Phones, a Powerful Tool in the Chemistry Classroom. *J Chem Educ* **2011**, 88, 683-686.
- (8). Williams, A. J.; Arnold, R. J.; Neylon, C.; Spencer, R. W.; Schurer, S.; Ekins, S. Current and future challenges for the collaborative computational technologies for the life sciences. In *Collaborative computational technologies for biomedical research*, Ekins, S.; Hupcey, M. A. Z.; Williams, A. J., Eds. Wiley and Sons: Hoboken, NJ, 2011; pp 491-517.

- (9). Molecular Materials Informatics. <http://molmatinf.com/mmdslib.html>
- (10). Green Solvents. <http://itunes.apple.com/us/app/green-solvents/id446670983?mt=8>
- (11). Ekins, S. Green Chemistry - solvent selection guide II. <http://www.collabchem.com/2011/07/02/green-chemistry-solvent-selection-guide-ii/>
- (12). Ekins, S. Green Solvents: From Idea to App in 3 Days. <http://www.slideshare.net/ekinssean/green-solvents-app>
- (13). Ekins, S.; Clark, A. M.; Williams, A. J. Communicating green chemistry by mobile apps http://portal.acs.org/portal/fileFetch/C/CNBP_027943/pdf/CNBP_027943.pdf
- (14). Clark, A. M. Green Solvents. http://www.scimobileapps.com/index.php?title=Green_Solvents
- (15). ChemSpider. <http://www.chemspider.com>
- (16). Mobile Reagents. <http://mobilereagents.com/>
- (17). <http://molmatinf.com/products.html#section14>. MMDSLlib. <http://molmatinf.com/products.html#section14>
- (18). Pence, H. E.; Williams, A. J. ChemSpider: An Online Chemical Information Resource. *J Chem Educ* **2010**, 87, 1123-1124.
- (19). Krasowski, M. D.; Siam, M. G.; Ekins, S. Immunoassays for tricyclic antidepressants: unsuitable for therapeutic drug monitoring. In *Advances in chromatographic techniques for therapeutic drug monitoring*, Dasgupta, A., Ed. CRC press: Boca Raton, 2010; pp 179-190.
- (20). Krasowski, M. D.; Siam, M. G.; Iyer, M.; Pizon, A. F.; Giannoutsos, S.; Ekins, S. Chemoinformatic methods for predicting interference in drug of abuse/toxicology immunoassays. *Clin Chem* **2009**, 55, 1203-13.
- (21). Krasowski, M. D.; Siam, M. G.; Iyer, M.; Ekins, S. Molecular similarity methods for predicting cross-reactivity with therapeutic drug monitoring immunoassays. *Ther Drug Monit* **2009**, 31, 337-44.
- (22). Krasowski, M. D.; Pizon, A. F.; Siam, M. G.; Giannoutsos, S.; Iyer, M.; Ekins, S. Using molecular similarity to highlight the challenges of routine immunoassay-based drug of abuse/toxicology screening in emergency medicine. *BMC Emerg Med* **2009**, 9, 5.
- (23). Clark, A. M. Basic primitives for molecular diagram sketching. *J Cheminform* **2010**, 2, 8.
- (24). <http://flipboard.com/>.
- (25). <http://molmatinf.com/molsyncsvc.html>. <http://molmatinf.com/molsyncsvc.html>
- (26). Sanderson, K. It's not easy being green. *Nature* **2011**, 469, 18-20.
- (27). Dunn, P. J.; Galvin, S. H., K. The development of an environmentally benign synthesis of sildenafil citrate (Viagra™) and its assessment by Green Chemistry metrics. *Green Chem* **2004**, 6, 43-48.
- (28). Nadin, A.; Hattotuwigama, C.; Churcher, I. Lead-oriented synthesis: a new opportunity for synthetic chemistry. *Angew Chem Int Ed Engl* **2012**, 51, 1114-22.
- (29). ACS GCI Pharmaceutical Roundtable. http://portal.acs.org/portal/acs/corg/content?_nfpb=true&_pageLabel=PP_TRANSITIONMAIN&node_id=1422&use_sec=false&sec_url_var=region1&_uuid=46aca9b6-a985-42cd-a534-7d6cabf892a7
- (30). Clark, A. M. Yield-101. <http://www.scimobileapps.com/index.php?title=Yield101>
- (31). Ekins, S.; Clark, A. M.; Williams, A. J. Open Drug Discovery Teams: A Chemistry Mobile App for Collaboration. *Molecular Informatics* **2012**, 31, 585-597.

- (32). Philippidis, A. App connects rare disease researchers to data. <http://www.genengnews.com/insight-and-intelligenceand153/app-connects-rare-disease-researchers-to-data/77899637/>
- (33). Android. <http://www.android.com/>
- (34). Williams, A. J.; Ekins, S. <http://www.scimobileapps.com>
- (35). Kortagere, S.; Krasowski, M. D.; Ekins, S. The importance of discerning shape in molecular pharmacology. *Trends Pharmacol Sci* **2009**, 30, 138-47.
- (36). Lab Solvents. <http://play.google.com/store/apps/details?id=com.mmi.android.labsolvents>
- (37). Green Solvents. <http://itunes.apple.com/us/app/green-solvents/id446670983> (December 15th).
- (38). American Chemical Society Green Chemistry Institute. <http://www.epa.gov/greenchemistry/pubs/gcinstitute.html> (December 2011).
- (39). Mobile Reagents. <http://itunes.apple.com/us/app/mobilereagents/id395953310> (December 15th).
- (40). ChemSpider Mobile. <http://itunes.apple.com/us/app/chemspider/id458878661> (December 15th).
- (41). Mobile Molecular DataSheet. <http://itunes.apple.com/ca/app/mobile-molecular-datasheet/id383661863> (December 15th).