O-arylativ Passerini reactions.

Laurent El Kaim*, Marie Gizolme, Laurence Grimaud*.

2-(2-nitrophenoxy)-N-cyclohexyl-4-methylpentanamide

M. W. = 334.19 g.mol⁻¹

Yield 64%

¹H NMR (CDCl₃, 400 MHz) δ 7.87 (dd, 1H, *J* = 8.4, 1.8 Hz), 7.55 (td, 1H, *J* = 8.4, 1.8 Hz), 7.12-7.08 (m, 2H), 6.97 (br s, 1H), 4.85 (dd, 1H, *J* = 7.8, 3.9 Hz), 3.78-3.69 (m, 1H), 1.96-1.88 (m, 2H), 1.76-1.63 (m, 2H), 1.63-1.52 (m, 2H), 1.40-1.11 (m, 7H), 0.97 (d, 3H, *J* = 6.2 Hz), 0.93 (d, 3H, *J* = 6.2 Hz).

¹³C NMR (CDCl₃, 100.6 MHz) δ 169.9, 150.9, 140.3, 135.0, 126.4, 121.8, 115.1, 78.9, 48.2, 41.8, 33.1, 25.8, 25.0, 24.9, 23.5, 22.5.

MS (DI, CI NH₃) *m/z* 335.

I.R. (thin film) 1670, 1592, 1530, 1485, 1360, 1255, 1059 cm⁻¹.

HRMS Calcd. for C₁₈H₂₆N₂O₄ 334.1893. Found 334.1893.

2-(2-nitrophenoxy)-N-cyclohexyloctanamide

M. W. = 362.22 g.mol⁻¹

Yield 64%

¹H NMR (CDCl₃, 400 MHz) δ 7.91 (dd, 1H, *J* = 8.4, 1.6 Hz), 7.56 (td, 1H, *J* = 8.4, 1.6 Hz), 7.12-7.08 (m, 3H), 4.86 (t, 1H, *J* = 5.1 Hz), 3.82-3.73 (m, 1H), 2.03-1.97 (m, 2H), 1.76-1.70 (m, 2H), 1.67-1.55 (m, 2H), 1.46-1.37 (m, 2H), 1.36-1.06 (m, 12H), 0.86 (t, 3H, *J* = 6.1 Hz).

¹³C NMR (CDCl₃, 100.6 MHz) δ 169.3, 151.0, 140.1, 135.1, 126.6, 121.7, 115.3, 79.9, 48.3, 33.2, 33.0, 32.6, 31.9, 29.4, 25.8, 25.0, 24.6, 22.9, 14.4.

MS (DI, CI NH₃) *m/z* 362.

I.R. (thin film) 2978, 1665, 1592, 1530, 1255, 1064 cm⁻¹.

HRMS Calcd. for C₂₀H₃₀N₂O₆ 362.2206. Found 362.2205.

2-(2-nitrophenoxy)-N-tert-butylbutanamide

M. W. = 280.14 g.mol^{-1}

Yield 36%

^1H NMR (CDCl_3 , 400 MHz) δ 7.94 (dd, 1H, J = 7.9, 1.3 Hz), 7.57 (td, 1H, J = 7.9, 1.3 Hz), 7.13-7.08 (m, 3H), 4.78 (t, 1H, J = 4.8 Hz), 2.15-1.97 (m, 2H), 1.38 (s, 9H), 0.99 (t, 3H, J = 7.4 Hz).

^{13}C NMR (CDCl_3 , 100.6 MHz) δ 169.2, 151.0, 140.0, 135.2, 126.7, 121.7, 115.2, 80.4, 51.7, 29.2, 25.3, 8.7.

MS (DI, CI NH_3) m/z 281.

I.R. (thin film) 2978, 1687, 1530, 1485, 1367, 1255, 1092 cm^{-1} .

HRMS Calcd. for $\text{C}_{14}\text{H}_{20}\text{N}_2\text{O}_4$ 280.1423. Found 280.1431.

2-(2-nitrophenoxy)-*N*-(3,4-dimethoxyphenethyl)butanamide

M. W. = 388.16 g.mol^{-1}

Yield 28%

^1H NMR (CDCl_3 , 400 MHz) δ 7.89 (dd, 1H, J = 8.3, 1.0 Hz), 7.53 (td, 1H, J = 8.3, 1.0 Hz), 7.16 (br s, 1H), 7.09 (td, 1H, J = 8.3, 1.0 Hz), 7.02 (d, 1H, J = 8.3 Hz), 6.72 (d, 1H, J = 5.6 Hz), 6.66 (dd, 2H, J = 5.6, 1.8 Hz), 4.81 (t, 1H, J = 5.2 Hz), 3.85 (s, 3H), 3.82 (s, 3H), 3.58 (d, 1H, J = 7.1 Hz), 3.55 (d, 1H, J = 7.1 Hz), 2.78 (t, 2H, J = 7.1 Hz), 2.06-1.99 (m, 2H), 0.96 (t, 3H, J = 7.4 Hz).

^{13}C NMR (CDCl_3 , 100.6 MHz) δ 170.2, 150.9, 149.3, 147.9, 140.0, 134.6, 131.2, 126.0, 121.8, 115.2, 112.0, 111.6, 80.7, 56.3, 56.1, 40.7, 35.4, 25.8, 9.1.

MS (DI, CI NH_3) m/z 389.

I.R. (thin film) 2939, 1682, 1592, 1496, 1362, 1019 cm^{-1} .

HRMS Calcd. for $\text{C}_{20}\text{H}_{24}\text{N}_2\text{O}_6$ 388.1634 Found 388.1633.

2-(2-nitrophenoxy)-3,3,3-trichloro-*N*-cyclohexylpropanamide

M. W. = 394.03 g.mol^{-1}

Yield 50%

¹H NMR (CDCl₃, 400 MHz) δ 7.94 (dd, 1H, *J* = 8.1, 1.6 Hz), 7.62 (td, 1H, *J* = 8.1, 1.6 Hz), 7.28-7.19 (m, 3H), 5.37 (s, 1H), 3.82-3.73 (m, 1H), 1.75-1.67 (m, 2H), 1.65-1.55 (m, 2H), 1.40-1.25 (m, 4H), 1.20-1.05 (m, 2H).

¹³C NMR (CDCl₃, 100.6 MHz) δ 161.9, 149.3, 140.4, 135.2, 126.7, 121.7, 115.9, 95.4, 87.5, 49.2, 32.9, 32.6, 25.7, 24.9.

MS (DI, CI NH₃) *m/z* 394.

I.R. (thin film) 2944, 1693, 1592, 1530, 1356, 1250, 1115, 1059 cm⁻¹.

HRMS Calcd. for C₁₅H₁₇Cl₃N₂O₄ 394.0254. Found 394.0254.

2-(2-nitrophenoxy)-2-(4-chlorophenyl)-*N*-cyclohexylacetamide

M. W. = 388.12 g.mol⁻¹

Yield 58%

¹H NMR (CDCl₃, 400 MHz) δ 8.06 (dd, 1H, *J* = 8.5, 0.8 Hz), 7.51-7.46 (m, 3H), 7.42 (br s, 1H), 7.37 (d, 2H, *J* = 8.6 Hz), 7.12 (td, 1H, *J* = 8.5, 0.8 Hz), 6.92 (dd, 1H, *J* = 8.5, 0.8 Hz), 5.64 (s, 1H), 3.82-3.73 (m, 1H), 1.94-1.85 (m, 2H), 1.77-1.71 (m, 2H), 1.64-1.59 (m, 2H), 1.41-1.23 (m, 4H).

¹³C NMR (CDCl₃, 100.6 MHz) δ 167.1, 150.6, 139.6, 135.6, 135.4, 134.3, 129.6, 128.2, 127.1, 122.3, 116.2, 80.5, 48.6, 33.1, 25.8, 25.0.

MS (DI, CI NH₃) *m/z* 388.

I.R. (thin film) 2939, 1687, 1586, 1536, 1491, 1356, 1250, 1098 cm⁻¹.

HRMS Calcd. for C₂₀H₂₁ClN₂O₄ 388.1190. Found 388.1212.

2-(2-nitrophenoxy)-*N*-cyclohexyl-2-(3-(trifluoromethyl)phenyl)acetamide

M. W. = 422.14 g.mol⁻¹

Yield 62%

¹H NMR (CDCl₃, 400 MHz) δ 8.07 (dd, 1H, *J* = 7.6, 1.1 Hz), 7.82 (s, 1H), 7.75 (d, 1H, *J* = 7.6 Hz), 7.63 (d, 1H, *J* = 8.5 Hz), 7.56-7.47 (m, 3H), 7.14 (td, 1H, *J* = 7.6, 1.1 Hz), 6.91 (dd, 1H, *J* = 8.5, 0.9 Hz), 5.72 (s, 1H), 3.82-3.72 (m, 1H), 1.94-1.85 (m, 2H), 1.76-1.71 (m, 2H), 1.40-1.20 (m, 6H).

¹³C NMR (CDCl₃, 100.6 MHz) δ 166.8, 150.5, 139.6, 135.7, 130.0, 129.9, 127.2, 126.3, 125.5, 124.9, 123.7, 122.8, 122.5, 116., 80.6, 48.7, 33.1, 33.0, 25.8, 25.0.

MS (DI, CI NH₃) *m/z* 423.

I.R. (thin film) 2359, 1670, 1521, 1479, 1348, 1238, 1071 cm⁻¹.

HRMS Calcd. for $C_{21}H_{21}F_3N_2O_4$ 422.1452. Found 422.1454.

1-(2-nitrophenoxy)-*N*-cyclohexylcyclopentanecarboxamide

M. W. = 332.17 $g \cdot mol^{-1}$

Yield 26%

1H NMR ($CDCl_3$, 400 MHz) δ 7.76 (dd, 1H, J = 8.5, 0.9 Hz), 7.43 (td, 1H, J = 8.5, 0.9 Hz), 7.06 (td, 1H, J = 8.5, 0.9 Hz), 6.92 (dd, 1H, J = 8.5, 0.9 Hz), 6.28 (br s, 1H), 3.81-3.71 (m, 1H), 2.43-2.35 (m, 2H), 2.13-2.06 (m, 2H), 1.84-1.71 (m, 6H), 1.64-1.53 (m, 2H), 1.36-0.93 (m, 6H).

^{13}C NMR ($CDCl_3$, 100.6 MHz) δ 172.0, 148.7, 142.0, 133.4, 125.7, 121.7, 118.4, 93.1, 48.6, 37.5, 33.1, 25.7, 25.5, 25.0.

MS (DI, CI NH_3) m/z 333.

I.R. (thin film) 2933, 1586, 1530, 1491, 1362, 1260, 1092, 1047 cm^{-1} .

HRMS Calcd. for $C_{18}H_{24}N_2O_4$ 332.1736. Found 332.1727.

2-(2-nitrophenoxy)-3-chloro-*N*-cyclohexyl-2-methylpropanamide

M. W. = 340.12 $g \cdot mol^{-1}$

Yield 71%

1H NMR ($CDCl_3$, 400 MHz) δ 7.94 (dd, 1H, J = 8.1, 1.7 Hz), 7.58 (td, 1H, J = 8.1, 1.7 Hz), 7.30-7.26 (m, 2H), 7.24 (br s, 1H), 4.14 (d, 1H, J = 12.2 Hz), 3.86-3.78 (m, 1H), 3.77 (d, 1H, J = 12.1 Hz), 1.98-1.92 (m, 2H), 1.78-1.71 (m, 2H), 1.55 (s, 3H), 1.42-1.18 (m, 6H).

^{13}C NMR ($CDCl_3$, 100.6 MHz) δ 169.3, 147.8, 144.0, 134.6, 126.7, 124.6, 122.9, 86.3, 49.1, 47.8, 33.2, 33.0, 25.9, 25.2, 25.1, 21.9.

MS (DI, CI NH_3) m/z 341.

I.R. (thin film) 2341, 1669, 1521, 1479, 1348, 1238, 1071 cm^{-1} .

HRMS Calcd. for $C_{16}H_{21}ClN_2O_4$ 340.1190. Found 340.1192.

N-Cyclohexyl-3,3,3-trifluoro-2-methyl-2-(2-nitro-phenoxy)-propionamide

M. W. = 360.13 g.mol^{-1}

Yield 56%

^1H NMR (CDCl_3 , 400 MHz) δ 7.83 (dd, 1H, J = 8.1, 1.7 Hz), 7.56 (td, 1H, J = 8.1, 1.7 Hz), 7.31 (dd, 1H, J = 8.1, 1.7 Hz), 7.24 (dd, 1H, J = 8.1, 1.7 Hz), 6.79 (br s, 1H), 3.89-3.80 (m, 1H), 1.97-1.88 (m, 2H), 1.76-1.71 (m, 2H), 1.69 (s, 3H), 1.41-1.33 (m, 2H), 1.28-1.17 (m, 4H).

^{13}C NMR (CDCl_3 , 100.6 MHz) δ 164.3, 146.4, 144.4, 133.9, 125.9, 125.4, 125.0, 123.2 (q, , J = 1.5 Hz), 84.4 (q, , J = 2.9 Hz), 49.4, 32.9, 32.8, 25.2, 25.1, 15.7.

MS (DI, CI NH_3) m/z 361.

I.R. (thin film) 2932, 1673, 1603, 1529, 1184, 1144, 1106 cm^{-1} .

HRMS Calcd. for $\text{C}_{16}\text{H}_{19}\text{F}_3\text{N}_2\text{O}_4$ 360.1297. Found 360.1298.

2-(4-methyl-2-nitrophenoxy)-*N*-cyclohexylbutanamide

M. W. = 320.17 g.mol^{-1}

Yield 74%

^1H NMR (CDCl_3 , 400 MHz) δ 7.72 (d, 1H, J = 1.9 Hz), 7.34 (dd, 1H, J = 8.6, 1.9 Hz), 7.15 (br s, 1H), 6.97 (d, 1H, J = 8.6 Hz), 4.80 (t, 1H, J = 4.9 Hz), 3.82-3.72 (m, 1H), 2.36 (s, 3H), 2.10-2.00 (m, 1H), 1.95-1.89 (m, 1H), 1.77-1.70 (m, 2H), 1.64-1.55 (m, 2H), 1.38-1.10 (m, 6H), 0.97 (t, 3H, J = 7.4 Hz).

^{13}C NMR (CDCl_3 , 100.6 MHz) δ 169.3, 148.9, 139.7, 135.8, 131.8, 126.7, 115.3, 80.5, 48.3, 33.3, 33.0, 25.8, 25.6, 25.0, 20.6, 8.9.

MS (DI, CI NH_3) m/z 320.

I.R. (thin film) 2390, 1661, 1524, 1495, 1347, 1249 cm^{-1} .

HRMS Calcd. for $\text{C}_{17}\text{H}_{24}\text{N}_2\text{O}_4$ 320.1736. Found 320.1737.

2-(4-methoxy-2-nitrophenoxy)-*N*-cyclohexylbutanamide

M. W. = 336.16 g.mol^{-1}

Yield 56%

¹H NMR (CDCl₃, 400 MHz) δ 7.44 (d, 1H, *J* = 3.1 Hz), 7.18-7.11 (m, 2H), 7.01 (d, 1H, *J* = 9.3 Hz), 4.75 (t, 1H, *J* = 4.9 Hz), 3.84 (s, 3H), 3.81-3.74 (m, 1H), 2.06-2.00 (m, 2H), 1.77-1.57 (m, 4H), 1.40-1.11 (m, 6H), 0.99 (t, 3H, *J* = 7.4 Hz).

¹³C NMR (CDCl₃, 100.6 MHz) δ 173.1, 169.3, 153.9, 139.9, 121.7, 116.7, 110.7, 81.0, 56.2, 48.2, 33.3, 33.1, 25.8, 25.7, 25.1, 8.9.

MS (DI, CI NH₃) *m/z* 336.

I.R. (thin film) 2930, 2359, 1661, 1525, 1490, 1345 cm⁻¹.

HRMS Calcd. for C₁₇H₂₄N₂O₅ 336.1685. Found 336.1684.

2-(2-Allyl-6-nitro-phenoxy)-*N*-cyclohexyl-butyramide

M. W. = 346.19 g.mol⁻¹

Yield 72%

¹H NMR (CDCl₃, 400 MHz) δ 7.66 (dd, 1H, *J* = 7.7, 1.6 Hz), 7.45 (dd, 1H, *J* = 7.7, 1.6 Hz), 7.19 (t, 1H, *J* = 7.7 Hz), 6.72 (br s, 1H), 5.92 (ddt, 1H, *J* = 10.3, 6.3, 2.5 Hz), 5.18 (dd, 1H, *J* = 10.1, 1.5 Hz), 5.09 (dd, 1H, *J* = 17.1, 1.5 Hz), 4.37 (t, 1H, *J* = 5.2 Hz), 3.89-3.80 (m, 1H), 3.48-3.46 (m, 2H), 1.97-1.85 (m, 2H), 1.75-1.59 (m, 4H), 1.41-1.33 (m, 2H), 1.27-1.17 (m, 4H), 0.90 (t, 3H, *J* = 7.4 Hz).

¹³C NMR (CDCl₃, 100.6 MHz) δ 168.9, 148.6, 144.8, 136.1, 135.7, 135.4, 124.6, 124.0, 118.0, 86.0, 48.4, 34.5, 33.5, 33.2, 25.9, 25.5, 25.2, 8.6.

MS (DI, CI NH₃) *m/z* 347.

I.R. (thin film) 2931, 2360, 1654, 1524, 1449, 1349, 1227 cm⁻¹.

HRMS Calcd. for C₁₉H₂₆N₂O₄ 346.1893. Found 346.1886.

2-(2,4-dinitrophenoxy)-*N*-cyclohexylbutanamide

M. W. = 351.14 g.mol⁻¹

Yield 65%

¹H NMR (CDCl₃, 400 MHz) δ 8.85 (d, 1H, *J* = 2.8 Hz), 8.47 (dd, 1H, *J* = 9.3, 2.8 Hz), 7.26 (d, 1H, *J* = 9.3 Hz), 6.87 (br s, 1H), 4.97 (t, 1H, *J* = 4.9 Hz), 3.86-3.76 (m, 1H), 2.19-2.07 (m, 2H), 1.80-1.71 (m, 2H), 1.70-1.58 (m, 2H), 1.43-1.09 (m, 6H), 1.01 (t, 3H, *J* = 7.4 Hz).

¹³C NMR (CDCl₃, 100.6 MHz) δ 167.8, 155.3, 141.2, 139.3, 130.1, 122.9, 115.6, 81.8, 48.6, 33.3, 33.1, 25.7, 25.5, 25.0, 8.8.

MS (DI, CI NH₃) *m/z* 352.

I.R. (thin film) 1665, 1605, 1525, 1486, 1340, 1152 cm⁻¹.

HRMS Calcd. for $C_{16}H_{21}N_3O_6$ 351.1430. Found 351.1424.

2-[2-(4-Benzyl-piperazin-1-ylmethyl)-4-nitro-phenoxy]-*N*-cyclohexyl-butylamide

M. W. = 494.29 $g \cdot mol^{-1}$

Yield 65%

1H NMR ($CDCl_3$, **400 MHz**) δ 8.19 (d, 1H, $J = 2.8$ Hz), 8.15 (dd, 1H, $J = 9.1, 2.8$ Hz), 7.34-7.28 (m, 5H), 6.88 (d, 1H, $J = 9.1$ Hz), 7.13 (br s, 1H), 4.70 (t, 1H, $J = 5.9$ Hz), 3.86 (d, 1H, $J = 13.3$ Hz), 3.83-3.75 (m, 1H), 3.56 (s, 2H), 3.34 (d, 1H, $J = 13.3$ Hz), 2.64-2.51 (m, 8H), 2.08-2.00 (m, 2H), 1.92-1.85 (m, 1H), 1.76-1.70 (m, 1H), 1.64-1.56 (m, 2H), 1.41-1.14 (m, 6H), 1.07 (t, 3H, $J = 7.4$ Hz).

^{13}C NMR ($CDCl_3$, **100.6 MHz**) δ 169.5, 160.8, 142.0, 138.1, 129.6, 128.7, 127.6, 126.9, 125.4, 112.1, 80.1, 63.5, 57.5, 53.9, 53.3, 48.3, 33.7, 33.3, 26.4, 25.8, 25.3, 25.2, 9.6.

MS (DI, CI NH_3) m/z 495.

N-Cyclohexyl-2-(2-diethylaminomethyl-4-nitro-phenoxy)-butylamide

M. W. = 391.25 $g \cdot mol^{-1}$

Yield 59%

1H NMR ($CDCl_3$, **400 MHz**) δ 8.15 (m, 2H), 7.12 (br s, 1H), 6.91 (d, 1H, $J = 8.9$ Hz), 4.75 (dd, 1H, $J = 7.3, 4.3$ Hz), 3.97 (d, 1H, $J = 13.2$ Hz), 3.83-3.70 (m, 1H), 3.30 (d, 1H, $J = 13.2$ Hz), 2.71 (dt, 2H, $J = 7.1, 6.0$ Hz), 2.55 (dt, 2H, $J = 7.1, 6.0$ Hz), 2.11-1.97 (m, 2H), 1.93-1.84 (m, 2H), 1.74-1.69 (m, 2H), 1.63-1.56 (m, 2H), 1.34-1.25 (m, 4H), 1.12-1.08 (m, 9H).

^{13}C NMR ($CDCl_3$, **100.6 MHz**) δ 169.9, 161.1, 141.8, 129.8, 127.0, 125.4, 111.6, 79.7, 52.1, 48.4, 47.5, 33.5, 33.3, 25.5, 25.4, 25.2, 11.2, 10.1, 9.4.

MS (DI, CI NH_3) m/z 392.

2-(5-nitroquinolin-8-yloxy)-*N*-cyclohexylbutanamide

M. W. = 357.17 g.mol^{-1}

Yield 60%

^1H NMR (CDCl_3 , **400 MHz**) δ 9.25 (dd, 1H, $J = 8.8, 1.6$ Hz), 9.08 (dd, 1H, $J = 4.2, 1.6$ Hz), 8.52 (d, 1H, $J = 8.8$ Hz), 7.77 (dd, 1H, $J = 8.8, 4.2$ Hz), 7.22 (d, 1H, $J = 8.8$ Hz), 7.72 (br s, 1H), 4.85 (dd, 1H, $J = 7.4, 4.3$ Hz), 3.84-3.72 (m, 1H), 2.25-2.17 (m, 1H), 2.34-2.26 (m, 1H), 2.02-1.84 (m, 2H), 1.78-1.70 (m, 2H), 1.65-1.57 (m, 2H), 1.45-1.24 (m, 4H), 1.00 (t, 3H, $J = 7.4$ Hz).

^{13}C NMR (CDCl_3 , **100.6 MHz**) δ 169.8, 160.0, 150.9, 140.7, 139.4, 133.3, 127.5, 125.3, 123.6, 111.0, 84.6, 48.4, 33.4, 33.1, 26.8, 25.9, 25.1, 25.0, 10.3.

MS (**DI**, **CI** NH_3) m/z 358.

I.R. (thin film) 2930, 2360, 1652, 1560, 1503, 1332 cm^{-1} .

HRMS Calcd. for $\text{C}_{19}\text{H}_{23}\text{N}_3\text{O}_4$ 357.1689. Found 357.1696.

2-(5-nitropyridin-2-yloxy)-*N*-cyclohexylbutanamide

M. W. = 307.15 g.mol^{-1}

Yield 46%

^1H NMR (CDCl_3 , **400 MHz**) δ 8.41 (dd, 1H, $J = 4.8, 1.8$ Hz), 8.36 (dd, 1H, $J = 8.0, 1.8$ Hz), 7.13 (dd, 1H, $J = 8.0, 4.8$ Hz), 7.06 (br s, 1H), 5.77 (t, 1H, $J = 5.0$ Hz), 3.87-3.78 (m, 1H), 2.14-2.07 (m, 2H), 1.98-1.94 (m, 1H), 1.84-1.80 (m, 1H), 1.77-1.57 (m, 2H), 1.44-1.17 (m, 6H), 0.96 (t, 3H, $J = 7.4$ Hz).

^{13}C NMR (CDCl_3 , **100.6 MHz**) δ 169.3, 155.2, 152.6, 136.0, 134.1, 117.9, 78.1, 48.2, 33.4, 33.1, 25.9, 25.3, 25.0, 8.7.

MS (**DI**, **CI** NH_3) m/z 308.

I.R. (thin film) 2931, 2359, 1665, 1601, 1526, 1349, 1300 cm^{-1} .

HRMS Calcd. for $\text{C}_{15}\text{H}_{21}\text{N}_3\text{O}_4$ 307.1532. Found 307.1520.

2-(2,6-dimethylpyrimidin-4-yloxy)-*N*-cyclohexylbutanethioamide

M. W. = 291.19 g.mol⁻¹

Yield 60%

¹H NMR (CDCl₃, 400 MHz) δ 6.47 (s, 1H), 6.05 (br s, 1H), 5.41 (dd, 1H, *J* = 6.6, 4.8 Hz), 3.83-3.72 (m, 1H), 2.53 (s, 3H), 2.41 (s, 3H), 2.03-1.94 (m, 2H), 1.70-1.53 (m, 4H), 1.37-1.29 (m, 2H), 1.20-1.02 (m, 4H), 0.95 (t, 3H, *J* = 7.4 Hz).

¹³C NMR (CDCl₃, 100.6 MHz) δ 169.9, 168.8, 168.4, 168.0, 104.0, 76.9, 48.1, 33.5, 33.3, 26.2, 25.8, 25.6, 25.1, 24.3, 9.5.

MS (DI, CI NH₃) *m/z* 292.

I.R. (thin film) 2360, 1591, 1560 cm⁻¹.

HRMS Calcd. for C₁₆H₂₅N₃O₂ 291.1947. Found 291.1939.

2-(2-isopropyl-6-methylpyrimidin-4-yloxy)-N-cyclohexylbutanamide

M. W. = 319.23 g.mol⁻¹

Yield 60%

¹H NMR (CDCl₃, 400 MHz) δ 6.47 (s, 1H), 6.04 (br s, 1H), 5.48 (ddt, 1H, *J* = 6.6, 4.7 Hz), 3.84-3.75 (m, 1H), 3.03 (sept., 1H, *J* = 6.9 Hz), 2.43 (s, 3H), 2.06-1.94 (m, 2H), 1.92-1.87 (m, 2H), 1.82-1.77 (m, 2H), 1.40-1.30 (m, 2H), 1.26 (d, 3H, *J* = 3.6 Hz), 1.25 (d, 3H, *J* = 3.6 Hz), 1.22-1.07 (m, 4H), 0.96 (t, 3H, *J* = 7.5 Hz).

¹³C NMR (CDCl₃, 100.6 MHz) δ 175.5, 170.0, 168.9, 168.4, 104.2, 76.8, 48.1, 37.8, 33.5, 33.3, 25.8, 25.7, 25.2, 25.1, 24.4, 22.0, 9.5.

MS (DI, CI NH₃) *m/z* 319.

I.R. (thin film) 2930, 2360, 2341, 1653, 1589, 1560 cm⁻¹.

HRMS Calcd. for C₁₈H₂₉N₃O₂ 319.2260. Found 319.2262.

Table 1-Entry 1

Table 1-Entry 1

Table 1-Entry 2

Table 1-Entry 2

Table 1-Entry 3

Table 1-Entry 3

Table 1-Entry 4

Table 1-Entry 4

Table 1-Entry 5

Table 1-Entry 5

Table 1-Entry 6

Table 1-Entry 9

Table 1-Entry 7

Table 1-Entry 7

Table 1-Entry 8

Table 1-Entry 8

Table 1-Entry 9

Table 1-Entry 9

Table 1-Entry 10

Table 1-Entry 10

Table 2-Entry 1

Table 2-Entry 1

Table 2-Entry 2

Table 2-Entry 2

Table 2-Entry 3

Table 2-Entry 3

Table 2-Entry 4

Table 2-Entry 4

Table 2-Entry 5

Table 2-Entry 6

Table 3-Entry 1

Table 3-Entry 1

Table 3-Entry 2

Table 3-Entry 2

Table 3-Entry 3

Table 3-Entry 3

Table 3-Entry 4

Table 3-Entry 4