

Table S5. Age-specific patterns of dengue disease in the Philippines [27, 2;].

	<1 year	1–4 years	0–4 years	5–14 years	15–49 years	50–64 years	≥65 years	Unknown	Total
2002									
2003	47	231	278	364	154	14	21		1109
2004	38	183	221	363	147	16	13	1	982
2005	33	209	242	439	162	23	21		1129
2006									
2007									
2008									
2009									
2010									
Population, n (DoH and NSCB*)									
2000*			9,902,800	18,643,400	39,256,800	6,196,100	2,947,400		76,946,500
2001									
2002									
2003			9,633,446	18,463,076	42,245,087	7,295,749	3,416,946		81,054,304
2004			9,646,113	18,616,264	43,212,678	7,574,917	3,586,589		82,636,561
2005			9,658,747	18,769,032	44,231,550	7,853,322	3,728,690		84,241,341

	<1 year	1–4 years	0–4 years	5–14 years	15–49 years	50–64 years	≥65 years	Unknown	Total
2010									
Case fatality rate (calculated)									
2000									
2001									
2002									
2003	0.41	0.36	0.37	0.18	0.09	0.13	0.42		0.23
2004									
2005	0.24	0.31	0.29	0.23	0.13	0.17	0.95		0.28
2006									
2007									
2008									
2009									
2010									

Population data from: <http://www.doh.gov.ph/kp/statistics/demography1.html>. Empty cells: data not provided.

DF, dengue fever; DHF, dengue haemorrhagic fever; DoH, Department of Health; FHSIS, Field Health Service Information System; NSCB, National Statistical Coordination Board. *http://www.nscb.gov.ph/secstat/d_popnProj.asp.