



Norfish Dataset 06

**French Northeast Atlantic
Herring Fishery 1520–1790**

Supporting Documentation

Bernard Allaire, John Nicholls, Poul Holm



Atlantic Herring: Clupea harengus Linnaeus, 1758 (Decleer 2006)



French Northeast Atlantic Herring Fishery 1520-1790

Summary

Dataset Title:	French Northeast Atlantic Herring Fishery 1520-1790
Norfish Case Study:	French Northeast Atlantic Herring Fishery 1520-1790
Large Marine Ecosystem:	24: Celtic-Biscay Shelf; 22: North Sea
Subject:	Herring catches, Northeast Atlantic, France 1520-1790
Author:	Bernard Allaire, John Nicholls, Poul Holm Norfish Project Centre for Environmental Humanities Trinity College Dublin
Data Provider:	Bernard Allaire Norfish Project Centre for Environmental History Trinity College Dublin
Data Editors:	John Nicholls Norfish Project Centre for Environmental History Trinity College Dublin
Extent:	271 records
Keywords:	Herring catches; Norfish; France; North Sea; Celtic-Biscay Shelf; Northeast Atlantic

Citations:

- **The dataset:** please cite as follows Allaire, B., Nicholls, J and Holm, P. 2020. Norfish: French Northeast Atlantic Herring Fishery 1520-1790. Dublin: TCD
- **Supporting documentation:** please cite as follows Allaire, B., Nicholls, J and Holm, P. 2020. Norfish Supporting Documentation: French Northeast Atlantic Herring Fishery 1520-1790. Dublin: TCD



French Northeast Atlantic Herring Fishery 1520-1790

Contents

Summary	2
Contents	3
Sources and Chronology	4
Statistical Data.....	5
Other Processes	6
Data Fields	7
Bibliography.....	11
Appendix 1.....	13
Appendix 2.....	13

Sources and Chronology

Identifying sources for the French Herring Fishery, which prevailed in the North Sea, the Irish Sea, off the Western coast of Scotland and through the English Channel during the 1520-1790 period, is difficult. Whatever archived records may exist are sparse, unresearched and scattered.

The clearest indications of the scale and geographic location of the French herring fishery may be found in **old prints** that indicate descriptions of fish, fishing grounds, countries involved and techniques; these prints dating from as early as the 16th century chart the places where the French sailed to catch herring: the coasts of Brittany, Normandy and Picardy, the English coasts, the Irish sea, Iceland and other places (Savary des Bruslons 1726; Duhamel du Monceau Henri-Louis 1772; Noel de la Morinière 1815).

A common theme for most of these prints is that the Dutch provided the best quality of herring, followed by the Irish and Scottish fisheries. The herring caught by the English were regarded as being of a lower quality because of the lack of the use of salt to transform the fish and keep it relatively fresh. The French caught herring, but on a small scale. Only specific ports in Normandy, Picardy and Brittany were involved in the herring fisheries. Unfortunately, the old prints do not provide any catch amount statistics for these fisheries.

It is in more recent prints that we find more precise information. A case study by Eric Dardel (1941) on the French herring fisheries provides some statistics on the metric tonne catches that were taken from the archives de la Marine. Another historian, Joachim Darsel (1962, 1969, 1970a, 1970b, 1970c, 1972, 1973a, 1973b, 1977, 1978, 1979, 1980) provides some data extracted from the French Admiralty records about the number of vessels involved in the herring fisheries, but exclusively in ports of the province of Normandy. Further research in these two series of archives in France could provide a larger panorama of the fishing activities. Preliminary indications highlight that there was a decline in the 17th century, but the fishery expanded again in the 18th century.

Other recent prints such as Collins (1984), Delumeau (1959) and the various works by Darsel (1962, 1969, 1970a, 1970b, 1970c, 1972, 1973a, 1973b, 1977, 1978, 1979, 1980) use the Nicolas Langlois census for Normandy of 1627, and the Colbert census of 1664.

The partial census of 1627 indicates the presence of only 81 vessels of between 30 and 60 tonnes; Dieppe 35, Saint-Valéry 23, Fécamp 14 and Bayeux 9. The authors generally talk about a decline in herring fisheries which continue supplying the national market. There is mention of competition between cod and herring for the salt fish market (Collins, 1984:

375). Jean Delumeau (1959, p.277) states that from 1560 the French no longer bring herring to the Mediterranean market due to the wars of religion, but that this is also due to the arrival of cod as a major competitor.

Most of the French herring fishing boats were also employed in the mackerel fisheries and other small coastal fisheries. In periods of warfare and conflicts the herring and other coastal fisheries compensated the lack of activity by outfitting for the Newfoundland cod fishery. This switch from herring to cod fishing was exacerbated by arguments used to promote the Newfoundland cod fishery; it was good for economy, it would feed the population, it employed thousands of sailors, it was a good school for mariners to use in time of war, there was a low level of danger from this maritime activity in comparison to other far-distance expeditions.

Statistical Data

Available Statistics from the sources provide some ability to specify vessel capacities to between 25 and 50 tonnes. An average catch weight of 35 metric tonnes is assumed based on these criteria.

From the first half to the second half of the 17th century Dardel, Darsel and Collins underline a fluctuation in the **number of vessels** involved in the herring fisheries, for instance:

- 1627: Dieppe 35 vessels (Dardel 1941, p.160)
- 1627: Eu-Tréport 12 vessels (Darsel 1969, p. 297)
- 1640: Eu-Tréport 50 vessels (Darsel 1969, p. 297)
- 1734: Eu-Tréport 7 vessels (Darsel 1969, p. 297)
- pre-1650: Saint Valery 20 vessels (Darsel 1970, p.5)
- 1664: Saint Valery 3 vessels (Darsel 1970, p.5)
- 1770: Saint Valery 35 vessels (Darsel 1970, p.5)
- 1781: Saint Valery 17 vessels (Darsel 1970, p.5)
- 1782: Saint Valery 26 vessels (Darsel 1970, p.5)
- pre-1650: Fécamp 25 vessels (Darsel 1970. P.92)
- 1664: Fécamp 5 vessels (Darsel 1970. P.92)
- 1734: Fécamp 12 vessels (Darsel 1970. P.92)
- post-1700: Honfleur became a secondary industry (Darsel 1977, p.161)

- 1600: Bayeux 50 vessels (Dardel 1941, p.160)
- 1687: Bayeux 10 vessels (Dardel 1941, p.160)

In terms of statistics provided in metric tonne catch rates, Dardel (1941, p.97) provides some details are provided for the port of Dieppe:

Salted herring

- 1715-1718: Dieppe 2850 MT
- 1721-1722: Dieppe 2850 MT
- 1752-1758: Dieppe 4800 MT

Fresh herring

- 1715-1718: Dieppe 8400 MT
- 1721-1722: Dieppe 8400 MT
- 1752-1758: Dieppe 2200 MT

Poulsen (2008, p.68) provides details from the 1788 census which indicates that a total of 330 vessels were engaged in the French herring fishery in that year. With an assumed catch weight of 35 MT per vessel, 11550 tonnes of herring were caught.

Other Processes

The marine species information that informs the dataset is obtained from the World Register of Marine Species (WoRMS 2020) which validates common species names, scientific names and sources.

The Metadata system underpinning the dataset is based on Darwin Core (OBIS 2017; 2020) which provides static formulations of all data fields as outlined in the Data Fields section of this document.



French Northeast Atlantic Herring Fishery 1520-1790

Data Fields

Darwin Core Field Name	Description
occurrenceID	A globally unique “per record” identifier based upon the concatenated institutionCode, collectionCode, catlogNumber and ID fields (TCD_Norfish_FreAllNicHolHer_1)
type	Description of data series type. e.g. Dataset
modified	Most recent date the data was modified; ISO 8601 metric date/time standards apply. (2020-10-27)
license	Data licensing conditions that apply. (http://creativecommons.org/licenses/by/4.0/legalcode)
bibliographicCitation	Author citation for the dataset: (Allaire, B., Holm, P. and Nicholls, J. 2020. Norfish: French East Atlantic Herring Fishery. Dublin: TCD)
references	Denotes the link where more detailed information about the dataset is held. (http://www.vliz.be/imis?module=project&proid=5064)
institutionCode	Identifies the institution which owns the data - Trinity College Dublin. (TCD)
collectionCode	Code of the project or research group. (Norfish)
datasetName	Name of the dataset. (French Northeast Atlantic Herring Fishery 1520-1790)
basisOfRecord	Specifies the nature of the observed or researched specimens or data. (HumanObservation)
dataGeneralizations	Source data that informs the provenance of the data. (Source: Nicholls, John., Allaire, Bernard and Holm, Poul. 2021. The Capacity Trend Method: A new approach for enumerating the Newfoundland cod fisheries (1675–1790). Historical Methods: A Journal of



French Northeast Atlantic Herring Fishery 1520-1790

	Quantitative and Interdisciplinary History. DOI: 10.1080/01615440.2020.1853643)
catalogNumber	Identifier of the data within the institution and project – “Fre” refers to French, “All” refers to Allaire, “Nic” refers to Nicholls, “Hol” refers to Holm, “Her” refers to Herring. (FreAllNicHolHer)
occurrenceRemarks	Comments about the occurrence record. (Weight of 35 MT per vessel average applied based on typical weights between 25 and 50 MT)
recordedBy	Researchers who recorded the data. (Bernard Allaire John Nicholls Poul Holm)
organismQuantity	Quantity of fish represented in the record shown in Kg live weight. (8285162)
organismQuantityType	organismQuantity unit of measurement. (biomass in kilograms (kg))
occurrenceStatus	Stipulates the physical presence or absence of animals relating to the record. (present)
eventDate	Actual date and time at which an occurrence was recorded. ISO 8601 metric date/time standards apply. (1520)
year	Year taken from the eventDate field. (1520)
locationID	Marine Region unique identifier. (http://marineregions.org/mrgid/5664)
locality	Local name for the overall location or region. (Northeast Atlantic)
locationAccordingTo	MRGID location identifier based on the marineregions.org/mrgid system. (MRGID)
locationRemarks	Description of location identifier. (NOAA described Large Marine Ecosystem)



French Northeast Atlantic Herring Fishery 1520-1790

decimalLatitude	Latitude shown in decimal notation based on the WGS 84 (EPSG:4326) geodetic datum standard. (46)
decimalLongitude	Latitude shown in decimal notation based on the WGS 84 (EPSG:4326) geodetic datum standard. (-20)
coordinateUncertaintyInMeters	The smallest circle (radius) in metres from the ground zero point depicted by the decimalLatitude and decimalLongitude fields. In this instance, "2000000" depicts a radius of c. 2000Km.
georeferenceRemarks	Remarks indicating the geographic area identified – Large Marine Ecosystems are used. (24: Celtic-Biscay Shelf; 22: North Sea)
scientificNameID	The WoRMS LSID associated with the scientificName, based on the Marine Species database. (urn:lsid:marinespecies.org: taxname:126417)
scientificName	Scientific name of the animal based upon the vernacularName. (Clupea harengus)
kingdom	Together with taxonRank assists in determining broader animal characteristics for darwinCore search engines. (Animalia)
taxonRank	Together with kingdom assists in determining broader animal characteristics for darwinCore search engines. (species)
scientificNameAuthorship	Based on the scientificNameID field and discoverable through the WoRMS database. (Linnaeus, 1758)
vernacularName	Literal common name applied to the animal involved. In this case, all values are hareng – the French common name for herring
conversion	Conversion factor applied to derive catchMT (1 vessel = 35MT)



French Northeast Atlantic Herring Fishery 1520-1790

catchMT Derived metric tonnes value based on the calculated fields as shown in the conversion field, or as shown in the codes field.

trafficLight Traffic Light coding system denotes level of certainty, and/or level of accuracy that can be described for each record; see Appendix 1 for details.

codes Explanation codes that highlight the process for each record; see Appendix 2 for details.

Bibliography

Old prints

- Savary des Bruslons. 1726. Dictionnaire de commerce, tome 2. Amsterdam: Jansons & Waesberge. Pp.327-333
- Duhamel du Monceau Henri-Louis. 1772. Traité général des pesches et histoire des poissons qu'elles fournissent, tant pour la subsistance des hommes, que pour plusieurs autres usages qui ont rapport aux arts et au commerce. Paris: Saillant & Nyon. 1769-1772.
- Noel de la Morinière. 1815. Simon Barthelemy Histoire Histoire Generale Des Peches Anciennes Et Modernes, Dans Les Mers Et Les Fleuves des Deux Continents. Paris: Imprimerie Royale

Recent prints

- Collins James B. 1984. La flotte normande au commencement du XVIIe siècle: Le Mémoire de Nicolas Langlois (1627). In: Annales de Normandie. 34^e année. n°4. pp.361-380
- Dardel, Eric. 1941. La pêche harenguière en France: étude d'histoire économique et sociale. Ouvrage publié sous le patronage de l'Office scientifique et technique des pêches maritimes. Paris: Tournon
- Darsel, Joachim. 1962. Les armements du port de Dieppe en 1664. In: Annales de Normandie. 12^e année. n°3. pp.190-197
 - 1969. L'Amirauté en Normandie I — Amirauté d'Eu - Le Tréport. In: Annales de Normandie. 19^e année. n°4. pp.291-306
 - 1970a. L'Amirauté en Normandie II - Amirauté de Saint-Valery-en-Caux. In: Annales de Normandie. 20^e année. n°1. pp.3-19
 - 1970b. L'Amirauté en Normandie III — Amirauté de Fécamp. In: Annales de Normandie. 20^e année. n°2. pp.85-117
 - 1970c. L'Amirauté en Normandie IV Amirauté du Havre-Harflleur (1ère partie). In: Annales de Normandie. 20^e année. n°4. pp.267-292
 - 1972. L'Amirauté en Normandie V - Amirauté de Caudebec-Quillebeuf (2ème Partie). In: Annales de Normandie. 22^e année. n°2. pp.105-131
 - 1973a. L'Amirauté en Normandie VI - Amirauté de Rouen (1ère partie). In: Annales de Normandie. 23^e année. n°1. pp.39-56

- 1973b. L'Amirauté en Normandie VI - Amirauté de Rouen (2e partie). In: Annales de Normandie. 23^e année. n°2. pp.115-149
- 1977. L'Amirauté en Normandie IX — Amirauté de Honfleur (1ère partie). In: Annales de Normandie. 27^e année. n°2. pp.151-164
- 1978. L'Amirauté en Normandie X - Amirauté d'Ouistreham. In: Annales de Normandie. 28^e année. n°1. pp.9-16
- 1979. L'Amirauté en Normandie XI — Amirauté de Caen. In: Annales de Normandie. 29^e année. n°1. pp.45-74
- 1980. L'Amirauté en Normandie XII — Amirauté de Bayeux. In: Annales de Normandie. 30^e année, n°3. pp.231-244
- Decler, Misjel. 2006. Clupea harengus Linnaeus, 1758. Photograph. WoRMS taxa <http://www.marinespecies.org/aphia.php?p=image&tid=126417&pic=3561> [Accessed 20 November 2020]
- Delumeau Jean. 1959. Le Commerce malouin à la fin du XVIIe siècle. In: Annales de Bretagne. Tome 66. numéro 3. pp. 263-286
- Nicholls, John., Allaire, Bernard and Holm, Poul. 2021. The Capacity Trend Method: A new approach for enumerating the Newfoundland cod fisheries (1675–1790). Historical Methods: A Journal of Quantitative and Interdisciplinary History. DOI: 10.1080/01615440.2020.1853643
- OBIS Ocean Biogeographic Information System of UNESCO. 2017. Manual: DarwinCore. [Online] Available at: <http://www.iobis.org/manual/darwincore/> [Accessed 30 November 2020].
- WoRMS. World Register of Marine Species – taxa. 2020. <http://www.marinespecies.org/aphia.php?p=taxdetails&id=126417>. Oostende, Belgium [Accessed: 30 November 2020].

Appendix 1

Traffic Light System

Traffic Light	Explanation
green	Given values with minimal conversion
amber	Calculated values based on given vessel numbers for specific ports
red	Calculated values capacity trended from Scottish herring fishery annual export figures

Appendix 2

Codes

Codes	Explanation
a	Given number of vessels at 330 based on census of 1788; average tonnage per vessel is 35 MT
b	Calculated values based on trend from the Scottish herring fishery 1520-1790
c	Calculated values based on available statistics from sources for specific ports; average tonnage per vessel is 35 MT