

SUPPLEMENTAL TABLE 1A. Unadjusted and Model Adjusted Mean HbA_{1c} by Age Group and Study Period.

Age	Cohort	Type 1		Type 2	
		Unadjusted mean (SE)	Least squares mean (SE)	Unadjusted mean (SE)	Least squares mean (SE)
1-9	2002-2007	8.15 (0.03)	8.32 (0.06)		
	2008-2013	8.22 (0.06)	8.37 (0.09)		
	2014-2019	8.38 (0.10)	8.42 (0.14)		
10-14	2002-2007	8.47 (0.04)	8.57 (0.05)	8.40 (0.28)	8.66 (0.28)
	2008-2013	8.75 (0.06)	8.89 (0.06)	7.70 (0.33)	8.11 (0.36)
	2014-2019	9.09 (0.09)	9.05 (0.08)	7.59 (0.31)	8.37 (0.36)
15-19	2002-2007	8.77 (0.06)	8.79 (0.05)	8.17 (0.19)	8.60 (0.18)
	2008-2013	9.29 (0.08)	9.31 (0.06)	8.12 (0.25)	8.26 (0.21)
	2014-2019	9.49 (0.09)	9.32 (0.07)	8.47 (0.22)	8.76 (0.20)
20-24	2002-2007	8.54 (0.13)	8.33 (0.12)	9.10 (0.35)	9.38 (0.32)
	2008-2013	9.07 (0.11)	8.92 (0.08)	8.92 (0.29)	8.55 (0.24)
	2014-2019	8.97 (0.09)	8.66 (0.08)	9.06 (0.22)	8.68 (0.20)
25+	2008-2013	8.44 (0.34)	8.21 (0.24)	8.25 (0.45)	8.08 (0.39)
	2014-2019	8.44 (0.15)	7.91 (0.12)	9.66 (0.25)	8.58 (0.32)
<i>Longitudinal models stratified by diabetes type, adjusting for clinical site, age, sex, race/ethnicity, health insurance status, household income, insulin regimen, and disease duration</i>					

SUPPLEMENTAL TABLE 1B. Study Period Differences in Mean HbA_{1c} by Diabetes Type and Age Group.

Diabetes Type	Age	Period	2008-2013	2014-2019
Type 1	1-9	2002-2007	0.5814	0.4733
		2008-2013		0.7432
	10-14	2002-2007	<0.0001*	<0.0001*
		2008-2013		0.1031
	15-19	2002-2007	<0.0001*	<0.0001*
		2008-2013		0.9248
	20-24	2002-2007	<0.0001*	0.0156*
		2008-2013		0.0163*
	25+	2008-2013		0.2489
Type 2	10-14	2002-2007	0.1837	0.4882
		2008-2013		0.5931
	15-19	2002-2007	0.1954	0.5302
		2008-2013		0.0730
	20-24	2002-2007	0.0391*	0.0668
		2008-2013		0.6563
	25+	2008-2013		0.2343
* <i>p</i> <0.05				