

Supplementary Table 2

Compiled list of bat species occurring at São Paulo state (Garbino, 2016; Cláudio et al., 2020).

Species
Family Emballonuridae Gervais, 1855
Subfamily Emballonurinae Gervais, 1855
<i>Diclidurus</i> Wied-Neuwied, 1819
<i>D. scutatus</i> Peters, 1869
<i>Peropteryx</i> Peters, 1867
<i>P. kappleri</i> Peters, 1867
<i>P. macrotis</i> (Wagner, 1843)
<i>Saccopteryx</i> Illiger, 1811
<i>S. leptura</i> (Schreber, 1774)
Family Noctilionidae Gray, 1821
<i>Noctilio</i> Linnaeus, 1766
<i>N. albiventris</i> Desmarest, 1818
<i>N. leporinus</i> (Linnaeus, 1758)
Family Phyllostomidae Gray, 1825
Subfamily Phyllostominae Gray, 1825
<i>Chrotopterus</i> Peters, 1865
<i>C. auritus</i> (Peters, 1856)
<i>Glyphonycteris</i> Thomas, 1896
<i>G. sylvestris</i> Thomas, 1896
<i>Lampronycteris</i> Sanborn, 1949
<i>L. brachyotis</i> (Dobson, 1879)
<i>Lonchorhina</i> Tomes, 1863

<i>L. aurita</i> Tomes, 1863
<i>Macrophyllum</i> Gray, 1838
<i>M. macrophyllum</i> (Schinz, 1821)
<i>Micronycteris</i> Gray, 1866
<i>Micronycteris</i> sp.
<i>M. megalotis</i> (Gray, 1842)
<i>M. microtis</i> Miller, 1898
<i>M. schmidtorum</i> Sanborn, 1935
<i>Mimon</i> Gray, 1847
<i>M. bennettii</i> (Gray, 1838)
<i>Phylloderma</i> Peters, 1865
<i>P. stenops</i> Peters, 1865
<i>Phyllostomus</i> Lacépède, 1799
<i>P. discolor</i> (J.A. Wagner, 1843)
<i>P. hastatus</i> (Pallas, 1767)
<i>Tonatia</i> Gray, 1827
<i>T. bidens</i> (Spix, 1823)
<i>Trachops</i> Gray, 1827
<i>T. cirrhosus</i> (Spix, 1823)
Subfamily Glossophaginae Bonaparte, 1845
<i>Anoura</i> Gray, 1838
<i>A. caudifer</i> (É. Geoffroy, 1818)
<i>A. geoffroyi</i> Gray, 1838
<i>Glossophaga</i> É. Geoffroy, 1818
<i>G. soricina</i> (Pallas, 1766)
Subfamily Lonchophyllinae Griffiths, 1982
<i>Lonchophylla</i> Thomas, 1903

<i>L. peracchii</i> Dias, Esbérard & Moratelli, 2013
Subfamily Carollinae Miller, 1924
<i>Carollia</i> Gray, 1838
<i>C. perspicillata</i> (Linnaeus, 1758)
Subfamily Stenodermatinae Gervais, 1856
<i>Artibeus</i> Leach, 1821
<i>A. cinereus</i> (Gervais, 1856)
<i>A. fimbriatus</i> Gray, 1838
<i>A. lituratus</i> (Olfers, 1818)
<i>A. obscurus</i> (Schinz, 1821)
<i>A. planirostris</i> (Spix, 1823)
<i>Chiroderma</i> Peters, 1860
<i>C. doriae</i> Thomas, 1861
<i>C. villosum</i> Peters, 1860
<i>Platyrrhinus</i> Saussure, 1860
<i>P. incarum</i> (Thomas, 1912)
<i>P. lineatus</i> (É. Geoffroy, 1810)
<i>P. recifinus</i> (Thomas, 1901)
<i>Vampyressa</i> Thomas, 1900
<i>V. pusilla</i> (Wagner, 1843)
<i>Vampyrodes</i> Thomas, 1900
<i>V. caraccioli</i> (Thomas, 1889)
<i>Pygoderma</i> Peters, 1863
<i>P. bilabiatum</i> (Wagner, 1843)
<i>Sturnira</i> Gray, 1842
<i>S. lilium</i> (É. Geoffroy, 1810)
<i>S. tildae</i> de la Torre, 1959

Subfamily Desmodontinae Bonaparte, 1845
<i>Desmodus</i> Wied-Neuwied, 1826
<i>D. rotundus</i> (É. Geoffroy, 1810)
<i>Diaemus</i> Miller, 1906
<i>D. youngii</i> (Jentink, 1893)
<i>Diphylla</i> Spix, 1823
<i>D. ecaudata</i> Spix, 1823
Family Furipteridae Gray, 1866
<i>Furipterus</i> Bonaparte, 1837
<i>F. horrens</i> (Cuvier, 1828)
Family Natalidae Gray, 1866
<i>Natalus</i> Gray, 1838
<i>N. macrourus</i> (Gervais, 1856)
Family Thyropteridae Miller, 1907
<i>Thyroptera</i> Spix, 1823
<i>T. tricolor</i> Spix, 1823
Family Molossidae Gervais, 1856
Subfamily Molossinae Gervais, 1856
<i>Cynomops</i> Thomas, 1920
<i>C. brasiliensis</i> (Temminck, 1826)
<i>C. planirostris</i> (Peters, 1866)
<i>Eumops</i> Miller, 1906
<i>E. auripendulus</i> (Shaw, 1800)
<i>E. bonariensis</i> (Peters, 1874)
<i>E. glaucinus</i> (Wagner, 1843)
<i>E. hansae</i> Sanborn, 1932
<i>E. maurus</i> (Thomas, 1901)

<i>E. perotis</i> (Schinz, 1821)
<i>Molossops</i> Peters, 1866
<i>M. neglectus</i> Williams & Genoways, 1980
<i>M. temminckii</i> (Burmeister, 1854)
<i>Molossus</i> É. Geoffroy, 1805
<i>M. aztecus</i> Sausurre, 1860
<i>M. currentium</i> Thomas, 1901
<i>M. molossus</i> (Pallas, 1766)
<i>M. rufus</i> É. Geoffroy, 1805
<i>Nyctinomops</i> Miller, 1902
<i>N. aurispinosus</i> (Peale, 1848)
<i>N. laticaudatus</i> (É. Geoffroy, 1805)
<i>N. macrotis</i> (Gray, 1839)
<i>Promops</i> Gervais, 1856
<i>P. nasutus</i> (Spix, 1823)
<i>Tadarida</i> Rafinesque, 1814
<i>T. brasiliensis</i> (I. Geoffroy, 1824)
Family Vespertilionidae Gray, 1821
Subfamily Vespertilioninae Gray, 1821
<i>Eptesicus</i> Rafinesque, 1820
<i>E. brasiliensis</i> (Desmarest, 1819)
<i>E. diminutus</i> Osgood, 1915
<i>E. furinalis</i> (d'Orbigny & Gervais, 1847)
<i>E. taddeii</i> Miranda, Bernardi & Passos, 2006
<i>Histiotus</i> Gervais, 1856
<i>H. montanus</i> (Philippi & Landbeck, 1861)
<i>H. velatus</i> (I. Geoffroy, 1824)

<i>Lasiurus</i> Gray, 1831
<i>L. blossevillii</i> ([Lesson, 1826])
<i>L. cinereus</i> (Beauvois, 1796)
<i>L. ebenus</i> Fazzolari-Corrêa, 1994
<i>L. ega</i> (Gervais, 1856)
Subfamily Myotinae Tate, 1942
<i>Myotis</i> Kaup, 1829
<i>M. albescens</i> (É. Geoffroy, 1806)
<i>M. levis</i> (I. Geoffroy, 1824)
<i>M. nigricans</i> (Schinz, 1821)
<i>M. riparius</i> Handley, 1960
<i>M. ruber</i> (É. Geoffroy, 1806)