

Age-associated Differences in the Human Lung Extracellular Matrix

Authors and affiliations

Maunick Lefin Koloko Ngassie^{1,2}, M. De Vries^{2,3}, T. Borghuis¹, W. Timens^{1,2}, Don D. Sin⁴, D. Nickle⁵, P. Joubert⁶, P. Horvatovich⁷, G. Marko-Varga⁸, J.J. Teske⁹, J.M. Vonk^{2,3}, R. Gosens^{2,10}, Y.S. Prakash⁹, J.K. Burgess^{1,2*}, C.A. Brandsma^{1,2*}

¹University of Groningen, University Medical Center Groningen, Department of Pathology and Medical Biology, Groningen, Netherlands;

²University of Groningen, University Medical Center Groningen, Groningen Research Institute for Asthma and COPD, Groningen, Netherlands;


³University of Groningen, University Medical Center Groningen, Department of Epidemiology, Groningen, Netherlands; ⁴Centre for Heart Lung Innovation at St. Paul's Hospital, University of British Columbia, Vancouver, Canada; ⁵Monoceros Bio, San Diego, CA, USA; ⁶Institut Universitaire de Cardiologie et de Pneumologie de Québec, QC, Canada; ⁷University of Groningen, Department of Analytical Biochemistry, Groningen Research Institute of Pharmacy, Groningen, Netherlands; ⁸Lund University, Center of Excellence in Biological and Medical Mass Spectrometry, Biomedical Center, Lund, Sweden; ⁹Department of Anesthesiology and Perioperative Medicine, Mayo Clinic, Rochester, Minnesota, USA;

¹⁰University of Groningen, Department of Molecular Pharmacology, Groningen, Netherlands. * Contributed equally to this study.


Supplementary file 3:
Negative controls (No primary
antibody controls)

COL6A1 (1:3200) and negative control (no primary antibody control)
*Secondary antibody: HRP-conjugated polyclonal Goat Anti- Rabbit and
antigen retrieval buffer: 10 mM Tris/EDTA buffer pH9*

COL6A1




Negative control




LUM (1:12500) and negative control (no primary antibody control)
*Secondary antibody: HRP-conjugated polyclonal Goat Anti- Rabbit and
antigen retrieval buffer: 10 mM citrate buffer pH6*

LUM




Negative control



COL1A1 (1:400) and negative control (no primary antibody control)

*Secondary antibody: HRP-conjugated polyclonal Rabbit Anti-Mouse and
antigen retrieval buffer: 10 mM citrate buffer pH6*

COL1A1



Negative control

