

Supplementary Table 3. Primers used in real-time RT-PCR.

Gene	Forward (5'-3')	Reverse (5'-3')
GAPDH	GGAGTCCACTGGCGTCTTCA	ATTGCTGATGATCTTGAGGCTGTTG
IL-1 β	CCTGTCCTGCGTGTTGAAAGATG	TCTGCTTGAGAGGTGCTGATGT
IL-6	CCACTCACCTCTTCAGAACGAATTG	CTGGCTTGTTCCCTCACTACTCTCA
IL-10	GTTGCCTGGTCCTCCTGACT	CCTTGATGTCTGGGTCTTGGTTCT
IL-12 β	GCTGGTGGCTGACGACAATC	TGACCTCAATGGGCAGACTCTC
TNF- α	CTCTCAGCTCCACGCCATTG	TTGTTCCCTCAGCCTCTTCTCCTT
MRC1	ATGCTACCACAGTTATGCCTACCA	CTCCTCGTCCATCCGTCCAA
MMP9	GCACCACCACAACATCACCTATT	GGGACCACAACCTCGTCATCGT
AGR1	TGCCCTTTGCTGACATCCCTA	TCTTCCATCACCTTGCCAATTCCTA
CXCL9	CATCTTGCTGGTTCTGATTGGAGTG	G TTCCTTCACATCTGCTGAATCTGG
CXCL11	GTGCTACAGTTGTTCAAGGCTTCC	TCAGATGCTCTTTTCCAGGACTTCA
CCL17	GAAGATGCTGGCCCTGGTCA	CCTGGAGCAGTCCTCAGATGTC
CSF1	CCAGAAGGAGGACCAGCAAGT	CCAGCAAGACCAGGATGACACT