




Supplementary Figure 1a: Quality of life total scores for carers (CDEMQOL) and people with dementia (DEMQOL, DEMQOL-Proxy). The figure shows observed means from raw data (Table 3 and 4)




Supplementary Figure 1b: Quality of life total scores for carers (CDEMQOL) and people with dementia (DEMQOL, DEMQOL-Proxy). The figure shows estimated means from the fully adjusted Latent Growth Model (Supplementary Table 3, 11 and 17)




Supplementary Figure 2a: Quality of life (CDEMQOL) subscales for carers. The figure shows observed means from raw data (Table 3)




Supplementary Figure 2b: Quality of life (CDEMQOL) subscales for carers. The figure shows estimated means from the fully adjusted Latent Growth Model (Supplementary Tables 4-8)




Supplementary Figure 3a: Carer assessed quality of life (DEMQOL-Proxy) subscales for people with dementia. The figure shows observed means from raw data (Table 4)



Supplementary Figure 3b: Carer assessed quality of life (DEMQOL-Proxy) subscales for people with dementia. The figure shows estimated means from the fully adjusted Latent Growth Model (Supplementary Tables 18-20)



Supplementary Figure 4a: Quality of life (DEMQOL) subscales for people with dementia. The figure shows observed means from raw data (Table 4)



Supplementary Figure 4b: Quality of life (DEMQOL) subscales for people with dementia. The figure shows estimated means from the fully adjusted Latent Growth Model (Supplementary Tables 12-14)

