

Supplementary Appendix

Importance of insulin sensitivity and β -cell function as predictors of progression of type 2 diabetes in the GRADE Study

Kristina M Utzschneider, Naji Younes, Nicole M Butera, Ashok Balasubramanyam, Richard M Bergenstal, Joshua Barzilay, Cyrus DeSouza, Ralph A DeFronzo, Tom Elasy, Jonathan Krakoff, Steven E Kahn, Neda Rasouli, Willy M Valencia, William I Sivitz, for the GRADE Research Group

Table of Contents

GRADE Research Group Listing	2
Supplemental Table 1: HRs for primary and secondary outcomes for each insulin sensitivity or β -cell function measure within each treatment group	6
Supplemental Table 2: Subgroup analyses for primary and secondary outcomes within each treatment group (p-values for subgroup heterogeneity)	7
Supplemental Figure 1: CONSORT Diagram	8
Supplemental Figure 2: The effect of insulin sensitivity and C-peptide responses (CPI, total C-peptide response) by tertiles on time to reach secondary outcome	9

GRADE Research Group (April 30, 2021)

Designations: Principal Investigator (PI); Co-Principal Investigator (Co-PI); Co-Investigator (Co-I); Study Coordinator (SC); Recruitment/Retention Coordinator (RC); Research Staff (RS)

Current Clinical Centers

Albert Einstein College of Medicine: Crandall, JP (PI); McKee, MD (Co-PI, past); Behringer-Massera, S (Co-I, past); Brown-Friday, J (SC); Xhori, E (RC, past); Ballentine-Cargill, K (RS); Duran, S (RS); Estrella, H (RS); Gonzalez de la torre, S (RS, past); Lukin, J (RS, past)

Atlanta VA Medical Center: Phillips, LS (PI); Burgess, E (Co-I); Olson, D (Co-I); Rhee, M (Co-I); Wilson, P (Co-I); Raines, TS (SC); Boers, J (SC); Costello, J (SC); Maher-Albertelli, M (SC); Mungara, R (SC); Savoye, L (SC, past); White, CA (SC); Gullett, C (SC, past); Holloway, L (SC, past); Morehead, F (SC, past); Person, S (SC, past); Sibymon, M (SC, past); Tanukonda, S (SC, past); Adams, C (RC, past); Ross, A (RC, past)

Baylor College of Medicine: Balasubramanyam, A (PI); Gaba, R (Co-I); Gonzalez Hattery, E (SC); Ideozu, A (SC); Jimenez, J (SC); Montes, G (RC); Wright, C (RS, past)

Baylor Scott & White Research Institute (Baylor Research Institute): Hollander, P (PI); Roe, E (Co-I, past); Jackson, A (SC); Smiley, A (SC); Burt, P (SC, past); Estrada, L (RS); Chionh, K (RS, past)

Case Western Reserve University/Cleveland VA/MetroHealth Medical Center: Ismail-Beigi, F (PI); Falck-Ytter, C (Co-PI); Sayyed Kassem, L (Co-PI); Sood, A (Co-PI, past); Tiktin, M (Co-I, SC); Kulow, T (SC); Newman, C (SC); Stancil, KA (SC); Cramer, B (SC, past); Iacoboni, J (SC, past); Kononets, MV (SC, past); Sanders, C (SC, past); Tucker, L (SC, past); Werner, A (SC, past); Maxwell, A (RS); McPhee, G (RS); Patel, C (RS); Colosimo, L (RS, past); Krol, A (RS, past)

Columbia University Medical Center: Goland, R (PI); Pring, J (SC); Alfano, L (SC); Kringas, P (SC, past); Hausheer, C (RC, past); Tejada, J (RC, past); Gumpel, K (RS, past); Kirpitch, A (RS, past); Schneier, H (RS, past)

Duke University Medical Center: Green, JB (PI); AbouAssi, H (Co-I); Chatterjee, R (Co-I); Feinglos, MN (Co-I, past); English Jones, J (SC, RC); Khan, SA (SC, RC); Kimpel, JB (SC, past); Zimmer, RP (SC, past); Furst, M (RC, past); Satterwhite, BM (RS); Thacker, CR (RS); Evans Kreider, K (RS, past)

Indiana University: Mariash, CN (PI); Mather, KJ (PI, past); Ismail, HM (Co-I); Lteif, A (Co-I, past); Mullen, M (SC); Hamilton, T (SC, past); Patel, N (SC, past); Riera, G (RC); Jackson, M (RC, past); Pirics, V (RC, past); Aguillar, D (RS, past); Howard, D (RS, past); Hurt, S (RS, past)

International Diabetes Center: Bergenstal, R (PI); Carlson, A (Co-I); Martens, T (Co-I); Johnson, M (SC); Hill, R (SC); Hyatt, J (SC); Jensen, C (SC); Madden, M (SC); Martin, D (SC); Willis, H (SC); Konerza, W (RS); Yang, S (RS); Kleeberger, K (RS, past); Passi, R (RS, past)

Kaiser Permanente Northwest: Fortmann, S (PI); Herson, M (Co-I); Mularski, K (Co-I); Glauber, H (Co-I, past); Prihoda, J (Co-I, past); Ash, B (SC); Carlson, C (SC); Ramey, PA (SC); Schield, E (SC); Torggrimson-Ojerio, B (SC); Arnold, K (SC, past); Kauffman, B (SC, past); Panos, E (SC, past); Sahnaw, S (RC); Bays, K (RS); Berame, K (RS); Cook, J (RS); Ghioni, D (RS); Gluth, J (RS); Schell, K (RS); Criscola, J (RS, past); Friason, C (RS, past); Jones, S (RS, past); Nazarov, S (RS, past)

Kaiser Permanente of Georgia: Barzilay, J (PI); Rassouli, N (Co-PI); Puttnam, R (Co-I); Ojoawo, B (SC); Nelson, R (RC); Curtis, M (SC, past); Hollis, B (SC, past); Sanders-Jones, C (SC, past); Stokes, K (SC, past); El-Haqq, Z (RS, past); Kolli, A (RS, past); Tran, T (RS, past)

Massachusetts General Hospital: Wexler, D (PI); Larkin, ME (Co-I, SC); Meigs, J (Co-I); Chambers, B (SC, past); Dushkin, A (SC, past); Rocchio, G (SC, past); Yepes, M (SC, past); Steiner, B (RC); Dulin, H (RC, past); Cayford, M (RS); Chu, K (RS); DeManbey, A (RS); Hillard, M (RS); Martin, K (RS); Thangthaeng, N (RS); Gurry, L (RS, past); Kochis, R (RS, past); Raymond, E (RS, past); Ripley, V (RS, past); Stevens, C (RS, past)

MedStar Health Research Institute/ MedStar Baltimore: Park, J (PI); Aroda, V (PI, past); Ghazi, A (Co-PI); Magee, M (Co-I); Rensing, Ann (Co-I); Loveland, A (SC); Hamm, M (SC); Hurtado, M (SC); Kuhn, A (SC); Leger, J (SC); Manandhar, L (SC); Mwicigi, F (SC); Sanchez, O (SC); Young, T (SC)

Miami VA Healthcare System/University of Miami: Garg, R (PI); Lagari-Libhaber, V (PI); Florez, HJ (PI, past); Valencia, WM (PI, past); Marks, J (Co-PI, past); Casula, S (Co-I); Oropesa-Gonzalez, L (SC); Hue, L (SC, past); Cuadot, A (SC, past); Nieto-Martinez, R (SC, past); Riccio Veliz, AK (SC, past); Gutt, M (RC, past); Kendal, YJ (RS, past); Veciana, B. (RS, past)

Oregon Health & Science University: Ahmann, A (PI); Aby-Daniel, D (Co-I); Joarder, F (Co-I); Morimoto,

V (Co-I); Sprague, C (Co-I); Yamashita, D (Co-I); Cady, N (SC); Rivera-Eschright, N (SC); Kirchhoff, P (SC, past); Morales Gomez, B (RC); Adducci, J (RC, past); Goncharova, A (RC, past)

Pacific Health Research and Education Institute/VA Pacific Islands: Hox, SH (PI); Petrovitch, H (Co-PI); Matwichyna, M (SC); Jenkins, V (SC, past); Broadwater, L (RS); Ishii, RR (RS); Bermudez, NO (RS; past)

Pennington Biomedical Research Center: Hsia, DS (PI); Cefalu, WT (PI, past); Greenway, FL (Co-I); Waguespack, C (Co-I); King, E (SC); Fry, G (SC); Dragg, A (SC); Gildersleeve, B (SC); Arceneaux, J (SC); Haynes, N (SC, past); Thomassie, A (SC, past); Pavlionis, M (SC, past); Bourgeois, B (RC, past); Hazlett, C (RS)

San Diego VA Medical Center: Mudaliar, S (PI); Henry, R (PI, past); Boeder, S (Co-I, past); Pettus, J (Co-I, past); Diaz, E (SC); Garcia-Acosta, D (SC); Maggs, S (SC); DeLue, C (SC, past); Stallings, A (SC, past); Castro, E (RC, past); Hernandez, S (RC, past)

Southwestern American Indian Center: Krakoff, J (PI); Curtis, JM (Co-I); Killeen, T (SC); Khalid, M (SC); Joshevama, E (RC, past); Diaz, E (RS); Martin, D (RS); Tsingine, K (RS); Karshner, T (RS, past)

St. Luke's-Roosevelt Hospital: Albu, J (Co-PI); Pi-Sunyer, FX (Co-PI, past); Frances, S (Co-I); Maggio, C (SC, past); Ellis, E (RC); Bastawrose, J (RC, past); Gong, X (RS)

SUNY Downstate Medical Center/New York Hospital-Queens: Banerji, MA (PI); August, P (Co-I); Lee, M (Co-I); Lorber, D (Co-I); Brown, NM (SC, RC); Josephson, DH (SC); Thomas, LL (SC, RC); Tsovian, M (SC, RC); Cherian, A (SC, RC, past); Jacobson, MH (RS); Mishko, MM (RS)

The University of North Carolina Diabetes Care Center: Kirkman, MS (PI); Buse, JB (Co-I); Diner, J (Co-I); Dostou, J (Co-I); Machineni, S (Co-I); Young, L (Co-I); Bergamo, K (Co-I, past); Goley, A (Co-I, past); Kerr, J (Co-I, past); Largay, JF (Co-I, past); Guarda, S (SC); Cuffee, J (SC, past); Culmer, D (SC, past); Fraser, R (RC); Almeida, H (RC, past); Coffey, S (RC, past); Debnam, E (RC, past); Kiker, L (RC, past); Morton, S (RC, past); Josey, K (RS); Fuller, G (RS, past)

University of Alabama Birmingham: Garvey, WT (PI); Cherrington, AL (Co-PI); Dyer, D (SC); Lawson, MCR (SC); Griffith, O (SC, past); Agne, A (RC); McCullars, S (RC)

University of Cincinnati/Cincinnati VA Medical Center: Cohen, RM (PI); Craig, J (SC); Rogge, MC (SC; past); Burton, K (SC, past); Kersey, K (SC, RC, past); Wilson, C (SC, past); Lipp, S (RC, past); Vonder Meulen, MB (RC, past); Adkins, C (RS); Onadeko, T (RS)

University of Colorado-Denver/VA: Rasouli, N (PI); Baker, C (Co-I); Schroeder, E (Co-I, past); Razzaghi, M (Co-I); Lyon, C (Co-I, past); Penaloza, R (Co-I, past); Underkofler, C (SC); Lorch, R (SC); Douglass, S (SC, past); Steiner, S (SC, past)

University of Iowa: Sivitz, WI (PI); Cline, E (SC); Knosp, LK (SC); McConnell, J (SC, past); Lowe, T (RC)

University of Michigan: Herman, WH (PI); Pop-Busui, R (Co-PI); Tan, MH (Co-I); Martin, C (SC); Waltje, A (SC, RC); Katona, A (SC); Goodhall, L (SC, past); Eggleston, R (RC, past); Kuo, S (RS); Bojescu, S (RS, past); Bule, S (RS, past); Kessler, N (RS, past); LaSalle, E (RS, past); Whitley, K (RS, past)

University of Minnesota: Seaquist, ER (PI); Bantle, A (Co-I); Harindhanavudhi, T (Co-I); Kumar, A (Co-I); Redmon, B (Co-I); Bantle, J (Co-I, past); Coe, M (SC); Mech, M (SC); Taddese, A (RC); Lesne, L (RS); Smith, S (RS)

University of Nebraska Medical Center/Omaha VA: Desouza, C (PI); Kuechenmeister, L (Co-I); Shivaswamy, V (Co-I); Burbach, S (SC); Rodriguez, MG (SC); Seipel, K (SC); Alfred, A (SC, past); Morales, AL (SC, past); Eggert, J (RS); Lord, G (RS); Taylor, W (RS, past); Tillson, R (RS, past)

University of New Mexico: Schade, DS (PI); Adolphe, A (Co-PI); Burge, M (Co-PI, past); Duran-Valdez, E (SC); Martinez, J (RC, past); Bancroft, A (RS); Kunkel, S (RS); Ali Jamaledin Ahmad, F (RS, past); Hernandez McGinnis, D (RS, past); Pucchetti, B (RS, past); Scripsick, E (RS, past); Zamorano, A (RS, past)

UT Health San Antonio: DeFronzo, RA (PI); Cersosimo, E (Co-PI); Abdul-Ghani, M (Co-I); Triplitt, C (Co-I); Juarez, D (SC); Mullen, M (SC); Garza, RI (SC, past); Verastiqui, H (SC, past); Wright, K (RC, past); Puckett, C (RS)

University of Texas-Southwestern Medical Center: Raskin, P (PI); Rhee, C (Co-I, past); Abraham, S (SC); Jordan, LF (SC); Sao, S (SC); Morton, L (SC, past); Smith, O (SC, past); Osornio Walker, L (RC, past); Schnurr-Breen, L (RC, past); Ayala, R (RS); Kreymer, RB (RS); Sturgess, D (RS, past)

VA Puget Sound Health Care System/University of Washington: Utzschneider, KM (PI); Kahn, SE (Co-I); Alarcon-Casas Wright, L (Co-I); Boyko, EJ (Co-I); Tsai, EC (Co-I); Trencce, DL (Co-I, past); Trikudanathan, S (Co-I, past); Fattaleh, BN (SC); Montgomery, BK (SC, past); Atkinson, KM (RS); Kozedub, A (RS); Concepcion, T (RS, past); Moak, C (RS, past); Prikhodko, N (RS, past); Rhothisen, S (RS, past)

Vanderbilt University: Elasy, TA (PI); Martin, S (SC); Shackelford, L (RC, RS, past); Goidel, R (RS); Hinkle, N (RS); Lovell, C (RS); Myers, J (RS); Lipps Hogan, J (RS, past)

Washington University: McGill, JB (PI); Salam, M (Co-I); Schweiger, T (SC, RC); Kissel, S (SC, RC, past); Recklein, C (SC, past); Clifton, MJ (RS)

Yale University/Fair Haven Community Health Center/West Haven VA Medical Center:

Tamborlane, W (PI); Camp, A (Co-I); Gulanski, B (Co-I); Inzucchi, SE (Co-I); Pham, K (Co-I); Alguard, M (SC, RC); Gatcomb, P (SC); Lessard, K (SC); Perez, M (SC); Iannone, L (RC); Magenheimer, E (RC); Montosa, A (RC)

Study Units

NIH/NIDDK (Sponsor): Cefalu, WT (Director, Division of Diabetes, Endocrinology and Metabolic Diseases); Fradkin, J (Director, Division of Diabetes, Endocrinology and Metabolic Diseases, past); Burch, HB (Project Scientist); Bremer, AA (Project Scientist, past)

Chairman's Office, Massachusetts General Hospital, Harvard Medical School: Nathan, DM (Study Chair, Study Co-PI)

Executive Committee: Nathan, DM (Study Chair, Study Co-PI); Lachin, JM (U01 Contact PI, Study Co-PI); Buse, JB (Co-I); Kahn, SE (Co-I); Krause-Steinrauf, H (Co-I, Project Director); Larkin, ME (Co-I, SC); Tiktin, M (Co-I, SC); Wexler, D (PI); Burch, HB (Program Scientist); Bremer, AA (Project Scientist, past)

Coordinating Center, The George Washington University Biostatistics Center: Lachin, JM (U01 Contact PI, Study Co-PI); Krause-Steinrauf, H (Co-I, Project Director); Younes, N (Co-I); Bebu, I (RS); Butera, N (RS); Buys, CJ (RS); Fagan, A (RS); Gao, Y (RS); Ghosh, A (RS); Gramzinski, MR (RS); Hall, SD (RS); Kazemi, E (RS); Legowski, E (RS); Liu, H (RS); Suratt, C (RS); Tripputi, M (RS); Arey, A (RS, past); Backman, M (RS, past); Bethupu, J (RS, past); Lund, C (RS, past); Mangat Dhaliwal, P (RS, past); McGee, P (RS, past); Mesimer, E (RS, past); Ngo, L (RS, past)

Central Biochemical Laboratory, University of Minnesota Advanced Research and Diagnostic Laboratory: Steffes, M (PI); Seegmiller, J (Co-I); Saenger, A (Co-I, past); Arends, V (SC); Gabrielson, D (SC, past)

Drug Distribution Center, VA Cooperative Studies Program Clinical Research Pharmacy Coordinating Center: Conner, T (PI); Warren, S (PI, past); Day, J (RS); Huminik, J (RS); Scrymgeour, A (RS)

ECG Reading Center, EPICARE, Wake Forest University: Soliman, EZ (PI); Pokharel, Y (PI, past); Zhang, ZM (Co-I, past); Campbell, C (SC); Hu, J (SC); Keasler, L (SC); Hensley, S (SC, past); Li, Y (RS)

Economic Evaluation and Assessment Center:

University of Michigan: Herman, WH (PI); Kuo, S (RS); Martin, C (SC); Waltje, A (SC, RC); Mihalcea, R (RS); Min, DJ (RS); Perez-Rosas, V (RS); Prosser, L (RS); Resnicow, K (RS); Ye, W (RS)

Centers for Disease Control and Prevention: Shao, H (RS); Zhang, P (RS)

Neurocognitive Coordinating Center, Columbia University Medical Center: Luchsinger, J (PI); Sanchez, D (SC); Assuras, S (RS)

QWB Reading Center, University of California San Diego Health Services Research Center: Groessl, E (PI); Sakha, F (SC); Chong, H (SC, past); Hillery, N (RS)

Collaborators

Cardiovascular Adjudication Advisor: Everett, BM (Brigham and Women's Hospital)

Collaborating Investigators (Recruitment Sites): Abdouch, I (University of Nebraska Medical Center/Omaha VA); Bahtiyar, G (SUNY Downstate Medical Center); Brantley, P (Pennington Biomedical Research Center (LSU)); Broyles, FE (Swedish Medical Center); Canaris, G (University of Nebraska Medical Center/Omaha VA); Copeland, P (Massachusetts General Hospital); Craine, JJ (UW Valley Medical Center); Fein, WL (Swedish Medical Center); Gliwa, A (SUNY Downstate Medical Center); Hope, L (SUNY Downstate Medical Center); Lee, MS (SUNY Downstate Medical Center); Meiners, R (Pennington Biomedical Research Center (LSU)); Meiners, V (Pennington Biomedical Research Center (LSU)); O'Neal, H (Pennington Biomedical Research Center (LSU)); Park, JE (UW Valley Medical Center); Sacerdote, A (SUNY Downstate Medical Center); Sledge, Jr., E (Pennington Biomedical Research Center (LSU)); Soni, L (SUNY Downstate Medical Center); Steppel-Reznik, J (Massachusetts General Hospital); Turchin, A (Massachusetts General Hospital)

Beta Cell Ancillary Study: Brooks-Worrell, B (University of Washington); Hampe, CS (University of Washington); Palmer, JP (University of Washington); Shojaie, A (University of Washington)

Continuous Glucose Monitoring Sub-study: Higgins, J (Massachusetts General Hospital; Harvard Medical School)

Emotional Distress Sub-study: Golden, S (Johns Hopkins University); Gonzalez, J (Yeshiva University; Albert Einstein College of Medicine); Naik, A (Baylor College of Medicine); Walker, E (Albert Einstein College of Medicine)

National Diabetes Education Program (NDEP) Sub-study: Doner Lotenberg, L (Hager Sharp); Gallivan, JM (National Institutes of Health); Lim, J (Hager Sharp); Tuncer, DM (National Institutes of Health)

Recruitment Ancillary Study: Behringer-Massera, S (The Mount Sinai Hospital, Beth Israel Medical Center)

Supplemental Table 1: Risk of reaching the primary and secondary outcomes relative to each insulin sensitivity or β -cell function measure within each treatment group are presented as hazard ratios (HRs). Overall higher insulin sensitivity and CP-responses were associated with a lower risk of primary and secondary outcomes. Treatment group differences (significant heterogeneity) was noted for the primary outcome with HOMA2-%S and the total C-peptide response.

	Overall ²	Glimepiride ¹	Liraglutide ¹	Sitagliptin ¹	Heterogeneity p-value ¹	Overall p-value ²	Pairwise p-values ³
Primary Outcome							
Log HOMA2-%S		0.768 [0.663, 0.889]	0.831 [0.708, 0.977]	0.593 [0.512, 0.687]	0.005	N/A	G – L: 0.755 G – S: 0.037 L – S: 0.006
CPI	0.696 [0.650, 0.746]				0.106	<0.001	
Total C-peptide response		0.614 [0.548, 0.689]	0.692 [0.637, 0.752]	0.578 [0.516, 0.647]	0.025	N/A	G – L: 0.215 G – S: 0.730 L – S: 0.026
Secondary Outcome							
Log HOMA2-%S	0.628 [0.565, 0.698]				0.170	<0.001	
CPI	0.630 [0.579, 0.686]				0.973	<0.001	
Total C-peptide response	0.541 [0.498, 0.587]				0.053	<0.001	

Note: Results in this table are based on Cox regression models with the time-varying metabolic measure as a predictor in the model. All models for β -cell function (CPI, total C-peptide response) are adjusted for insulin sensitivity (HOMA2-%S) as a covariate.

¹ The heterogeneity p-value is from the test of treatment group differences in the association of insulin sensitivity or β -cell function with primary or secondary outcome. If there are significant treatment group differences, then the treatment-specific columns present the risk of outcome as a HR [95% CI] per unit increase in the insulin sensitivity or β -cell function index within that treatment group.

² Only if the test of treatment group differences is not significant, then the overall p-value is presented from the test of an overall association (i.e., across all treatment groups) of insulin sensitivity or β -cell function with primary or secondary outcome and the HR is presented in the “Overall” column. If the test of treatment group differences is significant, then the test of an overall association was not conducted, and “N/A” is presented for the overall p-value.

³ If there are significant treatment group differences, then pairwise comparisons of the treatment groups are tested. “G – L” indicates the p-value testing the comparison of glimepiride vs. liraglutide. “G – S” indicates the p-value testing the comparison of glimepiride vs. sitagliptin. “L – S” indicates the p-value testing the comparison of liraglutide vs. sitagliptin. If the test of heterogeneity across


treatment groups is not significant, then tests of pairwise comparisons were not conducted, and “N/A” is presented in the pairwise p-values column.

Supplemental Table 2: Subgroup analyses to assess whether the effect of each metabolic variable on reaching the primary and secondary outcome by treatment group varied by age, sex, BMI, race, ethnicity, and diabetes duration (p-values for 3-way interaction term among the metabolic variable, treatment group, and the subgroup factor)

	Age	Sex	BMI	Race	Ethnicity	Diabetes Duration
Primary Outcome						
HOMA2-%S	0.838	0.728	0.849	0.808	0.166	0.752
CPI	0.781	0.924	0.814	0.612	0.092	0.413
Total CP response	0.152	0.358	0.028	0.855	0.807	0.360
Secondary Outcome						
HOMA2-%S	0.925	0.089	0.349	0.955	0.366	0.602
CPI	0.607	0.110	0.467	0.427	0.168	0.232
Total CP response	0.073	0.454	0.563	0.746	0.948	0.674

Note: Results in this table are based on Cox regression models with interactions between the subgroup variable (age, sex, BMI, diabetes duration, race, ethnicity), treatment group and the time-varying metabolic measure on risk of reaching the primary or secondary outcome. All models for β -cell function (CPI, total C-peptide response) are adjusted for insulin sensitivity (HOMA2-%S) as a covariate. A significant p-value indicates that the three-way interaction between the subgroup variable, treatment group and the metabolic measure is significant, and therefore the effect of a unit increase in the insulin sensitivity or β -cell function index on the risk of the outcome within treatment groups differs from one level of the subgroup variable to the next (e.g., from one age group to the next).

Supplemental Figure 1: CONSORT Diagram



Supplemental Figure 2: The effect of baseline insulin sensitivity and C-peptide responses (CPI, total C-peptide response) by tertiles on time to reach secondary outcome is depicted by Kaplan-Meier plots for each treatment group (glimepiride (orange), liraglutide (blue), sitagliptin (red)). There were no significant treatment group differences in this association by Cox regression analysis (CP indices adjusted for HOMA2-%S).

