

# Highly Pathogenic Avian Influenza A (H5N1) in North America

Last updated: 21 Feb 2025


Prepared by the GloPID-R Research and Policy team with support from the Pandemic PACT programme

## Table of Contents

Background .....	1
Transmission, Clinical Presentation, Diagnosis, and Treatment of HPAI A (H5N1) .....	2
HPAI A (H5N1) 2024 outbreak in the United States .....	2
Infected animals.....	2
Infected humans .....	3
Public Health Response and Risk Assessments .....	4
Useful Resources.....	5
References .....	5

## Background


Since 1 April 2024, the United States (US) has reported 69 laboratory-confirmed human cases of highly pathogenic avian influenza (HPAI) A (H5N1) across 12 states<sup>1</sup>. HPAI A (H5N1) is part of the influenza A viruses. There are four influenza viruses (A, B, C, and D) belonging to the *Orthomyxoviridae* viral family<sup>2–4</sup>. Only influenza A is believed to be capable of causing a global pandemic and has caused four pandemics since 1900 (**Figure 1**)<sup>2,5–9</sup>. Influenza A pandemics occur when a new virus emerges that can infect humans and sustain human-to-human transmission<sup>2,9</sup>. There are over 130 subtypes of influenza A viruses categorised according to numerous haemagglutinin (H) and neuraminidase (N) antigens<sup>3,10</sup>. Some subtypes such as H1N1 and H3N2 routinely circulate among humans however, others such as H5N1 predominantly affect animals with only sporadic human cases<sup>3,11</sup>.



**Figure 1: Pandemics caused by influenza A since 1900**

Data used: LePan N. (2020). Visualizing the History of Pandemics. Visual Capitalist. Healthcare. Available from: <https://www.visualcapitalist.com/history-of-pandemics-deadliest/>

Many animals are infected with influenza A viruses, and these do not easily transmit to humans<sup>2</sup>. Animal influenza viruses are named according to the infected host species, for example, avian, swine, or equine influenza (**Figure 2**)<sup>2</sup>. Avian influenzas (also known as bird flu viruses) infect birds globally and can be categorised according to disease severity: low pathogenicity avian influenza (LPAI) and high pathogenicity avian influenza (HPAI)<sup>12</sup>. Some HPAI strains can infect humans such as HPAI A (H5N1).



**Figure 2: Categorisation of influenza A avian viruses to illustrate the category HPAI A (H5N1) falls under**

### Transmission, Clinical Presentation, Diagnosis, and Treatment of HPAI A (H5N1)

HPAI A (H5N1) can spread to humans when they come into direct contact with infected poultry or their contaminated environments<sup>13</sup>. Spread from direct contact with infected mammals such as cattle has also been reported however, this is rare<sup>13</sup>. There has been no known sustained human-to-human transmission of the virus yet<sup>14</sup>. Humans infected with HPAI A (H5N1) may be asymptomatic or present with mild symptoms of fever, cough, malaise, and a sore throat<sup>13</sup>. In some cases, the disease can become severe and lead to conjunctivitis, respiratory illness, or neurological complications such as seizures<sup>13,15</sup>. Cases can be treated with antivirals such as oseltamivir and there are four antivirals recommended for use in the US<sup>13,16</sup>. Vaccination with seasonal flu vaccines does not protect against H5N1<sup>13</sup>.

### HPAI A (H5N1) 2024 outbreak in the United States

#### Infected animals

Since December 2021, poultry, wild birds, and mammals infected with H5N1 have been detected throughout North America<sup>17</sup>. Birds are more affected than mammals, and wild aquatic birds are considered to be the reservoir host for avian influenza A viruses<sup>17,18</sup>. Between January 2022 and 18 February 2025, over 150 million poultry, 12,000 wild birds, and 900 dairy cattle, have been infected with HPAI A(H5) viruses across almost all 50 states in the US<sup>19–21</sup>. The most recent state to become affected by H5N1 is Hawai'i, which confirmed H5N1 cases in a backyard flock of birds on 17 November 2024<sup>22</sup>. Genetic sequencing of poultry, where available, confirms infection with H5N1 clade 2.3.4.4<sup>23</sup>. Infected dairy cattle have only been detected in the US since March 2024, and there is concern that the spread of H5N1 to dairy cattle indicates virus adaptation and the possibility that the virus may become easier to spread to humans<sup>20,24</sup>. On 29 October 2024, H5N1 was reported in a pig in Oregon, and is the first time H5N1 was confirmed in a pig in the US<sup>21</sup>.

The first infected cattle in the US were reported on 25 March 2024 and involved cattle in two dairy farms in Kansas and one in Texas<sup>25</sup>. Since then, infected cattle have been reported from 17/50 states<sup>20</sup>. California has the highest number of affected dairy cattle with 747 confirmed cases as of 14 February 2025<sup>20</sup>. Colorado is the second most affected state with 64 herds affected as of 13 August<sup>20</sup>. Since 20 January 2025, only California, Arizona, Michigan, and Nevada have reported new cases of infected cattle<sup>20</sup>. Infected cattle develop a low appetite, reduced milk production, and produce thickened, discoloured milk<sup>26</sup>. Genetic sequencing so far has confirmed infection with 2.3.4.4b (Eurasian lineage goose/Guangdong clade)<sup>26</sup>. The

virus has spread between cattle in the same herd, but mortality rates have been recorded as low as 2%<sup>26</sup>. This is less than the high mortality associated with infected birds<sup>26</sup>.

On 20 December 2024, the Los Angeles County Department of Public Health issued an animal health alert due to an increase in cases of H5 in domestic cats that had consumed raw cat food or milk<sup>27</sup>. In addition, Oregon also confirmed the death of a domestic cat due to H5N1 after the cat ate infected raw pet food<sup>28</sup>. The supplier of this pet food, which caters to 12 US states, has recalled this food<sup>28</sup>. Twenty wild cats at the Wild Felid Advocacy Center of Washington have also become ill with H5N1, including one tiger, four cougars, one caracal, and 14 other types of wild cats<sup>27</sup>. The centre is closed to the public until further notice<sup>27</sup>. The rise in cases among domestic cats, while concerning, has not led to any known cat-to-cat or cat-to-human transmission<sup>28</sup>. Therefore, the CDC maintains that the risk to public health remains low<sup>19</sup>. To address the issue of contaminated pet foods, the FDA published a statement on 17 January 2025 alerting pet food manufacturers to the H5N1 hazard<sup>29</sup>. They stated that evidence suggests H5N1 can be transmitted to domestic pets when consuming undercooked or unpasteurized products from infected cattle or poultry<sup>29</sup>. Pet food manufacturers are required to reanalyse their food safety plans<sup>29</sup>.

On 31 January 2025, the USDA Animal and Plant Health Inspection Service (APHIS) National Veterinary Services Laboratory (NVSL) reported a new H5N1 genotype (D1.1) in cattle in Nevada<sup>30,31</sup>. This genotype was identified as part of the USDA's National Milk Testing Strategy (NMTS), which 38 states are enrolled in<sup>30,31</sup>. On 13 February, USDA announced the detection of the D1.1 genotype in cattle in Arizona and suggests this indicates increased spillover events from wild birds to dairy cattle<sup>32</sup>. The D1.1 genotype has been found in wild birds, mammals, and poultry in the US<sup>30</sup>. However, this is the first time it has been detected in cattle<sup>30,31</sup>. Prior genotypes identified in cattle relate to B3.13<sup>30</sup>. The D1.1 genotype has been detected in two severe H5N1 illness in North America<sup>33</sup>. As of 31 January 2025, the USDA does not plan to change its eradication strategy, and the US CDC maintains that public health risk is low<sup>19,31</sup>.

### Infected humans

Infection with HPAI A (H5N1) in humans is rare, and only sporadic infections have been reported in the US due to close contact with infected animals<sup>14</sup>. Between 1 January 2024 and as of 19 February, 69 human cases of H5 (some of which have been confirmed as H5N1, however it is likely all are H5N1) have been reported from Colorado (n=10), Michigan (n=2), Missouri (n=1), Texas (n=1), Washington (n=11), Oregon (n=1), Iowa (n=1), Louisiana (n=1), Wisconsin (n=1), Nevada (n=1), Wyoming (n=1), and California (n=38)<sup>19</sup>. Due to low viral RNA levels, the US has not been able to determine the neuraminidase subtype as N1 for all cases<sup>34</sup>. Most cases developed eye redness and conjunctivitis, but some reported mild respiratory symptoms<sup>35</sup>. All cases except for three had known contact with infected or sick animals<sup>19,36</sup>. On 22 November 2024, the CDC reported a confirmed HPAI A (H5N1) case in a child in California<sup>37</sup>. This was the first child affected in the US<sup>37</sup>. Household members reported having symptoms however, they tested negative for H5N1 and positive for other common respiratory viruses<sup>37</sup>. The CDC maintains that this is not indicative of person-to-person transmission<sup>37</sup>. A second child affected by H5N1 was reported from California on 10 January 2025. Both children developed a mild illness<sup>37,38</sup>.

Before 2024, only one human case of HPAI A (H5N1) infection occurred in 2022 after exposure to infected poultry<sup>39</sup>. There has not been any case of human-to-human transmission yet, although a recent study suggests that the virus can transmit to the upper respiratory tract of humans, which could facilitate human transmission<sup>19,40</sup>. Another study demonstrated that H5N1 from an infected human was able to transmit through air to ferrets, highlighting the importance of continued monitoring<sup>41</sup>. While there is evidence that consumption of untreated raw milk from infected cattle could transmit the disease to other animals and pose a risk to humans, the US Food and Drug Administration (FDA) maintains that the commercial milk supply is safe<sup>42,43</sup>. To gain a better understanding of the prevalence of H5N1 in raw cow's milk, a double-blind study for gathering purposes only will sample Grade "A" raw cow's milk from dairy processing

facilities for detection of H5N1<sup>42</sup>. A recent serosurvey study of workers exposed to infected dairy cattle when milking cows or cleaning milk parlours, found that 8/115 had evidence of recent infection<sup>44</sup>. Only four recall having had any symptoms, mainly conjunctivitis<sup>44,45</sup>. This evidence highlights the need for strong, active monitoring of exposed workers<sup>44</sup>.

On 13 November, Canada reported its first domestically acquired human case of H5N1<sup>46</sup>. This was confirmed in a teenager in British Columbia<sup>46</sup>. Genomic sequencing showed the virus is related to the H5N1 virus that currently affects poultry in British Columbia: clade 2.3.4.4b, genotype D1.1<sup>46</sup>. At the time, this was different from the genotype circulating in cattle in the US<sup>46</sup>. The previously healthy teenager is now hospitalised and in critical condition<sup>46</sup>. Investigations were unable to determine how this individual became exposed to the virus<sup>46,47</sup>. No other cases have been reported so far, and the Canadian government advises the risk to public health remains low<sup>46</sup>. The virus affecting this teenager has shown some mutations suggesting adaptation to humans, which has raised some concerns and may explain the severity of the illness<sup>48</sup>. However, there remains no evidence that the virus can be transmitted from human to human<sup>48</sup>.

Most cases in the US have developed mild symptoms so far, and the identification of asymptomatic cases has raised concerns that the virus could be spreading undetected<sup>49,50</sup>. In a serosurvey of 150 veterinarians, three had tested positive for recent exposure to H5N1<sup>50</sup>. The veterinarians had unknowingly been infected with the virus and did not have any symptoms<sup>50</sup>. Two veterinarians stated they had no exposure to animals with known or suspected H5N1 infections<sup>50</sup>. While most cases have been mild, there have been four cases in the US so far that required hospitalisation<sup>51</sup>. On 6 January 2025, one H5N1 case in Louisiana died<sup>52</sup>. This is the first death from H5N1 in the US. The individual was 65 years old with underlying medical conditions and was exposed to sick and dead birds suspected of having H5N1<sup>52,53</sup>. Genomic analysis reveals that genetic sequences in the specimen collected from the individual affected in Louisiana differ from those found in cattle and poultry<sup>54</sup>. The analysis found mutations that had likely emerged during the individual's illness<sup>54,55</sup>. These mutations may enable greater transmission of the virus and upper airway infection<sup>55</sup>. In addition, one of the changes identified was also found in the infected teenager from British Columbia<sup>54,55</sup>. This suggests that viral changes have occurred during illness in individuals who suffered severe illnesses<sup>55</sup>. The CDC states that while these changes are concerning, they would be more concerning had they been found in animal hosts or occurred in the early stages of infection<sup>54</sup>. There has been no known onward transmission of H5N1 from the Louisiana case<sup>54</sup>.

### Public Health Response and Risk Assessments

While the spread of H5N1 to cattle and between cattle has caused some concern about the transmissibility of the virus, the US CDC states that the risk of H5N1 spread to the public is low<sup>19</sup>. This is in line with the Food and Agriculture Organization (FAO), the World Health Organization (WHO), and the World Organisation for Animal Health (WOAH) which also state the risk to the public is low however, the risk to persons exposed is low to moderate depending on the nature of the exposure<sup>56</sup>.

An NIH-funded study by Lin et al. found that one mutation of the virus, called Q226L, could lead to increased human-to-human transmissibility and a pandemic. The US CDC continues to monitor the situation closely to identify any genetic changes that could suggest increased transmissibility, increased disease severity, and reduced susceptibility to antivirals<sup>57</sup>. They are also conducting wastewater surveillance to complement influenza surveillance systems however this cannot distinguish the subtype or source of influenza A viruses<sup>39</sup>. Even with a strong surveillance system, there are several barriers to detecting H5N1 in humans and the likely number of infections may be higher than what is reported<sup>58</sup>. Barriers to detection include asymptomatic infection, limited access to rural farm workers who may be hesitant to seek medical care (especially without health insurance or with concerns about immigration status), and a lack of incentive to report infections in cattle<sup>58</sup>.

As part of a CDC initiative, over 100,000 seasonal influenza vaccine doses have been administered to individuals from 12 states with infected dairy cattle<sup>59</sup>. The vaccine does not protect against H5N1 however, it could reduce illness severity<sup>59</sup>. Further, with a reduction in seasonal influenza, HPAI (H5) cases may be better detected<sup>59</sup>. In addition, the USDA has approved two vaccine candidates for research trials to develop vaccines that protect cattle from H5N1<sup>21</sup>. On 19 February 2025, Canada announced that it has purchased 500,000 doses of GSK's vaccine Arepanrix™ H5N1 A/American wigeon clade 2.3.4.4b, currently listed by the WHO as a candidate vaccine virus<sup>60,61</sup>.

A recent survey study of dairy farmworkers in Colorado found that very few used respiratory personal protective equipment (PPE) when working with confirmed infected cattle<sup>62</sup>. Less than half of workers report using eye protection<sup>62</sup>. Considering recent evidence, the CDC has expanded recommended testing to all individuals (including asymptomatic) who have been exposed to infected animals, particularly if PPE was not worn<sup>45</sup>. In addition, the CDC now recommends offering Oseltamivir (Tamiflu) to all exposed individuals regardless of symptoms<sup>45</sup>. However, a recent study demonstrated that H5N1 extracted from an infected human was less sensitive to oseltamivir and more sensitive to favipiravir, baloxavir marboxil, and zanamivir<sup>41</sup>.

## Useful Resources

- Pandemic PACT has a dedicated [H5N1 page](#) in the Outbreak section of the website which provides information and analyses of active mpox research and funding globally since 2020.
- The most up-to-date information and guidance can be found on the US CDC's [webpage](#) dedicated to H5 Bird Flu.
- The US Department of Health and Human Services has published '[U.S. Highly Pathogenic Avian Influenza a\(H5N1\) Research Priorities: October 2024](#)'.
- The US CDC published a '[Public Health Science Agenda for Highly Pathogenic Avian Influenza A\(H5N1\)](#)' with strategic priorities to guide research and surveillance activities.
- NIAID published a '[Research Agenda for 2024 H5N1 Influenza – May 2024](#)'.
- The WHO published a '[Summary status of development and availability of A\(H5N1\) candidate vaccine viruses and potency testing reagents](#)' in February 2024.
- PAHO launched an [interactive dashboard](#) for H5N1 in the Americas.
- ANRS publishes a [monthly scientific review](#) on H5N1 highlighting relevant research, guidelines, and news updates.

## References

1. US Centers for Disease Control and Prevention. Highly Pathogenic Avian Influenza A (H5N1) Virus Infection Reported in a Person in the U.S. CDC Newsroom [Internet]. 2024 Apr 1 [cited 2024 Aug 14]; Available from: <https://www.cdc.gov/media/releases/2024/p0401-avian-flu.html>
2. World Health Organization. Influenza (Avian and other zoonotic) [Internet]. Fact sheets. 2023 [cited 2024 Aug 14]. Available from: [https://www.who.int/news-room/fact-sheets/detail/influenza-\(avian-and-other-zoonotic\)](https://www.who.int/news-room/fact-sheets/detail/influenza-(avian-and-other-zoonotic))
3. US Centers for Disease Control and Prevention. Types of Influenza Viruses [Internet]. Influenza (Flu). 2023 [cited 2024 Aug 14]. Available from: <https://www.cdc.gov/flu/about/viruses/types.htm>
4. Donchet A, Oliva J, Labaronne A, Tengo L, Miloudi M, C.A. Gerard F, et al. The structure of the nucleoprotein of Influenza D shows that all Orthomyxoviridae nucleoproteins have a similar NPCORE, with or without a NPTAIL for nuclear transport. Sci Rep. 2019 Jan 24;9(1):600.
5. US Centers for Disease Control and Prevention. 2000-2009 Highlights in the History of Avian Influenza (Bird Flu) Timeline [Internet]. Avian Influenza (Bird Flu). 2024 [cited 2024 Aug 14]. Available from: <https://www.cdc.gov/bird-flu/avian-timeline/2000-2009.html>
6. US Centers for Disease Control and Prevention. 1960-1999 Highlights in the History of Avian Influenza (Bird Flu) Timeline [Internet]. Avian Flu (Bird Flu). 2024 [cited 2024 Aug 14]. Available from: <https://www.cdc.gov/bird-flu/avian-timeline/1960-1999.html>
7. US Centers for Disease Control and Prevention. 1880-1959 Highlights in the History of Avian Influenza (Bird Flu) Timeline [Internet]. Avian Influenza (Bird Flu). 2024 [cited 2024 Aug 14]. Available from: <https://www.cdc.gov/bird-flu/avian-timeline/1880-1959.html>
8. LePan N. Visualizing the History of Pandemics [Internet]. Visual Capitalist. Healthcare. 2020 [cited 2024 Aug 14]. Available from: <https://www.visualcapitalist.com/history-of-pandemics-deadliest/>
9. US Centers for Disease Control and Prevention. About Pandemic Influenza [Internet]. Pandemic Flu. 2024 [cited 2024 Aug 14]. Available from: <https://www.cdc.gov/pandemic-flu/basics/index.html>



10. US Centers for Disease Control and Prevention. About Influenza A in Animals [Internet]. Influenza in Animals. 2024 [cited 2024 Aug 14]. Available from: <https://www.cdc.gov/flu-in-animals/about/index.html>
11. US Centers for Disease Control and Prevention. Avian Influenza Type A Viruses [Internet]. Avian influenza (Bird Flu). 2024 [cited 2024 Aug 14]. Available from: <https://www.cdc.gov/bird-flu/about/index.html>
12. World Organisation for Animal Health. Avian Influenza [Internet]. 2024 [cited 2024 Aug 14]. Available from: <https://www.woah.org/en/disease/avian-influenza/>
13. World Health Organization. Influenza: A(H5N1) [Internet]. Questions and answers. 2024 [cited 2024 Aug 14]. Available from: <https://www.who.int/news-room/questions-and-answers/item/influenza-h5n1>
14. US Centers for Disease Control and Prevention. Current U.S. Bird Flu Situation in Humans [Internet]. Avian Influenza (Bird Flu). 2024 [cited 2024 Aug 14]. Available from: <https://www.cdc.gov/bird-flu/situation-summary/inhumans.html>
15. PAHO. Avian Influenza [Internet]. [cited 2024 Aug 14]. Available from: <https://www.paho.org/en/topics/avian-influenza#:~:text=The%20Highly%20Pathogenic%20Avian%20Influenza,in%20birds%20are%20not%20zoonotic.>
16. Garg S, Reed C, Davis CT, Uyeki TM, Behraves CB, Kniss K, et al. Outbreak of Highly Pathogenic Avian Influenza A(H5N1) Viruses in U.S. Dairy Cattle and Detection of Two Human Cases — United States, 2024. MMWR Morb Mortal Wkly Rep. 2024 May 30;73(21):501–5.
17. National Wildlife Health Center. Distribution of Highly Pathogenic Avian Influenza in North America, 2021/2022 [Internet]. USGS. 2022 [cited 2024 Aug 28]. Available from: <https://www.usgs.gov/centers/nwhc/science/distribution-highly-pathogenic-avian-influenza-north-america-20212022#overview>
18. US CDC. Avian Influenza in Birds: Causes and How It Spreads [Internet]. Avian Influenza (Bird Flu). 2024 [cited 2024 Aug 28]. Available from: <https://www.cdc.gov/bird-flu/virus-transmission/avian-in-birds.html#:~:text=Wild%20aquatic%20birds%20include%20waterbirds,for%20avian%20influenza%20A%20viruses.>
19. US CDC. H5 Bird Flu: Current Situation [Internet]. Avian Influenza (Bird Flu). 2024 [cited 2024 Aug 28]. Available from: [https://www.cdc.gov/bird-flu/situation-summary/index.html?CDC\\_AA\\_refVal=https%3A%2F%2Fwww.cdc.gov%2Fflu%2Favianflu%2Favian-flu-summary.htm](https://www.cdc.gov/bird-flu/situation-summary/index.html?CDC_AA_refVal=https%3A%2F%2Fwww.cdc.gov%2Fflu%2Favianflu%2Favian-flu-summary.htm)
20. USDA. HPAI Confirmed Cases in Livestock [Internet]. 2022–2024 Detections of Highly Pathogenic Avian Influenza. 2024 [cited 2024 Aug 28]. Available from: <https://www.aphis.usda.gov/livestock-poultry-disease/avian/avian-influenza/hpai-detections/hpai-confirmed-cases-livestock>
21. US Department of Agriculture. Animal and Plant Health Inspection Service. Federal and State Veterinary Agencies Share Update on HPAI Detections in Oregon Backyard Farm, Including First H5N1 Detections in Swine. USDA [Internet]. 2024 Oct 30 [cited 2024 Oct 31]; Available from: <https://www.aphis.usda.gov/news/agency-announcements/federal-state-veterinary-agencies-share-update-hpai-detections-oregon>
22. State of Hawaii D of H. DOH NOTIFIES PUBLIC OF POTENTIAL EXPOSURE TO AVIAN INFLUENZA AT MILILANI PET FAIR HELD NOV. 2. News Releases from Department of Health [Internet]. 2024 Nov 17 [cited 2024 Nov 17]; Available from: <https://health.hawaii.gov/news/newsroom/doh-notifies-public-of-potential-exposure-to-avian-influenza-at-mililani-pet-fair-held-nov-2/>
23. US CDC. USDA Reported H5N1 Bird Flu Detections in US Backyard and Commercial Poultry [Internet]. Avian Influenza (Bird Flu). 2024 [cited 2024 Aug 28]. Available from: <https://www.cdc.gov/bird-flu/situation-summary/data-map-commercial.html>
24. Katella K. H5N1 Bird Flu: What You Need to Know. Yale Medicine [Internet]. 2024 Jul 30 [cited 2024 Aug 28]; Available from: <https://www.yalemedicine.org/news/h5n1-bird-flu-what-to-know#:~:text=Almost%2025%20years%20later%2C%20in,species%20in%20all%2050%20states>
25. USDA. Federal and State Veterinary, Public Health Agencies Share Update on HPAI Detection in Kansas, Texas Dairy Herds [Internet]. Agency Announcements. 2024 [cited 2024 Aug 28]. Available from: <https://www.aphis.usda.gov/news/agency-announcements/federal-state-veterinary-public-health-agencies-share-update-hpai>
26. American Veterinary Medical Association. Avian influenza virus type A (H5N1) in U.S. dairy cattle [Internet]. Avian Influenza. 2024 [cited 2024 Aug 28]. Available from: <https://www.avma.org/resources-tools/animal-health-and-welfare/animal-health/avian-influenza/avian-influenza-virus-type-h5n1-us-dairy-cattle>
27. Schnirring L. H5N1 sickens Iowa poultry worker; virus strikes more cats, wild birds, and poultry. CIDRAP [Internet]. 2024 Dec 23 [cited 2024 Dec 26]; Available from: <https://www.cidrap.umn.edu/avian-influenza-bird-flu/h5n1-sickens-iowa-poultry-worker-virus-strikes-more-cats-wild-birds-and>
28. Schnirring L. Oregon avian flu cat death prompts nationwide raw pet food recall. CIDRAP [Internet]. 2024 Dec 27 [cited 2024 Dec 26]; Available from: <https://www.cidrap.umn.edu/avian-influenza-bird-flu/oregon-avian-flu-cat-death-prompts-nationwide-raw-pet-food-recall>
29. U.S. Food & Drug Administration. Cat and Dog Food Manufacturers Required to Consider H5N1 in Food Safety Plans [Internet]. CVM Updates. 2025 [cited 2025 Jan 22]. Available from: <https://www.fda.gov/animal-veterinary/cvm-updates/cat-and-dog-food-manufacturers-required-consider-h5n1-food-safety-plans>
30. American Veterinary Medical Association. New avian influenza genotype found in dairy cattle. AVMA News [Internet]. 2025 Feb 6 [cited 2025 Feb 5]; Available from: <https://www.avma.org/news/new-avian-influenza-genotype-found-dairy-cattle#:~:text=Since%20April%202024%2C%20the%20CDC,potential%20exposure%20to%20other%20animals>
31. USDA. APHIS Confirms D1.1 Genotype in Dairy Cattle in Nevada. News and Updates [Internet]. 2025 [cited 2025 Feb 5]; Available from: <https://www.aphis.usda.gov/news/program-update/aphis-confirms-d11-genotype-dairy-cattle-nevada-0>
32. APHIS Identifies Third HPAI Spillover in Dairy Cattle. USDA [Internet]. [cited 2025 Feb 20]; Available from: <https://www.aphis.usda.gov/news/program-update/aphis-identifies-third-hpai-spillover-dairy-cattle>
33. Associated Press. US officials detect second bird flu strain in dairy cattle. The Guardian [Internet]. 2025 Feb 6 [cited 2025 Feb 5]; Available from: <https://www.theguardian.com/world/2025/feb/05/bird-flu-us-cattle>
34. US CDC. CDC A(H5N1) Bird Flu Response Update, July 12, 2024 [Internet]. Avian Influenza (Bird Flu). 2024 [cited 2024 Aug 28]. Available from: <https://www.cdc.gov/bird-flu/spotlights/h5n1-response-07122024.html>
35. US CDC. CDC A(H5N1) Bird Flu Response Update October 29, 2024. Bird Flu [Internet]. 2024 [cited 2024 Oct 31]; Available from: <https://www.cdc.gov/bird-flu/spotlights/bird-flu-response-10-29-24.html>

36. US CDC. CDC A(H5N1) Bird Flu Response Update September 13, 2024 [Internet]. Avian Influenza (BirdFlu). 2024 [cited 2024 Sep 18]. Available from: <https://www.cdc.gov/bird-flu/spotlights/h5n1-response-09132024.html>
37. US Centers for Disease Control and Prevention. CDC confirms H5N1 Bird Flu Infection in a Child in California. CDC Newsroom [Internet]. 2024 Nov 22 [cited 2024 Dec 15]; Available from: <https://www.cdc.gov/media/releases/2024/p1122-h5n1-bird-flu.html>
38. Schnirring L. San Francisco reports H5N1 avian flu in child [Internet]. CIDRAP. 2025 [cited 2025 Jan 22]. Available from: <https://www.cidrap.umn.edu/avian-influenza-bird-flu/san-francisco-reports-h5n1-avian-flu-child>
39. US Centers for Disease Control and Prevention. How CDC is monitoring influenza data among people to better understand the current avian influenza A (H5N1) situation [Internet]. Avian Influenza (Bird Flu). 2024 [cited 2024 Aug 14]. Available from: <https://www.cdc.gov/bird-flu/h5-monitoring/index.html>
40. Eisfeld AJ, Biswas A, Guan L, Gu C, Maemura T, Trifkovic S, et al. Pathogenicity and transmissibility of bovine H5N1 influenza virus. *Nature*. 2024 Jul 8;
41. National Institutes of Health. Bovine H5N1 influenza from infected worker transmissible and lethal in animal models. News Releases [Internet]. 2024 Oct 28 [cited 2024 Nov 28]; Available from: <https://www.nih.gov/news-events/news-releases/bovine-h5n1-influenza-infected-worker-transmissible-lethal-animal-models>
42. U.S. Food & Drug Administration. Updates on Highly Pathogenic Avian Influenza (HPAI) [Internet]. Alerts, Advisories & Safety Information. 2024 [cited 2024 Aug 28]. Available from: <https://www.fda.gov/food/alerts-advisories-safety-information/updates-highly-pathogenic-avian-influenza-hpai>
43. Guan L, Eisfeld AJ, Pattinson D, Gu C, Biswas A, Maemura T, et al. Cow's Milk Containing Avian Influenza A(H5N1) Virus — Heat Inactivation and Infectivity in Mice. *New England Journal of Medicine*. 2024 Jul 4;391(1):87–90.
44. Mellis AM, Coyle J, Marshall KE, Frutos AM, Singleton J, Drehoff C, et al. Serologic Evidence of Recent Infection with Highly Pathogenic Avian Influenza A(H5) Virus Among Dairy Workers — Michigan and Colorado, June–August 2024. *MMWR Morb Mortal Wkly Rep*. 2024 Nov 7;73(44):1004–9.
45. US CDC. Transcript for MMWR Telebriefing: Evidence of Recent H5 Bird Flu Infections among Dairy Workers and CDC Guidance Updates [Internet]. CDC Newsroom. 2024 [cited 2024 Nov 14]. Available from: <https://www.cdc.gov/media/releases/2024/t1107-mmwr-telebriefing.html>
46. Public Health Agency of Canada. Statement from the Public Health Agency of Canada: Update on Avian Influenza and Risk to Canadians. 2024 Nov 13 [cited 2024 Nov 17]; Available from: <https://www.canada.ca/en/public-health/news/2024/11/update-on-avian-influenza-and-risk-to-canadians.html>
47. Fiore K. What Happened to the Canadian Teen Who Became Critically Ill With H5N1 Bird Flu? — Public health investigation is closed, but officials haven't provided patient updates. *MEDPAGE TODAY* [Internet]. 2024 Dec 10 [cited 2024 Dec 15]; Available from: <https://www.medpagetoday.com/special-reports/features/113321>
48. Ledford H. Why a teenager's bird-flu infection is ringing alarm bells for scientists. *nature* [Internet]. 2024 Nov 20 [cited 2024 Nov 28]; Available from: <https://www.nature.com/articles/d41586-024-03805-4>
49. Worst flu season: Influenza virus spread, new bird flu cases in the U.S., plus measles outbreak update [Internet]. *AMA*; 2025 [cited 2025 Feb 20]. Available from: <https://www.ama-assn.org/delivering-care/public-health/worst-flu-season-influenza-virus-spread-new-bird-flu-cases-us-plus#>
50. Study: Three bovine veterinarians unknowingly infected with H5N1. *AVMA* [Internet]. 2025 Feb 14 [cited 2025 Feb 20]; Available from: <https://www.avma.org/news/study-three-bovine-veterinarians-unknowingly-infected-h5n1>
51. Van Beusekom M. Wyoming reports its first human H5N1 avian flu infection. *CIDRAP* [Internet]. 2025 Feb 17 [cited 2025 Feb 19]; Available from: <https://www.cidrap.umn.edu/avian-influenza-bird-flu/wyoming-reports-its-first-human-h5n1-avian-flu-infection>
52. LDH reports first U.S. H5N1-related human death [Internet]. Louisiana Department of Health. 2025 [cited 2025 Jan 9]. Available from: <https://ldh.la.gov/news/H5N1-death>
53. Abraham RL, Harrington M. LDH detects first presumptive positive human H5N1 case in Louisiana. Louisiana Department of Health [Internet]. 2024 Dec 13 [cited 2024 Dec 15]; Available from: <https://ldh.la.gov/news/H5N1-2024>
54. US CDC. Genetic Sequences of Highly Pathogenic Avian Influenza A(H5N1) Viruses Identified in a Person in Louisiana. Avian Influenza (Bird Flu) [Internet]. 2024 Dec 26 [cited 2024 Dec 26]; Available from: <https://www.cdc.gov/bird-flu/spotlights/h5n1-response-12232024.html>
55. Beusekom M Van. CDC: H5N1 mutations in severely ill patient could boost spread, but risk remains low. *CIDRAP* [Internet]. 2024 Dec 27 [cited 2024 Dec 26]; Available from: <https://www.cidrap.umn.edu/avian-influenza-bird-flu/cdc-h5n1-mutations-severely-ill-patient-could-boost-spread-risk-remains>
56. Food and Agriculture Organization of the United Nations, World Health Organization, World Organisation for Animal Health. Updated joint FAO/WHO/WOAH assessment of recent influenza A(H5N1) virus events in animals and people. Assessment based on data as of 18 July 2024. 2024 Aug.
57. US CDC. Frequently Asked Questions about Avian Influenza (Bird Flu) [Internet]. CDC Archive. 2024 [cited 2024 Aug 28]. Available from: <https://archive.cdc.gov/#/details?url=https://www.cdc.gov/flu/avianflu/avian-flu-faq.htm>
58. Stone W. The U.S. may be missing human cases of bird flu, scientists say. *npr* [Internet]. 2024 May 2 [cited 2024 Aug 28]; Available from: <https://www.npr.org/sections/health-shots/2024/05/02/1248538298/the-u-s-may-be-missing-human-cases-of-bird-flu-scientists-say>
59. US CDC. CDC A(H5N1) Bird Flu Response Update October 11, 2024 [Internet]. Avian Influenza (Bird Flu). 2024 [cited 2024 Oct 16]. Available from: <https://www.cdc.gov/bird-flu/spotlights/h5n1-response-10112024.html>
60. Public Health Agency of Canada. Government of Canada purchases avian influenza vaccine to protect individuals most at risk. News release [Internet]. 2025 Feb 19 [cited 2025 Feb 19]; Available from: <https://www.canada.ca/en/public-health/news/2025/02/government-of-canada-purchases-avian-influenza-vaccine-to-protect-individuals-most-at-risk.html>
61. World Health Organization. Summary of status of development and availability of A(H5N1) candidate vaccine viruses and potency testing reagents [Internet]. 2024 Feb [cited 2025 Feb 19]. Available from: [https://cdn.who.int/media/docs/default-source/influenza/cvvs/cvv-zoonotic-northern-hemisphere-2024-2025/h5n1\\_summary\\_a\\_h5n1\\_cvv\\_20240223.pdf?sfvrsn=2d559bc4\\_5](https://cdn.who.int/media/docs/default-source/influenza/cvvs/cvv-zoonotic-northern-hemisphere-2024-2025/h5n1_summary_a_h5n1_cvv_20240223.pdf?sfvrsn=2d559bc4_5)

62. Marshall KE, Drehoff CC, Alden N, Montoya S, Stringer G, Kohnen A, et al. Personal Protective Equipment Use by Dairy Farmworkers Exposed to Cows Infected with Highly Pathogenic Avian Influenza A(H5N1) Viruses — Colorado, 2024. MMWR Morb Mortal Wkly Rep. 2024 Nov 7;73(44):999–1003.