

Appendix 2

All 163 references included in “The role of diagnoses, risk factors, and symptoms in the definition of multimorbidity - a systematic review” listed alphabetically.

1. Aarts S, den AM, Bosma H, Tan F, Verhey F, Metsemakers J, et al. The effect of multimorbidity on health related functioning: temporary or persistent? Results from a longitudinal cohort study. *J PsychosomRes*. 2012;73(3):211-7.
2. Aarts S, Van Den Akker M, Hajema KJ, Van Ingen AM, Metsemakers JF, Verhey FR, et al. Multimorbidity and its relation to subjective memory complaints in a large general population of older adults. *IntPsychogeriatr*. 2011;23(4):616-24.
3. Aarts S, Van Den Akker M, Tan FE, Verhey FR, Metsemakers JF, van Boxtel MP. Influence of multimorbidity on cognition in a normal aging population: a 12-year follow-up in the Maastricht Aging Study. *IntJ GeriatrPsychiatry*. 2011;26(10):1046-53.
4. Agborsangaya CB, Lau D, Lahtinen M, Cooke T, Johnson JA. Multimorbidity prevalence and patterns across socioeconomic determinants: a cross-sectional survey. *BMC public health*. 2012;12:201.
5. Agborsangaya CB LD, Lahtinen M, Cooke T, Johnson JA. Health-related quality of life and healthcare utilization in multimorbidity: results of a cross-sectional survey. *Qual Life Res*. 2013;22:791-9.
6. Akner G. Analysis of multimorbidity in individual elderly nursing home residents. Development of a multimorbidity matrix. *ArchGerontolGeriatr*. 2009;49(3):413-9.
7. Alonso J, Ferrer M, Gandek B, Ware JE, Jr., Aaronson NK, Mosconi P, et al. Health-related quality of life associated with chronic conditions in eight countries: results from the International Quality of Life Assessment (IQOLA) Project. *QualLife Res*. 2004;13(2):283-98.
8. Altiner A, Schafer I, Mellert C, Loffler C, Mortsiefer A, Ernst A, et al. Activating GENeral practitioners dialogue with patients on their Agenda (MultiCare AGENDA) study protocol for a cluster randomized controlled trial. *BMC FamPract*. 2012;13:118.
9. Andrade LH, Bensenor IM, Viana MC, Andreoni S, Wang YP. Clustering of psychiatric and somatic illnesses in the general population: multimorbidity and socioeconomic correlates. *BrazJ MedBiolRes*. 2010;43(5):483-91.
10. Ataguba JE-O. Inequalities in multimorbidity in South Africa. *International Journal for Equity in Health*. 2013;12(1):64.

11. Autenrieth CS, Kirchberger I, Heier M, Zimmermann AK, Peters A, Doring A, et al. Physical activity is inversely associated with multimorbidity in elderly men: results from the KORA-Age Augsburg Study. *PrevMed*. 2013;57(1):17-9.
12. Barnett K, Mercer SW, Norbury M, Watt G, Wyke S, Guthrie B. Epidemiology of multimorbidity and implications for health care, research, and medical education: a cross-sectional study. *Lancet*. 2012;380(9836):37-43.
13. Bayliss EA, Bayliss MS, Ware JE, Jr., Steiner JF. Predicting declines in physical function in persons with multiple chronic medical conditions: what we can learn from the medical problem list. *Health and quality of life outcomes*. 2004;2:47.
14. Bayliss EA, Ellis JL, Steiner JF. Subjective assessments of comorbidity correlate with quality of life health outcomes: initial validation of a comorbidity assessment instrument. *Health and quality of life outcomes*. 2005;3:51.
15. Bernabeu-Wittel M, Baron-Franco B, Murcia-Zaragoza J, Fuertes-Martin A, Ramos-Cantos C, Fernandez-Moyano A, et al. A multi-institutional, hospital-based assessment of clinical, functional, sociofamilial and health-care characteristics of polypathological patients (PP). *Archives of Gerontology and Geriatrics*. 2011;53(3):284-91.
16. Bernabeu-Wittel M, Jadad A, Moreno-Gavino L, Hernandez-Quiles C, Toscano F, Cassani M, et al. Peeking through the cracks: An assessment of the prevalence, clinical characteristics and health-related quality of life (HRQoL) of people with polypathology in a hospital setting. *Archives of Gerontology and Geriatrics*. 2009 10/1/2009;51(2):185-91.
17. Bernabeu-Wittel M, Ollero-Baturone M, Moreno-Gavino L, Baron-Franco B, Fuertes A, Murcia-Zaragoza J, et al. Development of a new predictive model for polypathological patients. The PROFUND index. *European Journal of Internal Medicine*. 2011;22(3):311-7.
18. Blaum CS, Ofstedal MB, Liang J. Low cognitive performance, comorbid disease, and task-specific disability: findings from a nationally representative survey. *J GerontolA BiolSciMedSci*. 2002;57(8):M523-M31.
19. Boyd C LB, Weiss C, Wolff J, Clark R, Richards T. Clarifying multimorbidity to improve targeting and delivery of clinical services for Medicaid populations. CHCS Center for Health Care Strategies Inc.: The Johns Hopkins Univeristy, 2010.
20. Boyd CM, Shadmi E, Conwell LJ, Griswold M, Leff B, Brager R, et al. A pilot test of the effect of guided care on the quality of primary care experiences for multimorbid older adults. *Journal of general internal medicine : official journal of the Society for Research and Education in Primary Care Internal Medicine*. 2008;23(5):536-42.

21. Brettschneider C, Leicht H, Bickel H, Dahlhaus A, Fuchs A, Gensichen J, et al. Relative impact of multimorbid chronic conditions on health-related quality of life--results from the MultiCare Cohort Study. *PLoS One*. 2013;8(6):e66742.
22. Brilleman SL, Salisbury C. Comparing measures of multimorbidity to predict outcomes in primary care: a cross sectional study. *FamPract*. 2013;30(2):172-8.
23. Britt HC, Harrison CM, Miller GC, Knox SA. Prevalence and patterns of multimorbidity in Australia. *MedJ Aust*. 2008;189(2):72-7.
24. Burgers JS, Voerman GE, Grol R, Faber MJ, Schneider EC. Quality and coordination of care for patients with multiple conditions: results from an international survey of patient experience. *EvalHealth Prof*. 2010;33(3):343-64.
25. Busato A, Bhend H, Chmiel C, Tandjung R, Senn O, Zoller M, et al. Improving the quality of morbidity indicators in electronic health records in Swiss primary care. *Swiss MedWkly*. 2012;142:w13611.
26. Byles JE, D'Este C, Parkinson L, O'Connell R, Treloar C. Single index of multimorbidity did not predict multiple outcomes. *J ClinEpidemiol*. 2005;58(10):997-1005.
27. Calderon-Larranaga A, Poblador-Plou B, Gonzalez-Rubio F, Gimeno-Feliu LA, Abad-Diez JM, Prados-Torres A. Multimorbidity, polypharmacy, referrals, and adverse drug events: Are we doing things well? *British Journal of General Practice*. 2012;62(605):e821-e6.
28. Caracciolo B, Gatz M, Xu W, Marengoni A, Pedersen NL, Fratiglioni L. Relationship of subjective cognitive impairment and cognitive impairment no dementia to chronic disease and multimorbidity in a nation-wide twin study. *Journal of Alzheimer's Disease*. 2013;36(2):275-84.
29. Chan DK, Chong R, Basilikas J, Mathie M, Hung WT. Survey of major chronic illnesses and hospital admissions via the emergency department in a randomized older population in Randwick, Australia. *EmergMed(Fremantle)*. 2002;14(4):387-92.
30. Cheng L, Cumber S, Dumas C, Winter R, Nguyen KM, Nieman LZ. Health related quality of life in pregeriatric patients with chronic diseases at urban, public supported clinics. *Health and quality of life outcomes*. 2003;1:63.
31. Cheung C-L, Nguyen U-S, Au E, Tan KCB, Kung AWC. Association of handgrip strength with chronic diseases and multimorbidity: A cross-sectional study. *Age*. 2013;35(3):929-41.

32. Chi MJ, Lee CY, Wu SC. Multiple morbidity combinations impact on medical expenditures among older adults. *ArchGerontolGeriatr*. 2011;52(3):e210-e4.
33. Condelius A, Edberg AK, Hallberg IR, Jakobsson U. Utilization of medical healthcare among people receiving long-term care at home or in special accommodation. *ScandJ Caring Sci*. 2010;24(2):404-13.
34. Condelius A, Edberg A-K, Jakobsson U, Hallberg IR. Hospital admissions among people 65+ related to multimorbidity, municipal and outpatient care. *Archives of Gerontology and Geriatrics*. 2008;46(1):41-55.
35. Cornell JE PJ, Williams JW, Kazis L, Lee AFS, Parchman ML et al. Multimorbidity clusters: clustering binary data from multimorbidity clusters: clustering binary data from a large administrative medical database. *Applied Multivariate Research*. 2007;12(3):163-82.
36. Dattalo M, Giovannetti ER, Scharfstein D, Boulton C, Wegener S, Wolff JL, et al. Who participates in chronic disease self-management (CDSM) programs? Differences between participants and nonparticipants in a population of multimorbid older adults. *MedCare*. 2012;50(12):1071-5.
37. Deeg DJ, Portrait F, Lindeboom M. Health profiles and profile-specific health expectancies of older women and men: The Netherlands. *J Women Aging*. 2002;14(1-2):27-46.
38. Diederichs CP, Wellmann J, Bartels DB, Ellert U, Hoffmann W, Berger K. How to weight chronic diseases in multimorbidity indices? Development of a new method on the basis of individual data from five population-based studies. *J ClinEpidemiol*. 2012;65(6):679-85.
39. Drewes YM, den Elzen WP, Mooijaart SP, de Craen AJ, Assendelft WJ, Gussekloo J. The effect of cognitive impairment on the predictive value of multimorbidity for the increase in disability in the oldest old: the Leiden 85-plus Study. *Age Ageing*. 2011;40(3):352-7.
40. Findley P, Shen C, Sambamoorthi U. Multimorbidity and persistent depression among veterans with diabetes, heart disease, and hypertension. *Health SocWork*. 2011;36(2):109-19.
41. Formiga F, Ferrer A, Sanz H, Marengoni A, Alburquerque J, Pujol R. Patterns of comorbidity and multimorbidity in the oldest old: the Octabaix study. *Eur J InternMed*. 2013;24(1):40-4.
42. Fortin M, Bravo G, Hudon C, Lapointe L, Almirall J, Dubois M-F, et al. Relationship between multimorbidity and health-related quality of life of patients in primary care. *Quality of Life Research*. 2006;15(1):83-91.

43. Fortin M, Bravo G, Hudon C, Lapointe L, Dubois M-F, Almirall J. Psychological distress and multimorbidity in primary care. *Annals of family medicine*. 2006;4(5):417-22.
44. Fortin M, Bravo G, Hudon C, Vanasse A, Lapointe L. Prevalence of multimorbidity among adults seen in family practice. *Annals of family medicine*. 2005;3(3):223-8.
45. Fortin M, Dubois MF, Hudon C, Soubhi H, Almirall J. Multimorbidity and quality of life: a closer look. *Health and quality of life outcomes*. 2007;5:52.
46. Fortin M, Hudon C, Dubois M-F, Almirall J, Lapointe L, Soubhi H. Comparative assessment of three different indices of multimorbidity for studies on health-related quality of life. *Health and quality of life outcomes*. 2005;3:74.
47. Fortin M, Hudon C, Haggerty J, Akker M, Almirall J. Prevalence estimates of multimorbidity: a comparative study of two sources. *BMC health services research*. 2010;10:111.
48. Freid VM, Bernstein AB, Bush MA. Multiple chronic conditions among adults aged 45 and over: trends over the past 10 years. *NCHS data brief*. 2012 (100):1-8.
49. Freund T, Kunz CU, Ose D, Szecsenyi J, Peters-Klimm F. Patterns of multimorbidity in primary care patients at high risk of future hospitalization. *Population Health Management*. 2012;15(2):119-24.
50. Friedman B, Jiang HJ, Elixhauser A, Segal A. Hospital inpatient costs for adults with multiple chronic conditions. *MedCare ResRev*. 2006;63(3):327-46.
51. Friedman EM, Ryff CD. Living well with medical comorbidities: a biopsychosocial perspective. *J GerontolB PsycholSciSocSci*. 2012;67(5):535-44.
52. Fuchs J, Busch M, Lange C, Scheidt-Nave C. Prevalence and patterns of morbidity among adults in Germany. Results of the German telephone health interview survey German Health Update (GEDA) 2009. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz*. 2012;55(4):576-86.
53. Fung CH, Setodji CM, Kung FY, Keesey J, Asch SM, Adams J, et al. The relationship between multimorbidity and patients' ratings of communication. *J Gen InternMed*. 2008;23(6):788-93.
54. Galenkamp H, Braam AW, Huisman M, Deeg DJ. Somatic multimorbidity and self-rated health in the older population. *J GerontolB PsycholSciSocSci*. 2011;66(3):380-6.

55. Garcia-Olmos L, Salvador CH, Alberquilla A, Lora D, Carmona M, Garcia-Sagredo P, et al. Comorbidity patterns in patients with chronic diseases in general practice. *PLoS ONE*. 2012;7(2):e32141.
56. Glynn LG, Valderas JM, Healy P, Burke E, Newell J, Gillespie P, et al. The prevalence of multimorbidity in primary care and its effect on health care utilization and cost. *FamPract*. 2011;28(5):516-23.
57. Grimby A, Svanborg A. Morbidity and health-related quality of life among ambulant elderly citizens. *Aging (Milano)*. 1997;9(5):356-64.
58. Gunn JM, Ayton DR, Densley K, Pallant JF, Chondros P, Herrman HE, et al. The association between chronic illness, multimorbidity and depressive symptoms in an Australian primary care cohort. *SocPsychiatry PsychiatrEpidemiol*. 2012;47(2):175-84.
59. Haggerty J, Fortin M, Beaulieu MD, Hudon C, Loignon C, Preville M, et al. At the interface of community and healthcare systems: a longitudinal cohort study on evolving health and the impact of primary healthcare from the patient's perspective. *BMC Health ServRes*. 2010;10:258.
60. Harrison C, Britt H, Miller G, Henderson J. Prevalence of Chronic Conditions in Australia. *PLoS ONE*. 2013;8(7):e67494.
61. Harter M, Baumeister H, Reuter K, Jacobi F, Hofler M, Bengel J, et al. Increased 12-month prevalence rates of mental disorders in patients with chronic somatic diseases. *PsychotherPsychosom*. 2007;76(6):354-60.
62. Henninger DE, Whitson HE, Cohen HJ, Ariely D. Higher medical morbidity burden is associated with external locus of control. *Journal of the American Geriatrics Society*. 2012;60(4):751-5.
63. Heyworth ITM, Hazell ML, Linehan MF, Frank TL. How do common chronic conditions affect health-related quality of life? *British Journal of General Practice*. 2009;59(568):e353-e7.
64. Higashi T, Wenger NS, Adams JL, Fung C, Roland M, McGlynn EA, et al. Relationship between number of medical conditions and quality of care. *NEnglJ Med*. 2007;356(24):2496-504.
65. Holden L, Scuffham PA, Hilton MF, Muspratt A, Ng S-K, Whiteford HA. Patterns of multimorbidity in working Australians. *Population Health Metrics*. 2011;9:15.
66. Holzhausen M, Fuchs J, Busch M, Ernert A, Six-Merker J, Knopf H, et al. Operationalizing multimorbidity and autonomy for health services research in aging populations--the OMAHA study. *BMC Health ServRes*. 2011;11:47.

67. Hudon C, Fortin M, Poitras ME, Almirall J. The relationship between literacy and multimorbidity in a primary care setting. *BMC family practice*. 2012;13:33.
68. Hudon C, Soubhi H, Fortin M. Relationship between multimorbidity and physical activity: secondary analysis from the Quebec health survey. *BMC public health*. 2008;8:304.
69. Hunger M, Thorand B, Schunk M, Doring A, Menn P, Peters A, et al. Multimorbidity and health-related quality of life in the older population: Results from the German KORA-Age study. *Health and quality of life outcomes*. 2011;9:53.
70. Kadam UT, Croft PR. Clinical multimorbidity and physical function in older adults: A record and health status linkage study in general practice. *Family practice*. 2007;24(5):412-9.
71. Kadam UT, Schellevis FG, Lewis M, van der Windt DA, de Vet HC, Bouter LM, et al. Does age modify the relationship between morbidity severity and physical health in English and Dutch family practice populations? *QualLife Res*. 2009;18(2):209-20.
72. Khanam MA, Streatfield PK, Kabir ZN, Qiu C, Cornelius C, Wahlin A. Prevalence and patterns of multimorbidity among elderly people in rural Bangladesh: a cross-sectional study. *J Health PopulNutr*. 2011;29(4):406-14.
73. Kim KI, Lee JH, Kim CH. Impaired health-related quality of life in elderly women is associated with multimorbidity: results from the Korean National Health and Nutrition Examination Survey. *GendMed*. 2012;9(5):309-18.
74. Kirchberger I, Meisinger C, Heier M, Zimmermann AK, Thorand B, Autenrieth CS, et al. Patterns of multimorbidity in the aged population. Results from the KORA-Age study. *PLoS ONE*. 2012;7(1):e30556.
75. Kuo RN, Lai M-S. The influence of socio-economic status and multimorbidity patterns on healthcare costs: A six-year follow-up under a universal healthcare system. *International Journal for Equity in Health*. 2013;12(1):69.
76. Laan W, Bleijenberg N, Drubbel I, Numans ME, De Wit NJ, Schuurmans MJ. Factors associated with increasing functional decline in multimorbid independently living older people. *Maturitas*. 2013;75(3):276-81.
77. Landi F, Liperoti R, Russo A, Capoluongo E, Barillaro C, Pahor M, et al. Disability, more than multimorbidity, was predictive of mortality among older persons aged 80 years and older. *J ClinEpidemiol*. 2010;63(7):752-9.

78. Laux G, Kuehlein T, Rosemann T, Szecsenyi J. Co- and multimorbidity patterns in primary care based on episodes of care: results from the German CONTENT project. *BMC Health ServRes*. 2008;8:14.
79. Lawson KD, Mercer SW, Wyke S, Grieve E, Guthrie B, Watt GC, et al. Double trouble: The impact of multimorbidity and deprivation on preference-weighted health related quality of life a cross sectional analysis of the Scottish Health Survey. *International Journal for Equity in Health*. 2013;12(1):67.
80. Lee TA, Shields AE, Vogeli C, Gibson TB, Woong-Sohn M, Marder WD, et al. Mortality rate in veterans with multiple chronic conditions. *J Gen InternMed*. 2007;22 Suppl 3:403-7.
81. Longman JM, Rolfe I, Passey MD, Heathcote KE, Ewald DP, Dunn T, et al. Frequent hospital admission of older people with chronic disease: a cross-sectional survey with telephone follow-up and data linkage. *BMC Health ServRes*. 2012;12:373.
82. Machado DSS, Valadares ALR, Costa-Paiva LH, Osis MJ, Sousa MH, Pinto-Neto AM. Aging, obesity, and multimorbidity in women 50 years or older: A population-based study. *Menopause*. 2013;20(8):818-24.
83. Marengoni A, Aguero-Torres H, Timpini A, Cossi S, Fratiglioni L. Rehabilitation and nursing home admission after hospitalization in acute geriatric patients. *J AmMedDirAssoc*. 2008;9(4):265-70.
84. Marengoni A, Nobili A, Pirali C, Tettamanti M, Pasina L, Salerno F, et al. Comparison of disease clusters in two elderly populations hospitalized in 2008 and 2010. *Gerontology*. 2013;59(4):307-15.
85. Marengoni A, Petroboni B, Casella S, Martinelli D, Cossi S. Total lymphocyte count and in-hospital mortality in older persons with multimorbidity. *Aging - Clinical and Experimental Research*. 2008;20(4):290-6.
86. Marengoni A, Rizzuto D, Wang H-X, Winblad B, Fratiglioni L. Patterns of chronic multimorbidity in the elderly population. *Journal of the American Geriatrics Society*. 2009;57(2):225-30.
87. Marengoni A, Von SE, Rizzuto D, Winblad B, Fratiglioni L. The impact of chronic multimorbidity and disability on functional decline and survival in elderly persons. A community-based, longitudinal study. *Journal of Internal Medicine*. 2009;265(2):288-95.
88. Marengoni A, Winblad B, Karp A, Fratiglioni L. Prevalence of chronic diseases and multimorbidity among the elderly population in Sweden. *American journal of public health*. 2008;98(7):1198-200.

89. Marengoni A AS, Fratiglioni L. Prevalence of disability according to multimorbidity and disease clustering: a population-based study. *Journal of Comorbidity*. 2011;1:11-8.
90. Martin-Ruiz C, Jagger C, Kingston A, Collerton J, Catt M, Davies K, et al. Assessment of a large panel of candidate biomarkers of ageing in the Newcastle 85+ study. *MechAgeing Dev*. 2011;132(10):496-502.
91. Martinson BC, O'Connor PJ, Pronk NP. Physical inactivity and short-term all-cause mortality in adults with chronic disease. *ArchInternMed*. 2001;161(9):1173-80.
92. Mazya AL, Eckerblad J, Jaarsma T, Hellstrom I, Krevers B, Milberg A, et al. The Ambulatory Geriatric Assessment - A Frailty Intervention Trial (AGe-FIT) - A randomised controlled trial aimed to prevent hospital readmissions and functional deterioration in high risk older adults: A study protocol. *European Geriatric Medicine*. 2013;4(4):242-7.
93. McCarron M, Swinburne J, Burke E, McGlinchey E, Carroll R, McCallion P. Patterns of multimorbidity in an older population of persons with an intellectual disability: results from the intellectual disability supplement to the Irish longitudinal study on aging (IDS-TILDA). *ResDevDisabil*. 2013;34(1):521-7.
94. McDaid O, Hanly MJ, Richardson K, Kee F, Kenny RA, Savva GM. The effect of multiple chronic conditions on self-rated health, disability and quality of life among the older populations of Northern Ireland and the Republic of Ireland: A comparison of two nationally representative cross-sectional surveys. *BMJ Open*. 2013;3(6):e002571.
95. McGee D, Cooper R, Liao Y, Durazo-Arvizu R. Patterns of comorbidity and mortality risk in blacks and whites. *AnnEpidemiol*. 1996;6(5):381-5.
96. McRae I, Yen L, Jeon YH, Herath PM, Essue B. Multimorbidity is associated with higher out-of-pocket spending: a study of older Australians with multiple chronic conditions. *AustJ PrimHealth*. 2013;19(2):144-9.
97. Menotti A, Mulder I, Nissinen A, Giampaoli S, Feskens EJ, Kromhout D. Prevalence of morbidity and multimorbidity in elderly male populations and their impact on 10-year all-cause mortality: The FINE study (Finland, Italy, Netherlands, Elderly). *J ClinEpidemiol*. 2001;54(7):680-6.
98. Min LC, Wenger NS, Fung C, Chang JT, Ganz DA, Higashi T, et al. Multimorbidity is associated with better quality of care among vulnerable elders. *MedCare*. 2007;45(6):480-8.

99. Nagel G, Peter R, Braig S, Hermann S, Rohrmann S, Linseisen J. The impact of education on risk factors and the occurrence of multimorbidity in the EPIC-Heidelberg cohort. *BMC public health*. 2008;8:384.
100. Nagl A, Witte J, Hodek JM, Greiner W. Relationship between multimorbidity and direct healthcare costs in an advanced elderly population. Results of the PRISCUS trial. *ZGerontolGeriatr*. 2012;45(2):146-54.
101. Neeleman J, Ormel J, Bijl RV. The distribution of psychiatric and somatic III health: associations with personality and socioeconomic status. *PsychosomMed*. 2001;63(2):239-47.
102. Neeleman J, Sytema S, Wadsworth M. Propensity to psychiatric and somatic ill-health: evidence from a birth cohort. *PsycholMed*. 2002;32(5):793-803.
103. Nobili A, Marengoni A, Tettamanti M, Salerno F, Pasina L, Franchi C, et al. Association between clusters of diseases and polypharmacy in hospitalized elderly patients: results from the REPOSI study. *Eur J InternMed*. 2011;22(6):597-602.
104. Nobrega TC, Jaluul O, Machado AN, Paschoal SM, Jacob FW. Quality of life and multimorbidity of elderly outpatients. *Clinics (Sao Paulo)*. 2009;64(1):45-50.
105. Noel PH, Parchman ML, Williams JW, Jr., Cornell JE, Shuko L, Zeber JE, et al. The challenges of multimorbidity from the patient perspective. *J Gen InternMed*. 2007;22 Suppl 3:419-24.
106. Ornstein SM, Nietert PJ, Jenkins RG, Litvin CB. The prevalence of chronic diseases and multimorbidity in primary care practice: A PPRNet report. *Journal of the American Board of Family Medicine*. 2013;26(5):518-24.
107. Payne RA, Abel GA, Guthrie B, Mercer SW. The effect of physical multimorbidity, mental health conditions and socioeconomic deprivation on unplanned admissions to hospital: a retrospective cohort study. *CMAJ*. 2013;185(5):E221-E8.
108. Perruccio AV, Power JD, Badley EM. The relative impact of 13 chronic conditions across three different outcomes. *J EpidemiolCommunity Health*. 2007;61(12):1056-61.
109. Prados-Torres A, Poblador-Plou B, Calderon-Larranaga A, Gimeno-Feliu LA, Gonzalez-Rubio F, Poncel-Falco A, et al. Multimorbidity patterns in primary care: interactions among chronic diseases using factor analysis. *PLoS ONE*. 2012;7(2):e32190.
110. Quinones AR, Liang J, Bennett JM, Xu X, Ye W. How does the trajectory of multimorbidity vary across Black, White, and Mexican Americans in middle and old age? *J GerontolB PsycholSciSocSci*. 2011;66(6):739-49.

111. Reed RL, Battersby M, Osborne RH, Bond MJ, Howard SL, Roeger L. Protocol for a randomised controlled trial of chronic disease self-management support for older Australians with multiple chronic diseases. *Contemporary Clinical Trials*. 2011;32(6):946-52.
112. Rijken M, Van KM, Dekker J, Schellevis FG. Comorbidity of chronic diseases: effects of disease pairs on physical and mental functioning. *QualLife Res*. 2005;14(1):45-55.
113. Rincon-Gomez M, Bernabeu-Wittel M, Bohorquez-Colombo P, Moreno-Gavino L, Cassani-Garza M, Ortiz-Camunez M-T, et al. Perceived quality of healthcare in a multicenter, community-based population of polypathological patients. *Archives of Gerontology and Geriatrics*. 2011;52(2):142-6.
114. Rizza A, Kaplan V, Senn O, Rosemann T, Bhend H, Tandjung R. Age- and gender-related prevalence of multimorbidity in primary care: the Swiss FIRE project. *BMC FamPract*. 2012;13:113.
115. Salisbury C, Johnson L, Purdy S, Valderas JM, Montgomery AA. Epidemiology and impact of multimorbidity in primary care: a retrospective cohort study. *BrJ Gen Pract*. 2011;61(582):e12-e21.
116. Salive ME. Multimorbidity in older adults. *Epidemiologic Reviews*. 2013;35(1):75-83.
117. Schafer I. Does multimorbidity influence the occurrence rates of chronic conditions? A claims data based comparison of expected and observed prevalence rates. *PLoS ONE*. 2012;7(9):e45390.
118. Schafer I, Hansen H, Schon G, Hofels S, Altiner A, Dahlhaus A, et al. The influence of age, gender and socio-economic status on multimorbidity patterns in primary care. First results from the multicare cohort study. *BMC health services research*. 2012;12:89.
119. Schafer I, Hansen H, Schon G, Maier W, Hofels S, Altiner A, et al. The German MultiCare-study: Patterns of multimorbidity in primary health care - protocol of a prospective cohort study. *BMC Health ServRes*. 2009;9:145.
120. Schafer I, von LE-C, Schon G, Koller D, Hansen H, Kolonko T, et al. Multimorbidity patterns in the elderly: A new approach of disease clustering identifies complex interrelations between chronic conditions. *PLoS ONE*. 2010;5(12):e15941.

121. Schellevis FG, van der Velden J, van de Lisdonk E, van Eijk JT, van Weel C. Comorbidity of chronic diseases in general practice. *Journal of clinical epidemiology*. 1993;46(5):469-73.
122. Schneider F, Kaplan V, Rodak R, Battegay E, Holzer B. Prevalence of multimorbidity in medical inpatients. *Swiss MedWkly*. 2012;142:w13533.
123. Schneider KM, O'Donnell BE, Dean D. Prevalence of multiple chronic conditions in the United States' Medicare population. *Health and quality of life outcomes*. 2009;7:82.
124. Schoenberg NE, Kim H, Edwards W, Fleming ST. Burden of common multiple-morbidity constellations on out-of-pocket medical expenditures among older adults. *The Gerontologist*. 2007;47(4):423-37.
125. Schram MT, Frijters D, van de Lisdonk EH, Ploemacher J, de Craen AJ, de Waal MW, et al. Setting and registry characteristics affect the prevalence and nature of multimorbidity in the elderly. *J ClinEpidemiol*. 2008;61(11):1104-12.
126. Schuz B, Marx C, Wurm S, Warner LM, Ziegelmann JP, Schwarzer R, et al. Medication beliefs predict medication adherence in older adults with multiple illnesses. *J PsychosomRes*. 2011;70(2):179-87.
127. Schuz B, Wurm S, Warner LM, Ziegelmann JP. Self-efficacy and multiple illness representations in older adults: A multilevel approach. *Psychology and Health*. 2012;27(1):13-29.
128. Shadmi E, Boyd CM, Hsiao C-J, Sylvia M, Schuster AB, Boult C. Morbidity and older persons' perceptions of the quality of their primary care. *Journal of the American Geriatrics Society*. 2006;54(2):330-4.
129. Sharkey JR. Risk and presence of food insufficiency are associated with low nutrient intakes and multimorbidity among homebound older women who receive home-delivered meals. *J Nutr*. 2003;133(11):3485-91.
130. Smith SM, Ferede A, O'Dowd T. Multimorbidity in younger deprived patients: an exploratory study of research and service implications in general practice. *BMC family practice*. 2008;9:6.
131. Stalbrand IS, Svensson T, Elmstahl S, Horstmann V, Hagberg B, Dehlin O, et al. Subjective health and illness, coping and life satisfaction in an 80-year-old Swedish population-implications for mortality. *IntJ BehavMed*. 2007;14(3):173-80.
132. Steinman MA, Lee SJ, John BW, Miao Y, Fung KZ, Moore KL, et al. Patterns of multimorbidity in elderly veterans. *J AmGeriatrSoc*. 2012;60(10):1872-80.

133. Stewart M, Fortin M, Britt HC, Harrison CM, Maddocks HL. Comparisons of multi-morbidity in family practice-issues and biases. *Family practice*. 2013;30(4):473-80.
134. Taylor AW, Price K, Gill TK, Adams R, Pilkington R, Carrangis N, et al. Multimorbidity - not just an older person's issue. Results from an Australian biomedical study. *BMC public health*. 2010;10:718.
135. Thanapop S, Pannarunothai S, Chongsuvivatwong V. Profile of hospital charges for chronic conditions by health status and severity level: a case study of 4 provinces in Thailand. *Asia PacJ Public Health*. 2009;21(2):196-204.
136. Thorell K, Skoog J, Zielinski A, Borgquist L, Halling A. Licit prescription drug use in a Swedish population according to age, gender and socioeconomic status after adjusting for level of multi-morbidity. *BMC public health*. 2012;12:575.
137. Tinetti ME, McAvay GJ, Murphy TE, Gross CP, Lin H, Allore HG. Contribution of individual diseases to death in older adults with multiple diseases. *Journal of the American Geriatrics Society*. 2012;60(8):1448-56.
138. Tooth L, Hockey R, Byles J, Dobson A. Weighted multimorbidity indexes predicted mortality, health service use, and health-related quality of life in older women. *J ClinEpidemiol*. 2008;61(2):151-9.
139. Tourkmani AM, Al Khashan HI, AlBabtain MA, Al Harbi TJ, Al Qahatani HB, Bakhiet AH. Medication adherence among patients in a chronic disease clinic. *Saudi Medical Journal*. 2012;33(12):1278-84.
140. Tucker-Seeley RD, Li Y, Sorensen G, Subramanian SV. Lifecourse socioeconomic circumstances and multimorbidity among older adults. *BMC public health*. 2011;11:313.
141. Uijen AA, van de Lisdonk EH. Multimorbidity in primary care: prevalence and trend over the last 20 years. *Eur J Gen Pract*. 2008;14 Suppl 1:28-32.
142. van den Akker M, Buntinx F, Metsemakers JF, Knottnerus JA. Morbidity in responders and non-responders in a register-based population survey. *Family practice*. 1998;15(3):261-3.
143. Van Den Akker M, Buntinx F, Metsemakers JFM, Knottnerus JA. Marginal impact of psychosocial factors on multimorbidity: Results of an explorative nested case-control study. *Social Science and Medicine*. 2000;50(11):1679-93.
144. Van Den Akker M, Buntinx F, Metsemakers JFM, Van Der Aa M, Knottnerus JA. Psychosocial patient characteristics and GP-registered chronic morbidity: A prospective study. *Journal of Psychosomatic Research*. 2001;50(2):95-102.

145. Van Den Akker M, Buntix F, Metsemakers JFM, Roos S, Knottnerus JA. Multimorbidity in general practice: Prevalence, incidence, and determinants of co-occurring chronic and recurrent diseases. *Journal of clinical epidemiology*. 1998;51(5):367-75.
146. Van Den Akker M, Vos R, Knottnerus JA. In an exploratory prospective study on multimorbidity general and disease-related susceptibility could be distinguished. *Journal of clinical epidemiology*. 2006;59(9):934-9.
147. van den Bussche H, Koller D, Kolonko T, Hansen H, Wegscheider K, Glaeske G, et al. Which chronic diseases and disease combinations are specific to multimorbidity in the elderly? Results of a claims data based cross-sectional study in Germany. *BMC public health*. 2011;11:101.
148. van den Bussche H, Schon G, Kolonko T, Hansen H, Wegscheider K, Glaeske G, et al. Patterns of ambulatory medical care utilization in elderly patients with special reference to chronic diseases and multimorbidity--results from a claims data based observational study in Germany. *BMC Geriatr*. 2011;11:54.
149. van der Linden M vdAM, Buntinx F. The relation between health locus of control and multimorbidity: a case-control study. *Personality and individual differences*. 2001;30:1189-97.
150. Van Eijk MS, Van Der Linde H, Buijck B, Geurts A, Zuidema S, Koopmans R. Predicting prosthetic use in elderly patients after major lower limb amputation. *ProsthetOrthotInt*. 2012;36(1):45-52.
151. van Oostrom SH, Picavet HS, van Gelder BM, Lemmens LC, Hoeymans N, van Dijk CE, et al. Multimorbidity and comorbidity in the Dutch population - data from general practices. *BMC public health*. 2012;12:715.
152. Vogel I, Miksch A, Goetz K, Ose D, Szecsenyi J, Freund T. The impact of perceived social support and sense of coherence on health-related quality of life in multimorbid primary care patients. *Chronic Illn*. 2012;8(4):296-307.
153. Vos HMM, Bor HH, Rangelrooij-Minkels MJAV, Schellevis FG, Lagro-Janssen ALM. Multimorbidity in older women: The negative impact of specific combinations of chronic conditions on self-rated health. *European Journal of General Practice*. 2013;19(2):117-22.
154. Walker AE. Multiple chronic diseases and quality of life: patterns emerging from a large national sample, Australia. *Chronic Illn*. 2007;3(3):202-18.

155. Warner LM, Schuz B, Aiken L, Ziegelmann JP, Wurm S, Tesch-Romer C, et al. Interactive effects of social support and social conflict on medication adherence in multimorbid older adults. *Social Science and Medicine*. 2013;87:23-30.
156. Warner LM, Schuz B, Wurm S, Ziegelmann JP, Tesch-Romer C. Giving and taking--differential effects of providing, receiving and anticipating emotional support on quality of life in adults with multiple illnesses. *Journal of health psychology*. 2010;15(5):660-70.
157. Warner LM, Schwarzer R, Schuz B, Wurm S, Tesch-Romer C. Health-specific optimism mediates between objective and perceived physical functioning in older adults. *Journal of behavioral medicine*. 2012;35(4):400-6.
158. Warner LM ZJ, Schüz B, Wurm S, Tesch-Römer C, Schwarzer R. Maintaining autonomy despite multimorbidity: self-efficacy and the two faces of social support. *Eur J Ageing*. 2011;8:3-12.
159. Webb RT, Kontopantelis E, Doran T, Qin P, Creed F, Kapur N. Suicide risk in primary care patients with major physical diseases: a case-control study. *ArchGen Psychiatry*. 2012;69(3):256-64.
160. Webb RT, Kontopantelis E, Doran T, Qin P, Creed F, Kapur N. Risk of self-harm in physically ill patients in UK primary care. *J PsychosomRes*. 2012;73(2):92-7.
161. Welmer AK, Kareholt I, Angleman S, Rydwick E, Fratiglioni L. Can chronic multimorbidity explain the age-related differences in strength, speed and balance in older adults? *Aging ClinExpRes*. 2012;24(5):480-9.
162. Wolff JL, Starfield B, Anderson G. Prevalence, expenditures, and complications of multiple chronic conditions in the elderly. *ArchInternMed*. 2002;162(20):2269-76.
163. Wong A, Boshuizen HC, Schellevis FG, Kommer GJ, Polder JJ. Longitudinal administrative data can be used to examine multimorbidity, provided false discoveries are controlled for. *J ClinEpidemiol*. 2011;64(10):1109-17.