Supplementary Table S1

Primers used for plasmid construction

Primer name	Sequence $(5'\rightarrow 3')$
tagRFP-F/NotI	GCAGGCTCCGCGGCCATGGTGTCTAAGGGCGAAGAGCTG
tagRFP-GGSG-R	${\tt GCCACTACCTCCCTTATTAAGTTTGTGCCCCAGTTTGCT}$
GGSG-PABP8	AAGGGAGGTAGTGGCATGGCTCAGATTCAGCATCAGGGT
PABP8-R/Ascl	${\bf AGCTGGGTCGGCGCGTCAAGGTACGATGTTGTCTCCAAG}$
GGSG-DCP1	AAGGGAGGTAGTGGCATGTCTCAAAACGGGAAGATAATC
DCP1-R/Ascl	AGCTGGGTCGGCGCGTCATTGTTGAAGTGCATTTTGTAA

F, forward prime; R, reverse primer.

Primer pairs used in quantitative RT-PCR

Gene name	Forward primer (5'→3')	Reverse primer (5'→3')
VOZ1	CAGATGCTTCGTGAGTGGAA	AAAGACCCCAGAGTACCACCTT
VOZ2	CCATCCATATCGAAAAACCAG	GGGTGGTTTGACATCTCCTC
DREB2A	CAGTGTTGCCAACGGTTCAT	AAACGGAGGTATTCCGTAGTTGAG