

Online Supplemental Table

Table D. Descriptive statistics of original and imputed data.

Variable	original data			imputed data		
	n	M	SD	n	M	SD
BMI	677	28.42	4.24	847	28.46	4.35
Mobility	748	144.91	37.81	847	144.45	38.74
EuroSCORE	843	4.25	2.76	847	4.24	2.76
Social support	720	4.17	0.65	847	4.14	0.65
Anxiety (pre)	729	6.36	3.72	847	6.47	3.72
Depression (pre)	731	5.15	3.75	847	5.35	3.75
Religiosity	691	27.20	13.90	847	28.19	13.73
Positive mood (pre)	699	2.90	0.57	847	2.88	0.56
Negative mood (pre)	706	2.20	0.76	847	2.24	0.76
Serum creatinine	843	93.04	28.95	847	93.04	28.90
Postoperative anxiety [#]	662	5.77	3.76	826	5.97	3.73
Postoperative depression [#]	664	5.14	4.08	826	5.40	4.02
Postoperative positive mood [#]	623	2.82	0.58	826	2.81	0.59
Postoperative negative mood [#]	625	2.36	0.77	826	2.40	0.76
Patient satisfaction [#]	661	3.61	0.40	826	3.60	0.40
Postoperative pain [#]	643	5.54	2.58	826	5.61	2.49
Helping alliance perceived by patient ^{#§}	188	54.47	11.79	259	52.73	11.62
Helping alliance perceived by therapist ^{#§}	191	48.68	9.77	259	48.36	9.93
	n	%		n	%	
Reoperation	846	2.83		847	2.83	
Cardiac arrest	845	2.95		847	2.95	

Prolonged ventilation	805	10.51	847	11.81
Rethoracotomy	845	6.38	847	6.49
Arrhythmia	846	32.94	847	32.94

[#]patients who died within hospital stay were excluded from imputation (n = 21); [§]imputed only for patients of the intervention group (n = 259, deaths excluded)