Supplementary Table 1: Reported cases of pancreatic adenocarcinoma during pregnancy: presentation, diagnosis, and outcome\*

Source	Age (years)	Gestational Age	Presenting Symptoms	Complications/ Metastases	Diagnosis	Histologic Diagnosis	Resectable/ Unresectable	Treatments	Maternal Outcome	Fetal Outcome
Boyle and McLeod 1979[1]	37yo G3P3	28-32 weeks	Epigastric pain, vomiting, pancreatitis of pregnancy, postpartum icterus and weight loss	Biliary obstruction, sepsis, metastases to lymph nodes, liver, and spleen	Postpartum by autopsy	Pancreatic adenocarcinoma	Unresectable	Laparotomy, cholecystectomy, pancreatic pseudocyst drainage	Maternal demise 13 months after presentation	Healthy term infant
Gamberdella 1984[2]	37yo G4P3	24 weeks	Epigastric pain, insomnia, anxiety	Twin gestation, biliary obstruction	Antepartum by AUS, ERCP, and exploratory laparotomy	Pancreatic adenocarcinoma	Unresectable	Cholecystectomy, C/S at 32 weeks	Diffusely metastatic disease with maternal demise 5 months from diagnosis	Healthy 2.1kg and 1.8kg twins
Porcel et al. 1992[3]	43yo G1P1	28 weeks	Epigastric pain, vomiting, and back pain	Pre-eclampsia with HELLP syndrome; postpartum ischemic stroke; metastases to the liver	Postpartum by abdominal ultrasound; CA19-9: 350 U/mL	Mucinous pancreatic adenocarcinoma	Unresectable	C/S at 30 weeks	Maternal demise 3 weeks from diagnosis	Alive 1.3kg infant
Simchuk et al. 1995[4]	39yo G2P0	16 weeks	Left upper quadrant pain and anorexia	Biliary obstruction	Antepartum by CT scan with biopsy	Low-grade, well- differentiated pancreatic adenocarcinoma	Unresectable	Choledochoduo- denostomy, C/S at 28 weeks	Maternal demise 3 months from diagnosis	Healthy male
Blackbourne et al 1997[5]	З2уо	14 weeks	Back pain, vomiting, obstructive jaundice	Biliary obstruction	Antepartum by ERCP, confirmed by antepartum laparotomy	Mucinous pancreatic adenocarcinoma	Resectable	Antepartum pancreaticoduo- denectomy	Alive and well at 3 months from diagnosis	Fetus developing normally at 3 months postop
Gojnic et al. 2005[6]	37уо	Second trimester	Abdominal pain, diarrhea, and constipation		Antepartum by elevated CA19-9 levels and ultrasound	Pancreatic adenocarcinoma	Resectable	Cesarean hysterectomy with pancreatectomy	Alive at follow up	1.4kg female
Marinoni et al. 2006[7]	38yo G3P1	27 weeks	Epigastric pain, back pain, obstructive jaundice	Biliary obstruction, severe pre- eclampsia, IUGR, metastases to the liver and lungs	Antepartum by AUS, ERCP, and MRI; CA19-9: 240U/mL	Pancreatic ductal carcinoma	Unresectable	C/S at 30 weeks	Maternal demise 2.5 months from diagnosis	Healthy 1.1kg female
Lin Su et al. 2006[8]	37yo G4	22 weeks	Epigastric pain	Biliary obstruction, Metastases to the liver and placenta	Antepartum by AUS and MRCP	Poorly differentiated pancreatic adenocarcinoma	Unresectable	Elective termination at 24 weeks; chemotherapy with gemcitabine	Maternal demise 4 weeks after diagnosis	Terminated
Al-Adnani et al. 2007[9]	27yo G1P0	26 weeks	IUGR; ascites, epigastric mass, and mesenteric lymphadenopathy at C/S	IUGR, metastases to the placenta	Postpartum by intraoperative findings and postpartum CT with biopsy	Poorly differentiated pancreatic adenocarcinoma	Unresectable	C/S at 30 weeks for IUGR	Maternal demise 3 months from diagnosis	Healthy 1.1kg female

Somoye et al. 2008[10]	34уо	30 weeks	Right upper quadrant pain, vomiting, obstructive	Biliary obstruction, metastases to the liver	Antepartum by MCRP and endoscopic ultrasound	Moderately differentiated pancreatic adenocarcinoma	Unresectable	C/S at 32 weeks, laparotomy with palliative gastric bypass	Maternal demise 3 months from diagnosis	Healthy female
Kazoka et al. 2009[11]	40yo G2P1	24 weeks	jaundice Epigastric pain, vomiting, weight loss, dehydration. Early diagnosis of "gallstone pancreatitis"	Biliary obstruction	Antepartum by ERCP, MRCP, EUS with biopsy, and CTA CA19-9: 4309U/mL	Moderately differentiated pancreatic adenocarcinoma	Resectable	C/S at 28 weeks, pancreaticoduo- denectomy, chemotherapy	Metastatic liver disease with maternal demise 7 months from diagnosis	Healthy 1.2kg female
Onuma et al. 2010[12]	32уо	30 weeks	Uterine contractions, right upper quadrant pain, ascites	Preterm labor, acute abdomen, perforated stomach	Postpartum by CT and exploratory laparotomy; CA19-9: 4750U/mL	Intraductal papillary- mucinous pancreatic adenocarcinoma	Resectable	C/S at 34 weeks, pancreatoduo- denectomy	Alive and well 26 months after diagnosis	Healthy 2.3kg male
Perera et al. 2011[13]	25yo G2P1	20 weeks	Epigastric pain, vomiting	Acute pancreatitis, metastases to the liver	Antepartum by MRI and liver biopsy	Pancreatic adenocarcinoma	Unresectable	C/S at 30 weeks	Maternal demise 2 weeks from diagnosis	Viable
Marci et al. 2011[14]	36yo G7P0	35 weeks	Epigastric pain, vomiting, weight loss	Duodenal obstruction, acute renal failure, metastatic liver disease	Postpartum by abdominal ultrasound and CT	Pancreatic adenocarcinoma	Unresectable	C/S at 35 weeks, surgical tx of gastric obstruction, palliative chemotherapy w/ gemcitabine, oxaliplatin	Alive at 12 months from diagnosis with stable disease	Healthy 2.5kg female
Lubner et al. 2011[15]	37yo G3P1	16 weeks	Vomiting, back pain, + Murphy's sign	Biliary obstruction	Antepartum by endoscopic ultrasound with biopsy and MRI; CA19-9: 200U/mL	Poorly differentiated pancreatic adenocarcinoma	Resectable	Antepartum pancreatoduo- denectomy and cholecystectomy, gemcitabine chemotherapy, induction of labor at 35 weeks	Maternal demise 12 months from diagnosis	Healthy 2.1kg male
Boyd et al. 2012 Case 2[16]	29yo G1P0	37 weeks	Epigastric pain and vomiting	Metastases to the liver	Postpartum by exploratory laparotomy; CA19-9: 1666959U/mL	Mucinous pancreatic adenocarcinoma	Unresectable	Induction of labor at 37 weeks, palliative left hepatic lobectomy	Maternal demise 3 weeks from diagnosis	Healthy infant
Boyd et al. 2012 Case 3[16]	37yo G3P1	17 weeks	Back pain, vomiting	Biliary obstruction	Antepartum by EUS with biopsy	Poorly differentiated pancreatic adenocarcinoma	Resectable	Antepartum pancreatoduo- denectomy at 19 weeks, gemcitabine chemotherapy, induction of labor at 34 weeks	Maternal demise 12 months from diagnosis	Healthy 2.1kg male
Papoutsis et al. 2012[17]	33yo G1P0	16 weeks	Weakness, weight loss, anemia	Metastases to the liver	Antepartum by EUS with biopsy; CA19-9: 2750U/mL	Pancreatic adenocarcinoma	Unknown	Induction of labor for fetal demise	Outcome unknown	Fetal demise at 19 weeks
Lui et al. 2015[18]	35yo G3P1	22 weeks	Back pain and weight loss	Metastases to the liver	Antepartum by MRI; CA19-9: 40U/mL	Pancreatic ductal adenocarcinoma	Unresectable	Induction of labor at 30 weeks; palliative chemotherapy	Maternal demise 6 months from diagnosis	Healthy 1.2kg female

2016[19]	34yo G1P0	26 weeks	Abdominal pain, failure to gain weight	Metastases to the liver, biliary obstruction	Antepartum by MRCPx2 and EUS with biopsy: CA19-9: 1U/mL	Pancreatic adenocarcinoma	Unresectable	C/S at 32 weeks; palliative biliary stent; supportive care	Maternal demise 4 months from diagnosis	Healthy male
Sahin et al. 2016[20]	27уо	26 weeks	Abdominal pain, nausea, vomiting	Metastases to the placenta, multiple lymph nodes, and liver, cardiac arrest	Antepartum by supracervical lymph node biopsy, CA19-9 >2,064U/mL	Pancreatic adenocarcinoma	Unresectable	C/S at 28 weeks	Maternal demise 2 weeks from diagnosis	1.0kg male, 30 day demise due to sepsis
Current Case	31yo G2P1	26 weeks	Ischemic stroke, back pain, jaundice	Metastases to the liver, Budd-Chiari Syndrome	Postpartum by CT and liver biopsy; CA19-9 >200,000U/mL	Pancreatic ductal adenocarcinoma	Unresectable	Palliative chemotherapy	Maternal demise 3.5 months from diagnosis	Healthy 3.5kg male

## **TABLE REFERENCES**

1 Boyle JM, McLeod ME: Pancreatic cancer presenting as pancreatitis of pregnancy. Case report. Am J Gastroenterol 1978;70:371-373.

2 Gamberdella FR: Pancreatic carcinoma in pregnancy: a case report. Am J Obstet Gynecol 1984;149:15-17.

3 Porcel JM, Ordi J, Castells L, Farran I: Probable pancreatic cancer in a pre-eclamptic patient. Eur J Obstet Gynecol Reprod Biol 1992;44:80-82.

4 Simchuk EJ, 3rd, Welch JP, Orlando R, 3rd: Antepartum diagnosis of pancreatic carcinoma: a case report. Conn Med 1995;59:259-262.

5 Blackbourne LH, Jones RS, Catalano CJ, Iezzoni JC, Bourgeois FJ: Pancreatic adenocarcinoma in the pregnant patient: case report and review of the literature. Cancer 1997;79:1776-1779.

6 Gojnic M, Boskovic V, Fazlagic A, Mostic T, Vidakovic S, Stefanovic A, Pervulov M, Petkovic S: Pancreatic tumor in a pregnant woman: a rare case report. Eur J Gynaecol Oncol 2005;26:221-224.

7 Marinoni E, Di Netta T, Caramanico L, Tomei B, Moscarini M, Di Iorio R: Metastatic pancreatic cancer in late pregnancy: a case report and review of the literature. J Matern Fetal Neonatal Med 2006;19:247-249.

8 Su LL, Biswas A, Wee A, Sufyan W: Placental metastases from pancreatic adenocarcinoma in pregnancy. Acta Obstet Gynecol Scand 2006;85:626-627.

9 Al-Adnani M, Kiho L, Scheimberg I: Maternal pancreatic carcinoma metastatic to the placenta: a case report and literature review. Pediatr Dev Pathol 2007;10:61-65.

Somoye G, Praseedom RK, Hoveyda F: Adenocarcinoma of the pancreas complicated by obstructive jaundice in pregnancy. J Obstet Gynaecol 2008;28:536-537.

11 Kakoza RM, Vollmer CM, Jr., Stuart KE, Takoudes T, Hanto DW: Pancreatic adenocarcinoma in the pregnant patient: a case report and literature review. J Gastrointest Surg 2009;13:535-541.

12 Onuma T, Yoshida Y, Yamamoto T, Kotsuji F: Diagnosis and management of pancreatic carcinoma during pregnancy. Obstet Gynecol 2010;116 Suppl 2:518-520.

Perera D, Kandavar R, Palacios E: Pancreatic adenocarcinoma presenting as acute pancreatitis during pregnancy: clinical and radiologic manifestations. J La State Med Soc 2011;163:114-117.

Marci R, Pansini G, Zavatta C, Mossuto E, Giugliano E, Marzola M, Patella A: Pancreatic cancer with liver metastases in a pregnant patient: case report and review of the literature. Clin Exp Obstet Gynecol 2012;39:127-130.

Lubner S, Hall B, Gopal D, Soni A, Hegeman R, Winterle N, Loeffler A, Weber S, Reeder S, Loconte N: A 37 year-old pregnant woman with pancreatic adeno-carcinoma treated with surgery and adjuvant chemotherapy: A case report and literature review. J Gastrointest Oncol 2011;2:258-261.

Boyd CA, Benarroch-Gampel J, Kilic G, Kruse EJ, Weber SM, Riall TS: Pancreatic neoplasms in pregnancy: diagnosis, complications, and management. J Gastrointest Surg 2012;16:1064-1071.

17 Papoutsis D, Sindos M, Papantoniou N, Antsaklis A: Management options and prognosis of pancreatic adenocarcinoma at 16 weeks' gestation: a case report. J Reprod Med 2012;57:167-170.

Lui M-W, Lai CWS, Ong CY-T: Metastatic pancreatic adenocarcinoma presented as back pain in pregnancy: case report and review of literature. The Journal of Maternal-Fetal & Neonatal Medicine 2015;29:1421-1424.

19 Davis J, Bashir S, Wubneh H, Borum ML: Metastatic Pancreatic Adenocarcinoma During Pregnancy. ACG Case Rep J 2016;3:e190.

20 Sahin Aker S, Katlan DC, Yuce T, Soylemez F: Placental, hepatic, and supraclavicular lymph node metastasis in pancreatic adenocarcinoma during pregnancy: A case report. Turk J Obstet Gynecol 2016;13:161-163.