

## **Supplemental Online Material**

Caviomorph taxa used for comparisons in this study.

Genus	Species	Locality and/or Formation (Fm.)	Age	Observed material (original or cast)	Primary references
<i>Tribosphenomys</i>	<i>T. minutus</i>	Nomogen Fm., China	Late Paleocene		Meng and Wyss 2001; Meng et al. 2007a
<i>Archetypomys</i>	<i>A. erlianensis</i>	Huibeoerhe-Nuhetingboerhe (AS-1), (Lower Arshanto Fm.), Inner Mongolia	late Early Eocene		Meng et al. 2007b
<i>Coccyus</i>	<i>C. lingchaensis</i>	Lingcha Fm., Hengdong County, China	Early Eocene	UM (cast)	Li et al. 1989
<i>Rairoparmys</i>	<i>R. delicatissimus</i>	Luman Tongue (Wasatch Fm.), Wyoming, USA	early Early Eocene	UM (cast)	Leidy 1871; Wood 1962
<i>Tamquarym</i>	<i>T. disporium</i>	Shipigou (Hetaoyuan Fm.), China	middle Middle Eocene		Dawson et al. 1984
	<i>T. wilsoni</i>	Huibeoerhe escarpment (IM-1) (Irdin Manha Fm.), Nei Mongol, China	earliest Eocene - earliest Middle Eocene		Dawson et al. 1984
	<i>T. tanillius</i>	Obayla Fm., Kazakhstan	late Early - Middle Eocene		Dawson et al. 1984
<i>Chapatimys</i>	<i>C. wilsoni</i>	H-GSP 144, Kala Chitta Range (Kuldana Fm.), Pakistan; Upper Subathu Group, India	early Middle Eocene		Hussain et al. 1978
<i>Bibalomys</i>	<i>B. sombani</i>	H-GSP 144, Kala Chitta Range (Kuldana Fm.), Pakistan; Upper Subathu Group, India	early Middle Eocene	UM (cast)	Hussain et al. 1978
	<i>B. woodi</i>	H-GSP 144, Kala Chitta Range (Kuldana Fm.), Pakistan; Upper Subathu Group, India	early Middle Eocene	UM (cast)	Hussain et al. 1978
<i>Ottomania</i>	<i>O. proavita</i>	Süngülü, Lesser Caucasus, Turkey	Eocene/Oligocene boundary interval		De Bruijn et al. 2003
<i>Baluchimys</i>	<i>B. krabiense</i>	Bang Mark Lignite Mine, Krabi, Thailand	latest Eocene		Marivaux et al. 2000
	<i>B. baryi</i>	Y-GSP 417, Bugti Hills (Chitarwata Fm.), Balochistan, Pakistan	Early Oligocene		Flynn et al. 1986
	<i>B. ganeshapher</i>	Y-GSP 417, Bugti Hills (Chitarwata Fm.), Balochistan, Pakistan	Early Oligocene		Flynn et al. 1986
	<i>L. derabugtiensis</i>	Y-GSP 417, Bugti Hills (Chitarwata Fm.), Balochistan, Pakistan	Early Oligocene		Flynn et al. 1986
<i>Lindsaya</i>	<i>L. pilbeami</i>	Y-GSP 417, Bugti Hills (Chitarwata Fm.), Balochistan, Pakistan	Early Oligocene		Flynn et al. 1986
<i>Lophibaluchia</i>	<i>H. azrae</i>	Y-GSP 417, Bugti Hills (Chitarwata Fm.), Balochistan, Pakistan	Early Oligocene	UM (original)	Flynn et al. 1986; Marivaux and Welcomme 2003
<i>Hodsahibia</i>	<i>H. gracilis</i>	DBC2, Bugti Hills (Chitarwata Fm.), Balochistan, Pakistan	Early Oligocene		Marivaux and Welcomme 2003
	<i>B. zafarullahi</i>	DBC2, Bugti Hills (Chitarwata Fm.), Balochistan, Pakistan	Early Oligocene	UM (original)	Marivaux et al. 2002
<i>Bugti</i>	<i>T. lavocati</i>	DT-Loc. 2, Bioturbated Unit, Dur Al-Talah, Libya	Late Eocene - Early Oligocene		Jaeger et al. 2010
<i>Taliphomys</i>	<i>T. libycus</i>	DT-Loc. 1, Bioturbated Unit, Dur Al-Talah, Libya	Late Eocene		Jaeger et al. 2010
	"W", <i>sittii</i>	BQ-2 (Birket Qarun Fm.), Fayum Depression, Egypt	early Late Eocene	UM (cast)	Sallam et al. 2009
<i>Wasiomy</i>	<i>P. aegyptensis</i>	BQ-2 (Birket Qarun Fm.), Fayum Depression, Egypt	early Late Eocene	UM (cast)	Sallam et al. 2009
<i>Protomy</i>	<i>P. algeriensis</i>	Bir El Ater, Nememcha, Algeria	early Late Eocene	UM (original)	Jaeger et al. 1985
<i>Acrotomys</i>	<i>A. bowri</i>	L-41 (Jebel el Qatrani Fm.), Fayum Depression, Egypt	latest Eocene		Sallam et al. 2012
<i>Birkamys</i>	<i>B. korai</i>	L-41 (lowermost Jebel Qatrani Fm.), Fayum Depression, Egypt, + Dakhla DAK-C2	latest Eocene - earliest Oligocene		
<i>Phiomys</i>	<i>P. hammutai</i>	DT-Loc. 1, Bioturbated Unit, Dur Al-Talah, Libya	Late Eocene	UM (cast)	Jaeger et al. 2010
<i>Metaphiomys</i>	<i>M. schaubi</i>	Quarries B, G and E (Jebel Qatrani Fm.), Fayum Depression, Egypt, + Z17, Zallah Oasis, Libya	Early Oligocene	UM (cast)	Wood 1968; Coster et al. 2015
<i>Gaudemus</i>	<i>G. aegypticus</i>	Quarries A&B and E (Jebel Qatrani Fm.), Fayum Depression, Egypt	Early Oligocene		Wood 1968
	<i>G. asilus</i>	L-41 (lowermost Jebel Qatrani Fm.), Fayum Depression, Egypt, + Dakhla DAK-C2	latest Eocene - earliest Oligocene		Sallam et al. 2011
	<i>G. hylaeus</i>	L-41 (lowermost Jebel Qatrani Fm.), Fayum Depression, Egypt, + Dakhla DAK-C2	latest Eocene - earliest Oligocene		Sallam et al. 2011
<i>Paraphiomys</i>	<i>P. pigotti</i>	Rusinga, Kenya	Early Miocene - late Middle Miocene	UM (original)	Lavocat 1973
<i>Thyonomys</i>	<i>T. swinderianus</i>		Recent	UM (original)	
<b>CAVIOMORPHA</b>					
<i>Cachiyacuy</i>	<i>C. contamanensis</i>	Contamana CTA-27 (Pozo Fm.), Peru	late Middle Eocene	MUSM (original)	Antoine et al. 2012; Bovin et al. 2017a
	<i>C. kumrelli</i>	Contamana CTA-27 (Pozo Fm.), Peru	late Middle Eocene	MUSM (original)	Antoine et al. 2012; Bovin et al. 2017a
<i>Canaarimys</i>	<i>C. megujensis</i>	Contamana CTA-27 (Pozo Fm.), Peru	late Middle Eocene	MUSM (original)	Antoine et al. 2012; Bovin et al. 2017a
	<i>Cansarimys</i> sp.	Contamana CTA-47 (Pozo Fm.), Peru	late Middle Eocene	MUSM (original)	Bovin et al. 2017a
<i>Pozomys</i>	<i>P. ucayalensis</i>	Contamana CTA-29 (Pozo Fm.), Peru	late Middle Eocene	MUSM (original)	Bovin et al. 2017a
<i>Eobranisamys</i>	<i>E. javierpradoi</i>	Contamana CTA-27 (Pozo Fm.), Peru	late Middle Eocene	MUSM (original)	Antoine et al. 2012; Bovin et al. 2017a
	<i>E. romeropitmanae</i>	Santa Rosa (Yahuarango Fm.), Peru	?Late Eocene / Early Oligocene	INGEMMET (holotype)	Frailey and Campbell, 2004
	<i>E. riveri</i>	Santa Rosa (Yahuarango Fm.), Peru	?Late Eocene / Early Oligocene	INGEMMET (holotype)	Frailey and Campbell, 2004
<i>Eosallamys</i>	<i>E. paulacoutoi</i>	Santa Rosa (Yahuarango Fm.), Peru	?Late Eocene / Early Oligocene	INGEMMET (holotype)	Frailey and Campbell, 2004
	<i>E. simpsoni</i>	Santa Rosa (Yahuarango Fm.), Peru	?Late Eocene / Early Oligocene	INGEMMET (holotype)	Frailey and Campbell, 2004
<i>Eoosipina</i>	<i>E. woodi</i>	Santa Rosa (Yahuarango Fm.), Peru	?Late Eocene / Early Oligocene	INGEMMET (holotype)	Frailey and Campbell, 2004
<i>Eosachacul</i>	<i>E. lavocati</i>	Santa Rosa (Yahuarango Fm.), Peru	?Late Eocene / Early Oligocene	INGEMMET (holotype)	Frailey and Campbell, 2004
<i>Tarapotomys</i>	<i>T. mayoensis</i>	TAR-01, Shapaja (Pozo Fm.), Peru	Early Oligocene	MUSM (original)	Bovin et al. 2018
	<i>T. subandinus</i>	TAR-21, TAR-22, Shapaja (Pozo Fm.), Peru	Early Oligocene	MUSM (original)	Bovin et al. 2018
<i>cf. Tarapotomys</i>	<i>cf. Tarapotomys</i> sp.	TAR-20, TAR-21, Shapaja (Pozo Fm.), Peru	Early Oligocene	MUSM (original)	Bovin et al. 2018
<i>aff. Tarapotomys</i>	<i>aff. Tarapotomys</i> sp.	TAR-21, Shapaja (Pozo Fm.), Peru	Early Oligocene	MUSM (original)	Bovin et al. 2018
<i>Shapajamys</i>	<i>S. labocensis</i>	TAR-01, Shapaja (Pozo Fm.), Peru	Early Oligocene	MUSM (original)	Bovin et al. 2018
<i>Mayomys</i>	<i>M. confuens</i>	TAR-01, Shapaja (Pozo Fm.), Peru	Early Oligocene	MUSM (original)	Bovin et al. 2018
<i>Caviomorpha</i> indet. 4 gen. et sp. indet.	sp. indet.	La Cantera (Sarmiento Fm.), Argentina	late Early Oligocene	UM (cast)	Vucetich et al. 2010a
	<i>L. litu</i>	Cabeza Blanca (Sarmiento Fm.), Argentina	Late Oligocene	UM (cast)	Vucetich et al. 2015
<i>Palaeosteirromys</i>	<i>P. amazonsis</i>	Contamana CTA-32 (Chambira Fm.), Peru	Late Oligocene	MUSM (original)	Boivin et al. 2017b
<i>Plesioleirromys</i>	<i>P. newelli</i>	Contamana CTA-61 (Chambira Fm.), Peru	Late Oligocene	MUSM (original)	Boivin et al. 2017b
<i>Ucayalimys</i>	<i>U. crassidens</i>	Contamana CTA-32 (Chambira Fm.), Peru	Late Oligocene	MUSM (original)	Boivin et al. 2017b
<b>Octodontoides</b>					
<i>Leucoccephalos</i>	<i>L. zelliae</i>	Cabeza Blanca (Sarmiento Fm.), Argentina	Late Oligocene	UM (cast)	Vucetich et al. 2015
<i>Edelephomys</i>	<i>E. almeidacompsoi</i>	Santa Rosa (Yahuarango Fm.), Peru	?Late Eocene / Early Oligocene	INGEMMET (holotype)	Frailey and Campbell 2004
<i>Selvamys</i>	<i>S. paulus</i>	TAR-22, Shapaja (Pozo Fm.), Peru	Early Oligocene	MUSM (original)	Bovin et al. 2018
<i>Draconomys</i>	<i>D. verai</i>	La Cantera (Sarmiento Fm.), Argentina	late Early Oligocene	UM (cast)	Vucetich et al. 2010a
<i>Vallehermosomys</i>	<i>V. mazzionii</i>	La Cantera (Sarmiento Fm.), Argentina	late Early Oligocene	UM (cast)	Vucetich et al. 2010a
<i>?Vallehermosomys</i>	<i>?Vallehermosomys merinae</i>	La Cantera (Sarmiento Fm.), Argentina	late Early Oligocene	UM (cast)	Vucetich et al. 2010a
<i>Migraeramus</i>	<i>M. beatus</i>	Salla (Salla Beds), Bolivia	late Early Oligocene - Late Oligocene	UM (original)	Patterson and Wood 1982
	<i>M. lavocati</i>	Salla (Salla Beds), Bolivia	late Early Oligocene - Late Oligocene	UM (original)	Pérez et al. 2018
	<i>M. quispea</i>	Cerro Pan de Azúcar (Moquegua Fm.), Peru	Late Oligocene	MUSM (original)	Shockey et al. 2009
<i>Sallamys</i>	<i>S. pascuali</i>	Salla (Salla Beds), Bolivia	late Early Oligocene - Late Oligocene	MNH-NBol, MNH-N & UM (original)	Hoffstetter and Lavocat 1970; Lavocat 1976; Patterson and Wood 1982
	<i>S. woodi</i>	Salla (Salla Beds), Bolivia	late Early Oligocene - Late Oligocene	UM (original)	Pérez et al. 2018
	<i>S. sp.</i>	Salla (Salla Beds), Bolivia	late Early Oligocene - Late Oligocene	UM (original)	Pérez et al. 2018
<i>?Sallamys</i>	<i>?Sallamys minutus</i>	Fazenda Santa Fé (Tremembé Fm.), Brazil	late Early Oligocene - Late Oligocene	UM (original)	Vucetich and Ribeiro 2003
	<i>?Sallamys</i> sp.	Salla (Salla Beds), Bolivia	late Early Oligocene - Late Oligocene	UM (original)	Pérez et al. 2018
<i>Lapazomys</i>	<i>L. hartenbergeri</i>	Salla (Salla Beds), Bolivia	late Early Oligocene - Late Oligocene	UM (original)	Pérez et al. 2018
<i>Paulacoutomys</i>	<i>P. paulista</i>	Fazenda Santa Fé (Tremembé Fm.), Brazil	late Early Oligocene - Late Oligocene	MLP (cast)	Vucetich et al. 1993a
<i>Xylechimy</i>	<i>X. obliquus</i>	Laguna de los Machos (Sarmiento Fm.), Argentina	Late Oligocene	MLP (original)	Patterson and Pascual 1968
<i>Platypittamys</i>	<i>P. brachyodon</i>	Scarrit Pocket (Sarmiento Fm.), Argentina	Late Oligocene	UM (cast)	Wood 1949; Wood and Patterson 1959
<i>Deseadomys</i>	<i>D. arambourgi</i>	Cabeza Blanca (Sarmiento Fm.) and La Flecha, Argentina	Late Oligocene	MNH-N (original)	Wood and Patterson 1959
<i>Ethelomys</i>	<i>E. loomisii</i>	Cabeza Blanca (Sarmiento Fm.), Argentina	Late Oligocene	UM (cast)	Wood and Patterson 1959; Vucetich et al. 2015
<i>Loretomys</i>	<i>L. minutus</i>	Contamana CTA-32 (Chambira Fm.), Peru	Late Oligocene	MUSM (original)	Boivin et al. 2017b
<i>Acarechimy</i>	<i>A. leucothea</i>	Cabeza Blanca (Sarmiento Fm.), Argentina	Late Oligocene	UM (cast)	Vucetich et al. 2015; Arnal et al. 2017
	<i>A. gracilis</i>	Gran Barranca (also collected by Ameghino; Sarmiento Fm.) and Santa Cruz Fm., Argentina	Early Miocene		Ameghino 1902; Vucetich et al. 2010b; Arnal et al. 2017
<i>A. minutissimus</i>		Pinturas Fm., Santa Cruz and Collón Cura Fm., Argentina; La Venta, Colombia	Early Miocene - Middle Miocene	MLP (original)	Ameghino 1887; Kramarz 2004; Arnal et al. 2017
<i>A. minutus</i>		Santa Cruz and Collón Cura Fm., Argentina; Quebrada Honda, Bolivia	late Early Miocene - late Middle Miocene	MACN & MLP (original)	Ameghino 1887; Kramarz 2004; Arnal et al. 2017
<i>A. constans</i>		Santa Cruz Fm., Argentina	late Early Miocene	MLP (original)	Ameghino 1887; Arnal et al. 2017
<i>Galileomys</i>	<i>G. baioi</i>	Cabeza Blanca (Sarmiento Fm.), Argentina	Late Oligocene	UM (cast)	Vucetich et al. 2015
	<i>G. antelucanus</i>	Bryn Gwyn, Gran Barranca (Sarmiento Fm.), Argentina	Early Miocene	MACN & MLP (original)	Vucetich and Kramarz 2003; Vucetich et al. 2010b
	<i>G. eurygnathus</i>	Pinturas Fm. (for the list of localities, see Kramarz, 2004), Argentina	late Early Miocene	MACN (original)	Kramarz 2004
<i>?Protacaremys</i>	<i>?Protacaremys adilos</i>	Cabeza Blanca (Sarmiento Fm.), Argentina	Late Oligocene	UM (cast)	Vucetich et al. 2015
<i>Protacaremys</i>	<i>P. prior</i>	Gran Barranca (also collected by Ameghino; Sarmiento Fm.), Argentina	Early Miocene	MACN (original)	Ameghino 1902; Vucetich et al. 2010b
	<i>P. avunculus</i>	Gran Barranca (also collected by Ameghino; Sarmiento Fm.), Argentina	Early Miocene	MACN (original)	Ameghino 1902; Vucetich et al. 2010b
	<i>P. denisae</i>	Localities 1 and 5 of the Catádon del Tordillo (Collón Cura Fm.), Argentina	Early Miocene	MLP (original)	Vucetich et al. 1993b
	<i>D. rugipalmi</i>	Bryn Gwyn (Sarmiento Fm.), Argentina	Early Miocene	MACN (original)	Arnal et al. 2014
<i>Cavioicetus</i>	<i>C. lucasi</i>	Bryn Gwyn and Gran Barranca (Sarmiento Fm.), Paso Córdoba (Chinchinales Fm.) and Cerro Bandera (Cerro Bandera Fm.), Argentina	Early Miocene	MACN (original)	Vucetich and Verzi 1996; Vucetich et al. 2010b
<i>Acaremys</i>	<i>A. murinus</i>	Sarmiento Fm., Pinturas Fm. and Santa Cruz Fm. (for the list of localities, see Arnal and Vucetich, 2015), Argentina	Early Miocene	MACN & MLP (original)	Ameghino 1887; Arnal and Vucetich 2015
<i>Willidewu</i>	<i>W. estepariis</i>	Paso Córdoba (Chinchinales Fm.) and Bryn Gwyn (Sarmiento Fm.), Argentina	Early Miocene	MLP (original & cast)	Vucetich and Verzi 1991; Vucetich et al. 2010b
<i>Prospaniomys</i>	<i>P. priscus</i>	Gran Barranca, Bryn Gwyn?, Sacanana (also collected by Ameghino; Sarmiento Fm.), Argentina	Early Miocene	MACN (original)	Ameghino 1902; Vucetich et al. 2010b
	<i>P. cf. priscus</i>	Pampa de Gran Gan (Sarmiento Fm.), Argentina	Early Miocene	MACN (original)	Arnal and Kramarz 2011
	<i>P. sp. 1</i>	Gran Barranca (Sarmiento Fm.), Argentina	Early Miocene	MACN (original)	Vucetich et al. 2010b
<i>'Acaremys'</i>	<i>A. peminus</i>	Bryn Gwyn (Sarmiento Fm.), Argentina	Early Miocene	MACN (original)	Bordas 1939; Arnal and Vucetich 2015
<i>Pseudoacaremys</i>	<i>P. kramarzi</i>	Santa Cruz, River Cliffs, La Cueva, Kilik Ak (Santa Cruz Fm.), Argentina	Early Miocene	MACN (original)	Arnal and Vucetich 2015
<i>Prostichomys</i>	<i>P. bowri</i>	Gran Barranca (Sarmiento Fm.) and Pinturas Fm. (for the list of localities, see Kramarz, 2001, 2004), Argentina	Early Miocene	MACN (original)	Kramarz 2001a, 2004; Kramarz et al. 2010
<i>Adelphomys</i>	<i>A. candidus</i>	Lago Cardiel and Gobernador Gregores (Pinturas Fm.) and Santa Cruz Fm., Argentina	Early Miocene	MACN & MLP (original)	Ameghino 1887; Kramarz 2004
<i>Paradelphomys</i>	<i>P. fissus</i>	Gran Barranca (Sarmiento Fm.), Argentina	Early Miocene	MLP (original)	Patterson and Pascual 1968; Vucetich et al. 2010b
<i>Protadelphomys</i>	<i>P. latus</i>	Gran Barranca, Bryn Gwyn, Sacanana (Sarmiento Fm.), Argentina	Early Miocene	MLP (original)	Ameghino 1902; Vucetich and Bond 1984; Vucetich et al. 1992, 2010b; Vucetich and Verzi 1994
<i>Plesiacarechimy</i>	<i>P. koenigswaldi</i>	Estancia Cerro San Antonio (Collón Cura Fm.), Argentina	Middle Miocene	MLP (original)	Vucetich and Vieytes 2006
<i>Spaniomys</i>	<i>S. modestus</i>	Pinturas Fm. (for the list of localities, see Kramarz, 2004) and Santa Cruz Fm., Argentina	late Early Miocene	MACN & MLP (original)	Ameghino 1887; Kramarz 2004; Kay et al. 2012
	<i>S. riparius</i>	Santa Cruz Fm., Argentina; Pampa Castillo (unnamed Fm.), Chile	late Early Miocene	MACN & MLP (original)	Ameghino 1887, 1894; Flynn et al. 2002
	<i>S. regularis</i>	Santa Cruz Fm., Argentina	late Early Miocene	MACN (original)	Ameghino 1887
<i>Sciomy</i>	<i>S. principalis</i>	Santa Cruz Fm., Argentina; Pampa Castillo (unnamed Fm.), Chile	late Early Miocene	MACN & MLP (original)	Ameghino 1887; Arnal and Vucetich 2011; Arnal and Pérez 2013; Flynn et al. 2002
	<i>S. petisensis</i>	El Petiso, Argentina	Middle Miocene		Arnal and Pérez 2013
<i>Ricardomys</i>	<i>R. longidens</i>	La Venta (Villavieja Fm.), Colombia	late Middle Miocene		Walton 1990, 1997
<i>Quebradachondomys</i>	<i>O. potosiensis</i>	Quebrada Honda (unnamed Fm.), Bolivia	late Middle Miocene		Croft et al. 2011
<i>Pithanotomys</i>	<i>P. columaris</i>	Monte Hermoso Fm., Argentina	Early ?Pliocene	MACN (original)	
<i>Abrocoma</i>	<i>A. bennetti</i>		Recent	MNH-N (original)	
<i>Spalacopus</i>	<i>S. cyanus</i>		Recent	MNH-N (original)	
<i>Octodon</i>	<i>O. digus</i>		Recent	UM (original)	
<i>Ctenomys</i>	<i>C. boliviensis</i>		Recent	MLP & UM (original)	
<i>Mesocapromys/Mysasteles</i>	<i>Mesocapromys/Mysasteles</i> sp.		Recent	UM (original)	
<i>Euryzygomatops</i>	<i>E. spinosus</i>		Recent	MLP & MNH-N (original)	
<i>Makalata</i>	<i>M. didelphoides</i>		Recent	UM (original)	

Genre	Species	Locality and/or Formation (Fm.)	Age	Observed material (original or cast)	Primary references
<i>Echimy</i>	<i>E. chrysurus</i>		Recent	UM (original)	
<i>Trichomys</i>	<i>T. apereoides</i>		Recent	MNHN (original)	
<i>Proechimys</i>	<i>P. cuvieri</i>		Recent	UM (original)	
<i>Myocastor</i>	<i>M. coypus</i>		Recent	UM (original)	
<b>Erethizontoidea</b>					
	<i>E. wignoni</i>	Santa Rosa (Yahuarango Fm.), Peru	?Late Eocene / Early Oligocene	INGEMMET (holotype)	Frailey and Campbell, 2004
<i>Kinkassteiromys</i>	<i>K. raimondii</i>	TAR-21, Shapaja (Pozo Fm.), Peru	Early Oligocene	MUSM (original)	Boivin et al. 2018
<i>Protoesteiromys</i>	<i>P. medianus</i>	Cabeza Blanca and La Flecha (Sarmiento Fm.), Argentina	Late Oligocene	MACN & MNHN (original)	Ameghino 1903; Wood and Patterson 1959
	<i>P. osmodeophilus</i>	La Flecha (Sarmiento Fm.), Argentina	Late Oligocene	MNHN (original)	Wood and Patterson 1959
	<i>P. pattersoni</i>	Salla (Salla Beds), Bolivia	late Early Oligocene – Late Oligocene	MNHN-Bol, MNHN & UM (original)	Candela 2000; Pérez et al. 2018
<i>Cholamys</i>	<i>C. tetralophodonta</i>	Salla (Salla Beds), Bolivia	late Early Oligocene – Late Oligocene	UM (original)	Pérez et al. 2018
<i>Hyposteirromys</i>	<i>H. axiculatus</i>	Bryn Gwyn and Grand Barranca (also collected by Ameghino, Sarmiento Fm.), Argentina	Early Miocene	MACN (original)	Ameghino 1902; Candela 2000; Candela and Vucetich 2002; Vucetich et al. 2010b
	<i>H. nectus</i>	Gran Barranca (also collected by Ameghino, Sarmiento Fm.), Argentina	Early Miocene	MACN & MLP (original)	Ameghino 1902; Candela 2000; Candela and Vucetich 2002; Vucetich et al. 2010b
<i>Steiromys</i>	<i>S. detentus</i>	Santa Cruz Fm., Argentina	Early Miocene	MACN & MLP (original)	Ameghino 1887; Candela 2000; Candela et al. 2012; Kay et al. 2012
	<i>S. duplicatus</i>	Santa Cruz Fm., Argentina; Pampa Castillo (unnamed Fm.), Chile	Early Miocene	MACN & MLP (original)	Ameghino 1887; Candela 2000; Flynn et al. 2002; Candela et al. 2012; Kay et al. 2012
<i>Parasteiromys</i>	<i>P. uniformis</i>	Southern Cliff of Lake Colhué Huapi (Gran Barranca and also collected by Ameghino; Sarmiento Fm.), Argentina	Early Miocene	MACN & MLP (original)	Ameghino 1903, 1904; Candela 1999, 2000; Vucetich et al. 2010b
	<i>P. friantae</i>	Southern Cliff of Lake Colhué Huapi (Gran Barranca; Sarmiento Fm.), Argentina	Early Miocene	MLP (original)	Candela 1999, 2000; Vucetich et al. 2010b
<i>Eosteirromys</i>	<i>E. homogidens</i>	Bryn Gwyn and Grand Barranca (also collected by Ameghino, Sarmiento Fm.), Argentina	Early Miocene	MACN & MLP (original)	Ameghino 1902; Candela 2000; Vucetich et al. 2010b
<i>?Eosteirromys</i>	<i>?Eosteirromys</i> sp. nov.		Early Miocene		Candela 2002
<i>Branisamyopsis</i>	<i>B. australis</i>	Southern Cliff of Lake Colhué Huapi (Gran Barranca; Sarmiento Fm.), Argentina	Early Miocene	MLP & MNHN (original)	Candela 2000; Kay et al. 2012
	<i>B. praesignoides</i>	Pinturas Fm. (for the list of localities, see Kramarz, 2004), Argentina	Early Miocene	MACN (original)	Kramarz 2004
<i>?Neosteirromys</i>	<i>?Neosteirromys</i> tortillense	Cañadon de Torridio (Colón Cura Fm.), Argentina	Middle Miocene		Vucetich et al. 1993b
<i>Microsteiromys</i>	<i>M. jacobsi</i>	La Venta (Villaveja Fm.), Colombia	late Middle Miocene		Walton 1990, 1997
	cf. <i>Microsteiromys</i> sp.	Madre de Dios MD-67 (unnamed Fm.), Peru	Middle Miocene	MUSM (original)	Antoine et al. 2013
<i>Neosteirromys</i>	<i>N. pattoni</i>	Catamarca Province (Andahuala Fm.), Argentina	late Miocene		Candela 2000, 2004
	<i>N. bombifrons</i>	Andahuala Fm., Argentina	late Miocene	MACN (original)	Candela 2000, 2004
<i>Coendou</i>	<i>C. prehensilis</i>		Recent	MLP & MNHN (original)	Candela 1999
	<i>C. insidiosus</i>		Recent	MLP & MNHN (original)	
<i>Erethizon</i>	<i>E. dorsatum</i>		Recent	MNHN (original)	
<i>Chaetomys</i>	<i>C. subspinosus</i>		Recent	MHNG (pictures)	Martin 1994
<b>Chinchilloidea</b>					
<i>Eoicamys</i>	<i>E. ameghinoi</i>	Santa Rosa (Yahuarango Fm.), Peru	?Late Eocene / Early Oligocene	INGEMMET (holotype)	Frailey and Campbell 2004
	<i>E. pascuai</i>	Santa Rosa (Yahuarango Fm.), Peru	?Late Eocene / Early Oligocene	INGEMMET (holotype)	Frailey and Campbell 2004
	<i>E. cf. pascuai</i>	TAR-01, Shapaja (Pozo Fm.), Peru	Early Oligocene	MUSM (original)	Boivin et al. 2018
	<i>E. valverdei</i>	TAR-13, TAR-20-22, Shapaja (Pozo Fm.), Peru	Early Oligocene	MUSM (original)	Boivin et al. 2018
	<i>E. parvus</i>	TAR-20-22, Shapaja (Pozo Fm.), Peru	Early Oligocene	MUSM (original)	Boivin et al. 2018
<i>?Eoicamys</i>	<i>?Eoicamys</i> sp.	TAR-13, Shapaja (Pozo Fm.), Peru	Early Oligocene	MUSM (original)	Boivin et al. 2018
<i>Loncolicu</i>	<i>L. treses</i>	Cabeza Blanca (Sarmiento Fm.), Argentina	Late Oligocene	UM (cast)	Vucetich et al. 2015
<i>Sotomys</i>	<i>S. antiquus</i>	Cabeza Blanca and La Flecha (Sarmiento Fm.), Argentina	Late Oligocene		Loomis 1914; Wood and Patterson 1959
<i>Incams</i>	<i>I. merrinorum</i>	Cabeza Blanca (Sarmiento Fm.), Argentina	Late Oligocene	UM (cast)	Vucetich et al. 2015
	<i>I. bolivianus</i>	Salla (Salla Beds), Bolivia	late Early Oligocene – Late Oligocene	MNHN-Bol, MNHN & UM (original)	Hoffstetter and Lavocat 1970; Lavocat 1976; Patterson and Wood 1982
<i>Chambiramy</i>	<i>C. shipboron</i>	Contamana CTA-32 (Chambira Fm.), Peru	Late Oligocene	MUSM (original)	Boivin et al. 2017b
	<i>C. sylvaticus</i>	Contamana CTA-61 (Chambira Fm.), Peru	Late Oligocene	MUSM (original)	Boivin et al. 2017b
<i>Maquiamys</i>	<i>M. praecursor</i>	Contamana CTA-61 (Chambira Fm.), Peru	Late Oligocene	MUSM (original)	Boivin et al. 2017b
<i>Eoviscacia</i>	<i>E. frassinetti</i>	Tinguiririca Termas del Flaco (Abanico Fm.), Chile	Early Oligocene		Wyss et al. 1993; Bertrand et al. 2012
	<i>E. boliviana</i>	Lacayani (unnamed Fm.), Bolivia	Oligocene - Miocene boundary	MNHN (original)	Vucetich 1989
	<i>E. australis</i>	Sarmiento Fm., Chichinales Fm. and Cerro Bandera Fm., Argentina (for the list of localities, see Vucetich et al., 2010b)	Early Miocene	MACN (original)	Vucetich 1989; Kramarz 2001b; Vucetich et al. 2010b
<i>Garrimomy</i>	<i>G. cumunuguem</i>	near Banda Negra (Cerro Bandera Formation), Argentina	Early Miocene		Kramarz et al. 2013
<i>Soleromy</i>	<i>S. quadrangulatus</i>	Pinturas Fm. (for the list of localities, see Kramarz, 2006), Argentina	late Early Miocene	MACN & MLP (original)	Kramarz 2006
	<i>S. angustus</i>	Santa Cruz Fm., Argentina	late Early Miocene	MACN (original)	Ameghino 1887
	<i>S. osbornianus</i>	Santa Cruz Fm. and Pinturas Fm., Argentina	late Early Miocene	MACN (original)	Ameghino 1894; Kramarz 2006
<i>Perimys</i>	<i>P. intermedius</i>	Pinturas Fm. (for the list of localities, see Kramarz, 2006), Argentina	late Early Miocene		
<i>Drytomomy</i>	<i>D. aequatorialis</i>	near the hacienda de Señor Carrasco (near Nabon), Equador; La Venta (Villaveja Fm.), Colombia	late Middle Miocene		Anthony 1922; Fields 1957; Walton 1997; Candela and Nasif 2006
	<i>D. typicus</i>	Ituzaingo Fm., Argentina	Late Miocene		Ameghino 1889; Candela and Nasif 2006
<i>Microscleromy</i>	<i>M. paradoxalis</i>	La Venta (Villaveja Fm.), Colombia	late Middle Miocene		Walton 1990, 1997
	<i>M. cribrifidus</i>	La Venta (Villaveja Fm.), Colombia	late Middle Miocene		Walton 1990, 1997
<i>Potamarchus</i>	<i>P. murinus</i>	Solimoes Fm. (for the list of localities, see Kerber et al., 2016), Brazil	Late Miocene		Kerber et al. 2016
<i>Neopoblema</i>	<i>N. ambrossetianus</i>	Niterói locality (Solimoes Fm.), Brazil	Late Miocene	UFAC (original)	Kerber et al. 2017
	<i>N. horridula</i>	Talismã and Cachoira do Bandeiro localities (Solimoes Fm.), Brazil	Late Miocene	UFAC (original)	Kerber et al. 2017
<i>Chinchilla</i>	<i>C. langena</i>		Recent	MLP (original)	
<i>Lagidium</i>	<i>L. viscacia</i>		Recent	MLP & MNHN (original)	
<i>Lagostomus</i>	<i>L. maximus</i>		Recent	MLP & MNHN (original)	
<i>Dinomys</i>	<i>D. branickii</i>		Recent	MNHN (original)	
<b>Caviioidea</b>					
<i>Andemys</i>	<i>A. temasi</i>	Tinguiririca Termas del Flaco (Abanico Fm.), Chile	Early Oligocene		Bertrand et al. 2012
<i>Chubutomys</i>	<i>C. simpsoni</i>	Cabeza Blanca, La Flecha, and Punta Nava (Sarmiento Fm.) and Cerro Pico Truncado, Argentina	Late Oligocene		Wood and Patterson 1959; Pérez et al. 2012, 2018
	<i>C. navaensis</i>	Punta Nava (Sarmiento Fm.), Argentina	Late Oligocene		Pérez et al. 2012
<i>Branisamys</i>	<i>B. lurbayensis</i>	Salla (Salla Beds), Bolivia	late Early Oligocene – Late Oligocene	MNHN-Bol, MNHN & UM (original)	Hoffstetter and Lavocat 1970; Lavocat 1976; Patterson and Wood 1982
<i>Australoprocta</i>	<i>A. fleagei</i>	Bryn Gwyn, Sacanana (Sarmiento Fm.) and Paso Córdoba (Chichinales Fm.), Argentina	Early Miocene		Kramarz 1998; Vucetich et al. 2010b
<i>Neoreomys</i>	<i>N. pinturenensis</i>	Gran Barranca (Sarmiento Fm.) and Carmen Lower and Potezueto Sumich Norte (Pinturas Fm.), Argentina	Early Miocene		Kramarz 2006; Kramarz et al. 2010
	<i>N. australis</i>	Santa Cruz Fm. and Pinturas Fm. (for the list of localities, see Kramarz 2006), Argentina; Pampa Castillo (unnamed Fm.), Chile	late Early Miocene	MACN & MLP (original)	Ameghino 1887; Flynn et al. 2002; Kramarz 2006; Candela et al. 2012; Kay et al. 2012
<i>Luanus</i>	<i>L. propheticus</i>	Pinturas Fm. (for the list of localities, see Kramarz, 2006), Argentina	late Early Miocene		Kramarz 2006
<i>Dasyprocta</i>	<i>D. sp.</i>		Recent	MLP & UM (original)	
<i>Cuniculus</i>	<i>C. paca</i>		Recent	UM (original)	
	<i>C. taczanowski</i>		Recent	UM (original)	
	<i>C. aperea</i>		Recent	MLP (original)	
<i>Cavia</i>	<i>C. spixii</i>		Recent	MNHN (original)	
<i>Galea</i>	<i>G. patagonum</i>		Recent	UM (original)	
<i>Dolichotis</i>	<i>D. patagonum</i>		Recent	UM (original)	
<i>Hydrochoerus</i>	<i>H. hydrochaeris</i>		Recent	MLP & MNHN (original)	
<b>Incertae sedis extinct superfamily</b>					
<i>Litodontomys</i>	<i>L. chubutomys</i>	Cabeza Blanca (Sarmiento Fm.), Argentina	Late Oligocene		Loomis 1914; Wood and Patterson 1959
<i>Cephalomys</i>	<i>C. arciferus</i>	Cabeza Blanca and La Flecha (Sarmiento Fm.), Argentina	Late Oligocene	MNHN (original)	Ameghino 1897; Wood and Patterson 1959
	<i>C. pleus</i>	Cabeza Blanca and La Flecha (Sarmiento Fm.), Argentina	Late Oligocene		Ameghino 1897; Wood and Patterson 1959
	<i>C. caelae</i>	Cabeza Blanca (Sarmiento Fm.), Argentina	Late Oligocene	UM (cast)	Vucetich et al. 2015
<i>Asteromys</i>	<i>A. punctus</i>	Cabeza Blanca, Laguna de los Machos, and Punta Nava (Sarmiento Fm.), Argentina	Late Oligocene	MACN (original)	Ameghino 1887; Wood and Patterson 1959; Pérez and Vucetich 2012; Pérez et al. 2018
<i>*Asteromys*</i>	<i>*A. bolivianus</i>	Salla (Salla Beds), Bolivia	late Early Oligocene – Late Oligocene	MNHN-Bol, MNHN & UM (original)	Lavocat 1976; Patterson and Wood 1982; Pérez et al. 2018
<i>Banderomys</i>	<i>B. leanzai</i>	Cerro Bandera Fm. and La Estrella (Sarmiento Fm.), Argentina	Early Miocene		Kramarz 2005; Busker et al. 2017
<i>Soriomys</i>	<i>S. gaimanensis</i>	Bryn Gwyn (Sarmiento Fm.), Argentina	Early Miocene		Kramarz 2001c; Vucetich et al. 2010b
	<i>S. ganganensis</i>	Pampa de Gan Gan/Sacanana (Sarmiento Fm.), Argentina	Early Miocene		Kramarz 2001c; Vucetich et al. 2010b

Fm., Formation; INGEMMET, Instituto Geológico Minero y Metalúrgico, Lima; MACN, Museo Argentino de Ciencias Naturales, Buenos Aires; MLP, Museo de Ciencias Naturales de La Plata; MUSM, Museo de Historia Natural de la Universidad Nacional Mayor San Marcos, Lima; MNHN-Bol, Museo Nacional de Historia Natural, La Paz, Bolivia; MNHN, Musée National d'Histoire Naturelle, Paris; UFAC, Laboratorio de Pesquisa Paleontológica, Universidad Federal do Acre; UM, Université de Montpellier.

## References:

- Ameghino F. 1887. Enumeración sistemática de las especies de mamíferos fósiles coleccionados por Carlos Ameghino en los terrenos eocenos de Patagonia austral y depositados en el museo de La Plata. *Bol Mus La Plata*. 1:1–26.
- Ameghino F. 1889. Contribución al conocimiento de los mamíferos fósiles de la República Argentina. *Bol. Acad. nac. cienc.* 6:1–1027.
- Ameghino F. 1894. Énumération synoptique des espèces de mammifères fossiles des formations éocènes de Patagonie. *Bol. Acad. nac. cienc.* 13:259–455.
- Ameghino F. 1897. Mamíferos Cretáceos de la Argentina. Segunda contribución al conocimiento de la fauna mastológica de las capas con restos de *Pyrotherium*. *Bol acad arg.* 18:406–521.
- Ameghino F. 1902. Première contribution à la connaissance de la faune mammalogique des couches à Colpodon. *Bol. Acad. nac. cienc.* 17:71–138.
- Ameghino F. 1903. Los diprotodontes del orden de los plagiulacoideos y el origen de los roedores y de los polimastodontes. *Ann Mus Nac Hist Nat Buenos Aires.* 9:81–192.
- Ameghino F. 1904. Nuevas especies de mamíferos cretáceos y terciarios de la República Argentina. *A Soc Cien Arg.* 58:35–41, 56–71, 182–192, 225–292.
- Anthony HE. 1922. A new fossil rodent from Ecuador. *Am Mus Novit.* 35:1–4.
- Antoine P-O, Marivaux L, Croft DA, Billet G, Ganerød M, Jaramillo C, Martin T, Orliac MJ, Tejada-Lara J, Altamirano AJ, Duranthon F, Fanjat G, Rousse S, Salas-Gismondi R. 2012.

Middle Eocene rodents from Peruvian Amazonia reveal the pattern and timing of caviomorph origins and biogeography. *Proc. R. Soc. B.* 279:1319–1326.

Antoine P-O, Roddaz M, Brichau S, Tejada-Lara J, Salas-Gismondi R, Altamirano AJ, Louterbach M, Lambs L, Otto T, Brusset S. 2013. Middle Miocene vertebrates from the Amazonian Madre de Dios Subandean Zone, Perú. *J S Am Earth Sci.* 42:91–102.

Arnal M, Kramarz AG. 2011. First complete skull of an octodontoid (Rodentia, Caviomorpha) from the Early Miocene of South America and its bearing in the early evolution of Octodontoidea. *Geobios.* 44:435–444.

Arnal M, Pérez ME. 2013. A new acaremyid rodent (Hystricognathi: Octodontoidea) from the Middle Miocene of Patagonia (South America) and considerations on the early evolution of Octodontoidea. *Zootaxa.* 3616:119–34.

Arnal M, Vucetich MG. 2011. First record of supernumerary teeth in South American fossil rodents. *J Vert Paleontol.* 31:925–927.

Arnal M, Vucetich MG. 2015. Revision of the fossil rodent *Acaremys* Ameghino, 1887 (Hystricognathi, Octodontoidea, Acaremyidae) from the Miocene of Patagonia (Argentina) and the description of a new acaremyid. *Hist Biol.* 27:42–59.

Arnal M, Kramarz AG, Vucetich MG, Vieytes EC. 2014. A new early Miocene octodontoid rodent (Hystricognathi, Caviomorpha) from Patagonia (Argentina) and a reassessment of the early evolution of Octodontoidea. *J Vert Paleontol.* 34:397–406.

Arnal M, Vucetich MG, Croft DA, Bargo MS, Fernicola JC, Vizcaíno SF. 2017. Systematic revision and evolutionary history of *Acarechimys* Patterson in Kraglievich, 1965 (Rodentia, Caviomorpha, Octodontoidea). *Ameghiniana.* 54:307–330.

Bertrand OC, Flynn JJ, Croft DA, Wyss AR. 2012. Two new taxa (Caviomorpha, Rodentia) from the Early Oligocene Tinguiririca fauna (Chile). *Am Mus Novit.* (3750):1–36.

Boivin M, Marivaux L, Orliac MJ, Pujos F, Salas-Gismondi R, Tejada-Lara JV, Antoine P-O. 2017a. Late middle Eocene caviomorph rodents from Contamana, Peruvian Amazonia. *Palaeontol Electron.* 20.1.19A:1–50.

Boivin M, Marivaux L, Candela AM, Orliac MJ, Pujos F, Salas-Gismondi R, Tejada-Lara JV, Antoine P-O. 2017b. Late Oligocene caviomorph rodents from Contamana, Peruvian Amazonia. *Pap Palaeontol.* 3:69–109.

Boivin M, Marivaux L, Pujos F, Salas-Gismondi R, Tejada-Lara JV, Varas-Malca R, Antoine P-O. 2018. Early Oligocene caviomorph rodents from Shapaja, Peruvian Amazonia. *Palaeontogr Abt A.* 311. DOI: 10.1127/pala/2018/0075.

Bordas AF. 1939. Diagnósis sobre algunos mamíferos de las capas con *Colpodon*. *Physis.* 14:413–433.

Bruijn H de, Ünay E, Saraç G, Yılmaz A. 2003. A rodent assemblage from the Eo/Oligocene boundary interval near Süngülü, Lesser Caucasus, Turkey. In: López-Martínez N, Peláez-Campomanes P, Henández Fernández M, editors. *Coloquios de Paleontología. En honor al Dr. Remmert Daams. Surrounding fossil mammals: dating, evolution and paleoenvironment*. Madrid: Facultad de Ciencias Geológicas Departamento de Paleontología; p. 47–76.

Busker F, Pérez ME, Krause JM, Vucetich MG. 2017. First record of *Banderomys leanzai* Kramarz, 2005 (Rodentia, Caviomorpha) in Chubut Province, Patagonia (Argentina). *Rev Mus Argent Cienc Nat.* 19 nueva serie:121–129.

Candela AM. 1999. The evolution of the molar pattern of the Erethizontidae (Rodentia, Hystricognathi) and the validity of *Parasteiromys* Ameghino, 1904. *Palaeovertebrata* 28:53–73.

Candela AM. 2000. Los Erethizontidae (Rodentia, Hystricognathi) fósiles de Argentina. Sistemática e historia evolutiva y biogeográfica. Unpublished PhD thesis, Universidad Nacional de La Plata.

Candela AM. 2002. Lower deciduous tooth homologies in Erethizontidae [Rodentia, Hystricognathi]: evolutionary significance. *Acta Palaeontol Pol.* 47:717–723.

Candela AM. 2003. A new porcupine (Rodentia, Erethizontidae) from the Early and Middle Miocene of Patagonia. *Ameghiniana.* 40:483–494.

Candela AM. 2004. A New Giant Porcupine (Rodentia, Erethizontidae) from the Late Miocene of Argentina. *J Vert Paleontol.* 24:732–741.

Candela AM, Nasif NL. 2006. Systematics and biogeographic significance of *Drytomomys typicus* (Scalabrini in Ameghino, 1889) nov. comb., a Miocene Dinomyidae (Rodentia, Hystricognathi) from Northeast of Argentina. *Neues Jahrb Geol Paläontol.* 3:165–181.

Candela AM, Vucetich MG. 2002. *Hypsosteiromys* (Rodentia, Hystricognathi) from the Early Miocene of Patagonia (Argentina), the only Erethizontidae with a tendency to hypsodonty. *Geobios.* 35:153–161.

Candela AM, Rasia LL, Pérez ME. 2012. Early Miocene Paleobiology in Patagonia: Paleobiology of Santacrucian caviomorph rodents: a morphofunctional approach. In: Vizcaíno SF, Kay RF, Bargo MS, editors. *Early Miocene Paleobiology in Patagonia.* Cambridge: Cambridge University Press, p. 287–305.

Coster PMC, Beard KC, Salem MJ, Chaimanee Y, Brunet M, Jaeger J-J. 2015. A new early Oligocene mammal fauna from the Sirt Basin, central Libya: biostratigraphic and paleobiogeographic implications. *J Afr Earth Sci.* 104:43–55.

Croft DA, Chick JM, Anaya F. 2011. New Middle Miocene caviomorph rodents from Quebrada Honda, Bolivia. *J Mamm Evol.* 18:245–268.

Dawson MR, Li C-K, Qi T. 1984. Eocene ctenodactyloid rodents (Mammalia) of eastern central Asia. *Ann Carnegie Mus.* 9 Special Publication:138–150.

Fields RW. 1957. Hystricomorph rodents from the Late Miocene of Colombia, South America. *Univ Calif publ geol.* 32:273–404.

Flynn JJ, Jacobs LL, Cheema IU. 1986. Baluchimyinae, a new ctenodactyloid rodent subfamily from the Miocene of Baluchistan. *Am Mus Novit.* 2841:1–58.

Flynn JJ, Novacek MJ, Dodson HE, Frassinetti D, Mckenna MC, Norell MA, Sears KE, Swisher CC III, Wyss AR. 2002. A new fossil mammal assemblage from the southern Chilean Andes: implications for geology, geochronology, and tectonics. *J S Am Earth Sci.* 15:285–302.

Frailey CD, Campbell KE. 2004. Paleogene rodents from Amazonian Peru: the Santa Rosa local fauna. In: Campbell KE, editor. *The Paleogene Mammalian Fauna of Santa Rosa, Amazonian Peru.* Natural History Museum of Los Angeles County, Science Series 40; p. 71–130.

Jaeger J-J, Denys C, Coiffait B. 1985. New Phiomorpha and Anomaluridae from the late Eocene of North-West Africa: phylogenetic implications. In: Lockett WP, Hartenberger J-L,

editors. *Evolutionary Relationships among Rodents, a Multidisciplinary Analysis*. New York: Springer US; p. 567–588.

Jaeger J-J, Marivaux L, Salem M, Bilal AA, Chaimanee Y, Marandat B, Valentin X, Düringer P, Schuster M, Benammi M, Métais E, Brunet M. 2010. New rodent assemblages from the Eocene Dur at-Talah escarpment (Sahara of Central Libya): systematic, biochronologic and paleobiogeographic implications. *Zool J Linn Soc.* 160:195–213.

Hoffstetter R, Lavocat R. 1970. Découverte dans le Déséadien de Bolivie des genres pentalophodontes appuyant les affinités africaines des rongeurs caviomorphes. *C R Acad Sci.* 271:172–175.

Hussain ST, Bruijn H de, Leinders JM. 1978. Middle Eocene Rodents from the Kala Chitta Range (Punjab, Pakistan). *Palaeontology.* 81:101–112.

Kay BRF, Vizcaíno SF, Bargo MS. 2012. A review of the paleoenvironment and paleoecology of the Miocene Santa Cruz Formation. In: Vizcaíno SF, Kay RF, Bargo MS, editors. *Early Miocene Paleobiology in Patagonia*. Cambridge: Cambridge University Press; p. 331–365.

Kerber L, Mayer EL, Ribeiro AM, Vucetich MG. 2016. Late Quaternary caviomorph rodents (Rodentia: Hystricognathi) from the Serra da Capivara, northeastern Brazil, with description of a new taxon. *Hist Biol.* 28:439–458.

Kerber L, Negri FR, Ribeiro AM, Nasif N, Souza-Filho JP, Ferigolo J. 2017. Tropical fossil caviomorph rodents from the southwestern Brazilian Amazonia in the context of the South American faunas: systematics, biochronology, and paleobiogeography. *J Mamm Evol.* 24:57–70.

- Kramarz AG. 1998. Un nuevo dasyproctidae (Rodentia, Caviomorpha) del Mioceno inferior de Patagonia. *Ameghiniana*. 35:181–192.
- Kramarz AG. 2001a. Un nuevo roedor Adelphomyinae (Hystricognathi, Echimyidae) del Mioceno Medio-Inferior de Patagonia, Argentina. *Ameghiniana*. 38:163–168.
- Kramarz AG. 2001b. Registro de *Eoviscaccia* (Rodentia, Chinchillidae) en estratos colhuehuapenses de Patagonia, Argentina. *Ameghiniana*. 38:237–242.
- Kramarz AG. 2001c. Revision of the family Cephalomyidae (Rodentia, Caviomorpha) and new cephalomyids from the Early Miocene of Patagonia. *Palaeovertebrata*. 30:51–88.
- Kramarz AG. 2004. Octodontoids and erethizontoids (Rodentia, Hystricognathi) from the Pinturas Formation, Early-Middle Miocene of Patagonia, Argentina. *Ameghiniana*. 41:199–216.
- Kramarz AG. 2005. A primitive cephalomyid hystricognath rodent from the early Miocene of northern Patagonia, Argentina. *Acta Palaeontol Pol*. 50:249–258.
- Kramarz AG. 2006. *Neoreomys* and *Scleromys* (Rodentia, Hystricognathi) from the Pinturas Formation, late Early Miocene of Patagonia, Argentina. *Rev Mus Argent Cienc Nat*. 8:53–62.
- Kramarz AG, Vucetich MG, Carlini AA, Ciancio MR, Abello MA, Deschamp CM, Gelfo JN. 2010. A new fauna at the top of the Gran Barranca sequence and its biochronological significance. In: Madden RH, Carlini AA, Vucetich MG, Kay RF, editors. *The Paleontology of Gran Barranca, Evolution and Environmental Change through the Middle Cenozoic of Patagonia*. Cambridge: Cambridge University Press; p. 264–277.

Kramarz AG, Vucetich MG, Arnal M. 2013. A new Early Miocene chinchilloid hystricognath rodent; an approach to the understanding of the early chinchillid dental evolution. *J Mamm Evol.* 20:249–261.

Lavocat R. 1973. Les rongeurs du Miocène d’Afrique orientale. 1. Miocène inférieur. Mémoires et Travaux E.P.H.E. de l’Institut de Montpellier.

Lavocat R. 1976. Rongeurs caviomorphes de l’Oligocène de Bolivie. Rongeurs du bassin déséadien de Salla. *Palaeovertebrata.* 7:15–90.

Leidy J. 1871. Notice of some extinct rodents. *Proc Acad Nat Sci Phila.* 22:230–232.

Li CK, Zheng JJ, Ting S. Y. 1989. The skull of *Cocomys linchaensis*, an early Eocene ctenodactyloid rodent of Asia. In: Black CC, Dawson MR, editors. *Papers on Fossil Rodents, in honor of Albert Elmer Wood.* Los Angeles: Natural History Museum; p. 179–192.

Loomis FB. 1914. *The Deseado Formation of Patagonia.* New Hampshire: Rumford Press, Concord.

Marivaux L, Welcomme J-L. 2003. New diatomyid and baluchimyine rodents from the Oligocene of Pakistan (Bugti Hills, Balochistan): systematic and paleobiogeographic implications. *J Vert Paleontol.* 23:420–434.

Marivaux L, Benammi M, Ducrocq S, Jaeger J-J, Chaimanee Y. 2000. A new baluchimyine rodent from the Late Eocene of the Krabi Basin (Thailand): palaeobiogeographic and biochronologic implications. *C R Acad Sci.* 331:427–433.

Marivaux L, Welcomme J-L, Vianey-Liaud M, Jaeger J-J. 2002. The role of Asia in the origin and diversification of hystricognathous rodents. *Zool Scr.* 31:225–239.

- Martin T. 1994. On the systematic position of *Chaetomys subspinosus* (Rodentia: Caviomorpha) based on evidence from the incisor enamel microstructure. *J Mamm Evol.* 2:117–131.
- Meng J, Wyss AR. 2001. The morphology of *Tribosphenomys* (Rodentiaformes, Mammalia): phylogenetic implications for basal Glires. *J Mamm Evol.* 8:1–71.
- Meng J, Li C, Beard KC, Gebo DL, Wang Y, Wang H. 2007a. New material of Alagomyidae (Mammalia, Glires) from the late Paleocene Subeng Locality, Inner Mongolia. *Am Mus Novit.* (3597):1–29.
- Meng J, Li C, Ni X, Wang Y, Beard KC. 2007b. A new Eocene rodent from the Lower Arshanto Formation in the Nuhetingboerhe (Camp Margetts) area, Inner Mongolia. *Am Mus Novit.* (3569):1–18.
- Patterson B, Pascual R. 1968. New echimyid rodents from the Oligocene of Patagonia, and a synopsis of the family. *Breviora.* 301:1–14.
- Patterson B, Wood AE. 1982. Rodents from the Deseadan Oligocene of Bolivia and the relationships of the Caviomorpha. *Bull Mus Comp Zool.* 149:371–543.
- Pérez ME, Vucetich MG. 2012. *Asteromys punctus* Ameghino (Rodentia, Hystricognathi, Cavoioidea) from the Late Oligocene of Patagonia (Argentina) and the early evolution of Cavoioidea sensu stricto. *Ameghiniana.* 49:118–125.
- Pérez ME, Krause M, Vucetich MG. 2012. A new species of *Chubutomys* (Rodentia, Hystricognathi) from the late Oligocene of Patagonia and its implications on the early evolutionary history of Cavoioidea sensu stricto. *Geobios.* 45:573–580.

Pérez ME, Arnal M, Boivin M, Vucetich MG, Candela A, Busker F, Mamani Quispe B. New caviomorph rodents from the Late Oligocene of Salla, Bolivia: taxonomic, chronological, and biogeographic implications in the Deseadan faunas of South America. *J Syst Palaeontol*. DOI: [10.1080/14772019.2018.1471622](https://doi.org/10.1080/14772019.2018.1471622).

Sallam HM, Seiffert ER, Steiper ME, Simons EL. 2009. Fossil and molecular evidence constrain scenarios for the early evolutionary and biogeographic history of hystricognathous rodents. *Proc Natl Acad Sci USA*. 106:16722–16727.

Sallam HM, Seiffert ER, Simons EL. 2011. Craniodental morphology and systematics of a new family of hystricognathous rodents (Gaudeamuridae) from the Late Eocene and Early Oligocene of Egypt. *PLoS One*. 6, e16525.

Sallam HM, Seiffert ER, Simons EL. 2012. A basal phiomorph (Rodentia, Hystricognathi) from the Late Eocene of the Fayum Depression, Egypt. *Swiss J Palaeontol*. 131:283–301.

Shockey BJ, Salas-Gismondi R, Gans PB, Jeong A, Flynn JJ. 2009. Paleontology and geochronology of the Deseadan (late Oligocene) of Moquegua, Peru. *Am Mus Novit*. (3668):1–24.

Vucetich MG. 1989. Rodents (Mammalia) of the Lacayani fauna revisited (Deseadan, Bolivia). Comparison with new Chinchillidae and Cephalomyidae from Argentina. *Bull. Mus. Natl. Hist. Nat. Paris*, 4:233–247.

Vucetich MG, Bond M. 1984. Un nuevo Octodontoidea (Rodentia, Caviomorpha) del Oligoceno tardío de la provincia de Chubut (Argentina). *Ameghiniana*. 21:105–114.

Vucetich MG, Kramarz AG. 2003. New Miocene rodents of Patagonia (Argentina) and their bearing in the early radiation of the octodontoids (Hystricognathi). *J Vert Paleontol.* 23:435–444.

Vucetich MG, Ribeiro AM. 2003. A new and primitive rodent from the Tremembé Formation (Late Oligocene) of Brazil, with comments on the morphology of the lower premolars of caviomorph rodents. *Rev Bras Paleontolog.* 5:73–82.

Vucetich MG, Verzi DH. 1991. Un nuevo Echimyidae (Rodentia, Hystricognathi) de la edad Colhuehuapense de Patagonia y consideraciones sobre la sistemática de la familia. *Ameghiniana.* 28:67–74.

Vucetich MG, Verzi DH. 1994. Las homologías en los diseños oclusales de los roedores Caviomorpha: un modelo alternativo. *Mastozool neotrop.* 1:61–72.

Vucetich MG, Verzi DH. 1996. A peculiar octodontoid (Rodentia, Caviomorpha) with terraced molars from the Lower Miocene of Patagonia (Argentina). *J Vert Paleontol.* 16:297–302.

Vucetich MG, Vieytes EC. 2006. A Middle Miocene primitive octodontoid rodent and its bearing on the early evolutionary history of the Octodontoidea. *Palaeontogr Abt A.* 27:81–91.

Vucetich MG, Verzi DH, Dozo MT. 1992. El ‘status’ sistemático de *Gaimanomys alwinea* (Rodentia, Caviomorpha, Echimyidae). *Ameghiniana.* 29:85–86.

Vucetich MG, Souza Cunha FL de, Alvarenga HMF de. 1993a. Un Roedor Caviomorpha de la Formación Tremembé (Cuenca de Taubaté), Estado de Sao Paulo, Brasil. *An Acad Bras Ciênc.* 65:247–251.

Vucetich MG, Mazzoni MM, Pardiñas UFJ. 1993b. Los roedores de la Formación Collón Cura (Mioceno Medio), y la ignimbrita Pilcaniyeu. Cañadón del Tordillo, Neuquen. *Ameghiniana*. 30:361–381.

Vucetich MG, Vieytes EC, Pérez ME, Carlini AA. 2010a. The rodents from La Cantera and the early evolution of caviomorphs in South America. In: Madden RH, Carlini AA, Vucetich MG, Kay RF, editors. *The Paleontology of Gran Barranca, Evolution and Environmental Change through the Middle Cenozoic of Patagonia*. Cambridge: Cambridge University Press; p. 189–201.

Vucetich MG, Kramarz AG, Candela AM. 2010b. Colhuehuapian rodents from Gran Barranca and other Patagonian localities: the state of the art. In: Madden RH, Carlini AA, Vucetich MG, Kay RF, editors. *The Paleontology of Gran Barranca, Evolution and Environmental Change through the Middle Cenozoic of Patagonia*. Cambridge: Cambridge University Press; p. 206–219.

Vucetich MG, Dozo MT, Arnal M, Pérez ME. 2015. New rodents (Mammalia) from the Late Oligocene of Cabeza Blanca (Chubut) and the first rodent radiation in Patagonia. *Hist Biol*. 27:236–257.

Walton AH. 1990. Rodents of the La Venta Fauna, Miocene, Colombia: biostratigraphy and paleoenvironmental implications. Unpublished Ph.D. Thesis, Southern Methodist University, Dallas, USA.

Walton AH. 1997. Rodents. In: Kay RF, Madden RH, Cifelli RL, Flynn JJ, editors. *Vertebrate paleontology in the Neotropics. The Miocene Fauna of La Venta, Colombia*. Washington and London: Smithsonian Institution Press; p. 392–409.

Wood AE. 1949. A new Oligocene rodent genus from Patagonia. *Am Mus Novit.* (1435):1–54.

Wood AE. 1962. The early Tertiary rodents of the family Paramyidae. *Trans Am Philos Soc.* 52:1–261.

Wood AE. 1968. Early Cenozoic mammalian faunas, Fayum Province, Egypt, Part II: the African Oligocene Rodentia. *Peabody Mus Nat Hist.* 28:23–105.

Wood AE, Patterson B. 1959. The rodents of the Deseadan Oligocene of Patagonia and the beginnings of South American rodent evolution. *Bull Mus Comp Zool.* 120:281–428.

Wyss AR, Flynn JJ, Norell MA, Swisher CC III, Charrier R, Novacek MJ, McKenna MC. 1993. South America's earliest rodent and recognition of a new interval of mammalian evolution. *Nature.* 365:434–437.