

REFERENCES

- Ashworth, A. C., 1996. The response of arctic Carabidae (Coleoptera) to climate change based on the fossil record of the Quaternary Period. *Annales Zoologici Fennici* Vol. 33, pp. 125-131.
- Ashworth, A. C., 2001, Chapter 8: Perspectives on Quaternary Beetles and Climate Change. In (L. C. Gerhard, W. E. Harrison, and B. M. Hanson, eds.), 153- 168, *Geological Perspectives of Global Climate Change. American Association of Petroleum Geologists Studies in Geology #47*, Tulsa, Oklahoma.
- Baker, F. C. 1920. The life of the Pleistocene or glacial period. University of Illinois Museum of Natural History Contribution No. 7, 476 pp.
- Baker, R. G.; Rhodes, R. S., II; Schwert, D. P.; Ashworth, A. C.; Frest, T. J.; Hallberg, G. R.; Janssens, J. A.; 1986, A full-glacial biota from southeastern Iowa, USA, *Journal of Quaternary Science*, Vol. 1, pp. 91-107.
- Baker, R.G., Mason, J.A., and Maher, L.J., Jr. 1999. Petaloid organs preserved in an Arctic plant macrofossil assemblage from full-glacial sediments in southeastern Minnesota. *Quaternary Research* 52:388-392.
- Barthel, M. and J.C. Nekola. 2000. Scanning-electron microscope imaging of minute land snails of Minnesota. Final report submitted to the Natural Heritage and Nongame Research Program, Minnesota Department of Natural Resources.
- Birks, H.J.B. 1976. Late-Wisconsinan vegetational history at Wolf Creek, central Minnesota. *Ecological Monographs*, 46, 395-429.
- Bequart, J.C and W.B. Miller. 1973. The Molluscs of the Arid Southwest. University of Arizona Press, Tucson Arizona.
- Bettis, E.A., III; and Hallberg, G.R. 1985. The Savanna (Zwingle) Terrace and “red clays” in the Upper Mississippi River valley: stratigraphy and chronology. p. 41-43, in R.S. Lively, coord., *Pleistocene geology and evolution of the upper Mississippi Valley: A working conference, abstracts, and field Guide*. Minnesota Geological Survey, St. Paul.
- Bettis, E.A., III; Muhs, D.R.; Roberts, H.M.; Wintle, A.G. 2003. Last Glacial loess in the conterminous USA. *Quaternary Science Reviews*, Vol. 22, pp. 1907-1946.
- Bettis, E.A., III; Benn, D.W.; Hajic, E.R. 2008. Landscape evolution, alluvial architecture, environmental history, and the archaeological record of the Upper Mississippi River Valley. *Geomorphology*, 101, pp. 362-377.

- Black, R. F., 1969, Slopes in southwestern Wisconsin, U.S.A. *Biuletyn Peryglacjalny*, v. 18, p. 69–82.
- Blackwell, B.A.B.; Last, W.M.; and Rutter, N.W. 2000. Biogeochemical diagenesis in recent mammalian bones from saline lakes in western Victoria, Australia, *in* Goodfriend, G., Collins, M., Fogel, M., Macko, S., and Wehmiller, J., eds., *Perspectives in Amino Acid and Protein Geochemistry*: Oxford University Press, New York, 88-107.
- Bonuso, N.; and Bottjer, D.J. 2006. A quantitative study of benthic faunal patterns within the Pennsylvanian and early Permian. *Palaios*, Vol. 21, pp. 316-324.
- Brown, B.A. 1988. Bedrock geology of Wisconsin: West-central sheet: Wisconsin Geological and Natural History Map 88-7, scale 1:250,000
- Burch, J.B., 1962, How to Know the Eastern Land Snails, W.B. Brown, Dubuque, Iowa, 214 pp.
- Busaca, A.J., Begét, J.E., Markewich, H.W., Muhs, E.R., Lancaster, N., and Sweeney, M.R. 2004. Eolian Sediments. In: *The Quaternary Period of the United States*, eds. Gillespe, A.R., Porter, S.C., Atwater, B.F. Elsevier, B.V. Amsterdam, pp. 275-309.
- Carroll, M.; Kowalewski, M.; Simoes, M.G., Goodfriend, G.A. 2003. Quantitative estimates of time averaging in terebratulid brachiopod shell accumulations from a modern tropical shelf. *Paleobiology*, Vol. 29, pp. 381-402.
- Chamberlin, T.C., and Salisbury, R.D. 1885. Preliminary paper on the Driftless Area of the Upper Mississippi Valley. United States Geological Survey 6th Annual Report, pp. 199-322.
- Cater, S.P. 1990. The stratification and taphonomy of shells in calcareous soils: implications for land snail analysis in archaeology. *Journal of Archaeological Science*, Vol. 17, pp. 495-507.
- Child, A.M.; Gillard, R.D.; and Pollard, A.M. 1993. Microbially-induced Propotion of Amino Acid Racemization in Bone: Isolation of the Microorganisms and the Detection of Their Enzymes. *Journal of Archaeological Science*, Vol. 20, pp. 159-168.
- Clayton, L., Attig, J.W., Mickelson, D.M. 2001. Effects of late Pleistocene Permafrost on the landscape of Wisconsin, USA. *Boreas*, 30: pp. 173-188.
- Cohen, A.S. 1989. The taphonomy of gastropod shell accumulations in large lakes: an example from Lake Tanganyika, *Paleobiology*, Vol. 15, pp. 26-45.

- COHMAP Members, 1988. Climatic changes of the last 18,000 years: Observations and model simulations. *Science*, Vol. 241, pp. 1043-1052.
- Danzeglocke, U., Jöris, O., Weninger, B., 2009. CalPal-2007online. <http://www.calpal-online.de/>, accessed 2009-03-31.
- Dauwe, B.; and Middelburg, J.J. 1998. Amino Acids and Hexosamines as Indicators of Organic Matter Degradation State in North Sea Sediments. *Limnology and Oceanography*, Vol. 43, pp. 782-798.
- Dell, A.M. 1991. Reconstruction of late Pleistocene paleoecology in southwestern Ohio from nonmarine gastropod assemblages. University of Cincinnati, unpublished Masters Thesis.
- FAUNMAP Working Group: Graham, R.W., Lundelius, E.L. Jr., Graham, M.A., Schroeder, E.K., Toomey, R.S. III, Elaine Anderson, Anthony D. Barnoski, James A. Burns, Chals S. Churcher, Donald K. Grayson, R. Dale Guthrie, C.R. Harington, George T. Jefferson, Larry D. Martin, H. Gregory McDonald, Richard E. Morlan, Holmes A. Semken Jr., S. David Webb, Lars Werdelin, and Michael C. Wilson. 1996. Spatial Response of Mammals to Late Quaternary Environmental Fluctuations. *Science*, v.272, pp. 1601-1606.
- Fisher, T.G. 2004. River Warren boulders, Minnesota, USA: catastrophic paleoflow indicators in the southern spillway of glacial Lake Agassiz. *Boreas*, Vol. 33, pp. 349-358.
- Flessa, K.W.; Cutler, A.H., Meldahl, K.H. 1993. Time and taphonomy – quantitative estimates of time-averaging and stratigraphic disorder in a shallow marine habitat. *Paleobiology*, Vol. 19, pp. 266-286.
- Flock, M.A. 1983. The late Wisconsinan Savanna terrace in tributaries to the upper Mississippi River. *Quaternary Research*. v.20: pp. 165-176.
- Foley, R.L. 1984. Late Pleistocene (Woodfordian) vertebrates from the Driftless Area of southwestern Wisconsin, the Moscow Fissure local fauna. *Illinois State Museum Reports of Investigations*, 39.
- Frest, T.J. 1983. Northern driftless area survey. Final report to the Minnesota Department of Natural Resources. 17 p. Final Report, Contract No. 30181-1259, Northern Driftless Area Survey. U.S. Fish and Wildlife Service, Ft. Snelling, Minnesota.
- Frest, T.J. 1987. Final report: Iowa Pleistocene Snail project, 38pp.

- Frest, T.J. and Dickson, J.R., 1986, Land snails (Pleistocene-Recent) of the Loess Hills:
A preliminary survey, *Proc. Iowa Acad. Sci.* 93(3), pp. 130-157.
- Friedman, M. 1999. Chemistry, Nutrition, and Microbiology of D-Amino Acids, *Journal of Agricultural Food Chemistry*, Vol. 47, pp. 3457-3479.
- Goodfriend, G.A. 1987. Evaluation of amino acid racemization/epimerization dating using radiocarbon-dated fossil land snails. *Geology*, Vol. 15, 698-700.
- Goodfriend, G.A. 1989. Complementary use of amino-acid epimerization and radiocarbon analysis for dating of mixed-age fossil assemblages. *Radiocarbon*, Vol. 31, pp. 1041-1047.
- Goodfriend, G.A. 1992. The use of land snail shells in palaeoenvironmental reconstruction. *Quaternary Science Reviews*. 11: 665-685.
- Goodfriend, G.A., and Hood, D.G. 1983. Carbon isotope analysis of land snail shells: implications for carbon sources and radiocarbon dating. *Radiocarbon*, 25, pp. 810-830.
- Goodfriend, G.A., and Stipp, J.J. 1983. Limestone and the problem of radiocarbon dating of land snail carbonate. *Geology*, 11, 575-577.
- Graham, R.W. 1985. Diversity and community structure of the late Pleistocene mammal fauna of North America, *Acta Zoologica Fennica*, v. 170, pp.181-192.
- Graham, R.W.; and Meade, J.I. 1987. Environmental fluctuations and evolution of mammalian faunas during the last deglaciation in North America, in Ruddiman, W.F., and Wright, E., Jr. eds., *North America and adjacent oceans during the last deglaciation: Boulder, Colorado, Geology of North America*, Vol. K-3, pp. 371-402.
- Grutters, M.; van Raaphorst, W.; Epping, E.; Helder, W.; de Leeuw, J.W.; Glavin, D.P.; and Bada, J. 2002. Preservation of amino acids from in situ-produced bacterial cell wall peptidoglycans in northeastern Atlantic continental margin sediments. *Limnological Oceanography*, Vol. 47, pp. 1521-1524.
- Hammer, O.; Harper, D.A.T.; Ryan, P.D. 2001. PAST: Paleontological Statistics Software Package for Education and Data Analysis. *Palaeontologia Electronica*, Vol. 4.
- Hearty, P.J.; and Kaufman, D.S. 2009. A *Cerion*-based chronostratigraphy and age model from the central Bahama Islands: Amino acid racemization and the ^{14}C in land snails and sediments. *Quaternary Geochronology*, Vol. 4, pp. 148-159.

- Hill, M. 1973. Diversity and evenness: A unifying notation and its consequences. *Ecology* 54: 427-432.
- Hobbs, H. 1999. Origin of the Driftless Area by subglacial drainage a new hypothesis. In: Mickelson, D. M. Attig, J.W. (eds), *Glacial Processes Past and Present*. Geological Society of America, Special Paper, 337, pp. 93-102.
- Hole, F.D. 1968. Regional Soil Map of Wisconsin: Wisconsin Geological and Natural History Survey Open File Reports 1968-2, Scale 1:250,000, 11 plates.
- Hubricht, L. 1985. The distributions of the Native Land Mollusks of the Eastern United States. *Fieldiana Zool.*, n.s. 24, vii+191 pp.
- Jass, J.P. 2004. Distribution of Gastropods in Wisconsin. Milwaukee Public Museum Contributions in Biology and Geology, No. 99, 28 pp.
- Johnson, W.H. 1990. Ice-wedge casts and relict patterned ground in central Illinois and their environmental significance. *Quaternary Research*, Vol. 33, pp. 51-72.
- Johnson, M.D., and Hemstad, C.B. 1998. Glacial Lake Grantsburg: A short-lived lake recording the advance and retreat of the Grantsburg sublobe, in Patterson, C.J. and Wright, H.E., Jr. eds., *Contributions to Quaternary studies in Minnesota: Minnesota Geological Survey Report of Investigation Vol. 49*, pp. 49-60.
- Johnson, M.D.; Addis, K.L.; Ferber, L.R.; Hemstad, C.B.; Meyer, G.N.; Komai, L.T. Glacial Lake Lind, Wisconsin and Minnesota. *Geological Society of America Bulletin*, Vol. 111, pp. 1371-1386.
- Jolliffe, I. *Principal Component Analysis*. Springer, New York; 2002.
- Kaufman, D.S., 2000, Amino acid racemization in ostracodes, in Goodfriend, G., Collins, M., Fogel, M., Macko, S., and Wehmiller, J., eds., *Perspectives in Amino Acid and Protein Geochemistry*: Oxford University Press, New York, pp. 145-160.
- Kaufman, D.S. 2003. Dating deep-lake sediments by using amino acid racemization in fossil ostracodes. *Geology*, Vol. 31, pp. 1049-1052.
- Kaufman, D.S. 2006. Temperature sensitivity of aspartic and glutamic acid racemization in the foraminifera *Pulleniatina*. *Quaternary Geochronology*, Vol. 1, pp. 188-207.
- Kaufman, D.S., and Manley, W.F. 1998. A new procedure for determining DL amino acid ratios in fossils using reverse phase liquid chromatography. *Quaternary Science Reviews*, Vol. 17, pp. 987-1000.

- Kidwell, S.M. and Flessa, K.W. 1996. The quality of the fossil record: Populations, species and communities, *Annual Review Earth and Planetary Science*, Vol. 24, pp. 433-464.
- Keil, R.G.; Tsamakis, and E.; Hedges, J.I. 2000. Preservation and diagenesis of amino acids and proteins, *in* Goodfriend, G., Collins, M., Fogel, M., Macko, S., and Wehmiller, J., eds., *Perspectives in Amino Acid and Protein Geochemistry*: Oxford University Press, New York, pp. 69-82.
- Knox, J. C. 1989. Long- and short-term episodic storage and removal of sediment in watersheds of southwestern Wisconsin and northwestern Illinois. In: R.F. Hadley and E.F. Hongley, eds., *Sediment and the Environment*. Intern. Assoc. Sci. Hydrol., Publ. 184, pp. 157-164.
- Knox, J.C. 1996. Late Quaternary Upper Mississippi River alluvial episodes and their significance to the Lower Mississippi River system. *Engineering Geology*, Vol. 45, 263-285
- Knox, J.C. 2005. Late glacial and Holocene floods, terraces, fluvial landforms, erosion and sediment on the Upper Mississippi River. *Geological Society of America Abstracts with Programs*, Vol. 37, No. 5, p. 90.
- Knox, J.C. 2009. Quaternary landscape and drainage evolution in the Driftless Area. *Geological Society of America, North-Central Section, 43rd Annual Meeting, Abstracts with Programs*, Vol. 41, p. 5.
- Knox, J.C., and Attig, J.W. 1988. Geology of the pre-Illinoian sediment in the Bridgeport terrace, lower Wisconsin valley, Wisconsin. *Journal of Geology*, Vol. 96, pp. 505-513.
- Kosnik, M.A., Kaufman, D.S., and Quan, H., 2008, Identifying outliers and assessing the accuracy of amino acid racemization measurements for geochronology: I. Age calibration curves. *Quaternary Geochronology* Vol. 3, pp. 308-327.
- Kosnik, M.A.; and Kaufman, D.S. 2008. Identifying outliers and assessing the accuracy of amino racemization measurements for geochronology: II. Data screening, *Quaternary Geochronology*, Vol. 3, pp. 328-341.
- Kowaleski, M., Goodfriend, G.A., and Flessa, K.W. 1998. High-resolution estimates of temporal mixing within shell beds: the evils and virtues of time-averaging. *Paleobiology*, Vol. 24, pp. 287-304.
- Kuchta, M.A., Geary, D.H., Diem, B., and Slaughter, R.W., 2007a, Taphonomy of terrestrial gastropods at the Big Platte locality, southwestern Wisconsin. *Geological Society of America Abstracts with Programs*, Vol. 39.

- Kuchta, M.A., Geary, D.H., and Slaughter, R.W. 2007b. Full glacial gastropods and rodents from Kulas Quarry, Wisconsin. *Current Research in the Pleistocene*, Vol. 63.
- Kutzbach, J.E. 1981. Monsoon climate of the Early Holocene: Climate Experiment with the Earth's Orbital Parameters for 9000 years ago. *Science* Vol. 214, pp. 59-61
- Laabs, B.J.C., and Kaufman, D.S. 2003. Quaternary Highstands in Bear Lake Valley, Utah and Idaho: *Geological Society of America Bulletin* Vol. 115, pp. 463-478.
- La Rocque, A. 1970. Pleistocene Mollusca of Ohio. State of Ohio, Department of Natural Resources, Division of Geological Survey Bulletin, 62 (parts 1-4).
- La Rocque, A.; and Forsyth, J. 1957. Pleistocene molluscan faunas of the Sidney Cut, Shelby County, Ohio. *The Ohio Journal of Science*, Vol. 57, pp. 81-89.
- Legendre, P. & L. Legendre. 1998. *Numerical Ecology*, 2nd English ed. Elsevier, 853 pp.
- Leonard, A.B., 1950, A Yarmouthian molluscan fauna in the Midcontinent Region of the United States. *Univ. Kansas Paleontol. Contr.* 8 (mollusca 3), 48 pp.
- Leonard, A.B. 1952, Illinois and Wisconsinan molluscan faunas in Kansas. *Univ. Kansas Paleontol. Contr.* 9 (Mollusca), 38 pp.
- Loope, H.M., Knox, J.C., Mason, J.A., and Goble, R.J., 2008. Late Wisconsin optical age chronology of fluvial incision and eolian activity in the Upper Mississippi Valley. *Geological Society of America North Central Meeting*, Evansville, IN, April 24-25. *Geological Society of America Abstracts with Programs*, Vol. 40, p. 78.
- Lowe, J.J., and Walker, M.J.C. 1998. *Reconstructing Quaternary Environments*, 2nd ed. Addison Wesley Longman China Limited, Hong Kong.
- Mason, J.A. 1995. Effects of glacial-interglacial climatic change on mass wasting, southeastern Minnesota [Ph.D. thesis]: Madison, University of Wisconsin, 346p.
- Mason, J.A. and Knox, J.C. 1997. Age of colluvium indicates accelerated late Wisconsinan hillslope erosion in the Upper Mississippi Valley. *Geology*. v.25; no.3: pp. 267-270.
- McCoy, W.D. 1987. Quaternary aminostratigraphy of the Bonneville basin, western United States. *Geological Society of America Bulletin*, Vol. 98, pp. 99-112.
- McCune, B., and Grace, J.B. 2002. *Analysis of Ecological Communities*. MJM Software Design. Gleneden Beach, Oregon. 300pp.

- McCune, B. and M. J. Mefford. 2006. PC-ORD. Multivariate Analysis of Ecological Data. Version 5. MjM Software, Gleneden Beach, Oregon, U.S.A.
- Miall, A.D. 1977. A review of the braided river environment. *Earth Science Reviews*, Vol 13, pp. 1-62.
- Mielke, P.W., Jr.; Berry, K.J.; and Brier, G.W. 1981. Application of Multi-Response Permutation Procedures for Examining Seasonal Changes in Monthly Mean Sea-Level Pressure Patterns. *Monthly Weather Review*, Vol. 109, pp. 120-126.
- Mickelson, D.M.; Clayton, L.; Fullerton, D.S.; and Borhs, H.W., Jr. 1983. The Late Wisconsin glacial record of the Laurentide Ice Sheet in the United States, in Wright, H.E., Jr. ed., *Late-Quaternary environments of the United States*, Volume 1, in Porter, S.C., ed., *The Late Pleistocene*. Minneapolis, Minnesota, University of Minnesota Press, pp. 3-37.
- Miller, B.B., McCoy, W.D., and Bleuer, N.K., 1987. Stratigraphic potential of amino acid ratios in Pleistocene terrestrial gastropods: an example from west-central Indiana. *Boreas*, Vol. 16, p. 133-138.
- Miller, B.B., and Bajc, A.F. 1990. Non-marine mollusks. In *Methods in Quaternary Ecology* (B.G. Warner ed.) Geoscience Canada Reprint Series 5. Geological Association of Canada, 101-112.
- Miller, B.B. and Hare, P.E. 1980. Amino acid geochronology: integrity of the carbonate matrix and potential of molluscan fossils. pp. 415-443, in Hare et al., eds. *Biogeochemistry of amino acids*. Wiley, New York.
- Mills, H.H., and Delcourt, P.A. 1991. Quaternary geology of the Appalachian Highlands and Interior Low Plateaus. P. 611-628 in R.B. Morrison, ed., *Quaternary nonglacial geology: conterminous U.S.* Vol. K-2, *Geology of North America Series*. Geological Society of America, Boulder Colorado.
- Motter M.G. 1898. A contribution to the study of the Fauna of the grave. A study of on hundred and fifty disinterments, with some additional experimental observations. *Journal of New York Entomological Society* Vol. 6, pp. 201-233.
- Nekola, J.C. 2003. Large-scale terrestrial gastropod community composition patterns in the Great Lakes region of North America. *Diversity and Distributions*, Vol. 9, No. 1, pp.55-71.
- Nekola, J.C. 2004. Terrestrial gastropod fauna of northeastern Wisconsin and the southern Upper Peninsula of Michigan. *American Malacological Bulletin*. Vol. 18, pp. 21-44.

- Nekola, J.C. 2009. Big ranges from small packages: North American vertigids more widespread than thought. *The Tentacle*. Vol. 17, pp. 26-27.
- Nyberg, J., Csapo, J., Malmgren, B.A., and Winter, A. 2001. Changes in the D- and L-content of aspartic acid, glutamic acid, and alanine in a scleractinian coral over the last 300 years. *Organic Geochemistry*, Vol. 32, pp. 623-632.
- Oches, E.A., Grimley, D.A., and Walther, R.A. Aminostratigraphy of Pleistocene sediments in the Metro East St. Louis region, Illinois. Geological Society of America, southeastern section, 51st annual meeting; North-Central Section, 36th annual meeting Abstracts with Programs, Vol. 34, pp. 100.
- Oches, E.A., McCoy, W.D., and Clark, P.U. 1996. Amino acid estimates of latitudinal temperature gradients and geochronology of loess deposition during the last glaciation, Mississippi Valley, United States. *GSA Bulletin*, Vol. 108, p. 892-903.
- Oches, E. A., and McCoy, W. D. 2001. Historical development and recent advances in amino acid geochronology applied to loess research: examples from North America, Europe, and China. *Earth-Science Reviews*, 54, 173-192.
- Orlowski, L.A.; Grundy, W.D.; Mielke, P.W., Jr.; and Schumm, S.A. 1993. Geological Applications of Multi-Response Permutation Procedures. *Mathematical Geology*, Vol. 25, pp. 483-500.
- Ortiz, J.E., Torres, T., Yanes, Y., Castillo, C., De la Nuez, J., Ibanez, M., and Alonso, M.R. 2006. Climatic cycles inferred from the aminostratigraphy and aminochronology of Quaternary dunes and paleosols from the eastern islands of the Canary Archipelago. *Journal of Quaternary Science*, Vol. 21, pp. 287-306.
- Ostrom, M.E. 1987. Cambrian stratigraphy at Whitehall, Wisconsin. Centennial Field Guide Volume 3: North-Central Section of the Geological Society of America, pp. 185-188.
- Ostrom, M.E. 1987. St. Lawrence and Jordan formations (Upper Cambrian) south of Arcadia, Wisconsin. Centennial Field Guide Volume 3: North-Central Section of the Geological Society of America, pp. 191-194.
- Oughton, J. 1948. A zoogeographical study of the land snails of Ontario. University of Toronto Studies, Biological Series 57: ix + 126 p., 1 map, 1 table.
- Overpeck, J.T., Webb, R.S., and Webb, T., III. 1992. Mapping eastern North American vegetation change of the past 18 ka: Non-analogs and the future. *Geology*, Vol. 20, pp. 1071-1074.

- Pedersen, A.-G.U.; Thomsen, T.R.; Lomstein, B.A.; Jorgensen, N.O.G. 2001. Bacterial influence on amino acid enantiomerization in a coastal marine sediment. *Limnological Oceanography*, Vol. 46, pp. 1358-1369.
- Penkman, K.E.H., Kaufman, D.S., Maddy, D., and Collins, M.J. 2008. Closed-system behaviour of the intra-crystalline fraction of amino acids in mollusc shells. *Quaternary Geochronology*, Vol. 3, pp. 2-25.
- Peres-Neto, P.R., D.A. Jackson, and K.M. Somers. 2005. How many principal components? Stopping rules for determining the number of non-trivial axes revisited. *Computational Statistics and Data Analysis* Vol. 49, pp. 974-997.
- Péwé, T.L. 1983. The Periglacial Environment in North America during Wisconsin Time, in Wright, H.E., Jr. ed., *Late-Quaternary environments of the United States*, Volume 1, in Porter, S.C., ed., *The Late Pleistocene*. Minneapolis, Minnesota, University of Minnesota Press, pp. 157-189.
- Pigati, J.S., Quade, J., Shahanan, T.M., Haynes Jr., C.V. 2004. Radiocarbon dating of minute gastropods and new constraints on the timing of late Quaternary spring-discharge deposits in southern Arizona, USA. *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 204, pp. 33-45.
- Pilsbry, H.A. 1948. Land Mollusca of North America (North of Mexico). *Acad. Nat. Sci. Phil., Monogr.* 3. (vol 1 pt 1,2; vol 2 pt 1,2).
- Plug, I. 1990. Terrestrial mollusks and archaeological stratigraphy: a cautionary tale. *South African Journal of Science*, Vol. 86, pp. 204-205.
- Rech, J.A., Pigati, J.S., and Nekola, J.C. (in prep) Radiocarbon Dating of North American terrestrial gastropod shells. National Science Foundation Grant, 2006.
- Roof, S. 1997. Comparison of isoleucine epimerization and leaching potential in the molluscan genera *Asarte*, *Macoma*, and *Mya*. *Geochimica et Cosmochimica Acta*, Vol. 61, pp. 5325-5333.
- Rosignol, J., Moine, O., Rosseau, D.D. 2004. The Buzzard's Roost and Eustis mollusc sequences: comparison between the paleoenvironments of two sites in the Wisconsin loess of Nebraska, USA. *Boreas*, Vol 33, pp. 145-154.
- Roy, K., Jablonski, D., and Valentine, J.W., 1995, Thermally anomalous assemblages revisited: Patterns in the extraprovincial latitudinal range shifts of Pleistocene marine molluscs: *Geology*, v. 23, p. 1071-1074.

- Ruhe, R.V., Miller, G.A., and Vreeken, W.J., 1971. Paleosols, loess sedimentation and soil stratigraphy. In: Yaalon, D.H. (Ed.), *Paleopedology—Origin, Nature and Dating of Paleosols*. Israel Universities Press, Jerusalem, pp. 41–59.
- Runkel, A.C. 1994. Deposition of the uppermost Cambrian (Croixan) Jordan Sandstone, and the nature of the Cambrian-Ordovician boundary in the Upper Mississippi Valley. *Geological Society of America Bulletin*, Vol. 106, pp. 492-506.
- Schwert, D.P, Torpen-Kreift, H.J., and Hajic, E.R. 1997. Characterization of the late-Wisconsinan tundra/forest transition in midcontinental North America using assemblages of beetle fossils. In: *Studie in Quaternary Entomology - An Inordinate Fondness for Insects*. Quaternary Proceedings No. 5, pp. 237-243.
- Semken, H.A., Jr., 1988, Environmental interpretations of the “disharmonious” late Wisconsinan biome of southeastern North America, in Laub, R. S., et al., eds., *Late Pleistocene and early Holocene paleoecology and archeology of the eastern Great Lakes region*: Buffalo Society of Natural Science Bulletin, v.33, p.185–194.
- Shimek, B. 1896. The theory of loess. *Proceedings of the Iowa Academy of Science for 1895* Vol. 3, pp. 82-89.
- Shimek, B. 1898. Is the loess of aqueous origin? *Proceedings of the Iowa Academy of Science for 1897* Vol. 5, pp. 32-45.
- Shimek, B. 1930. Land Snails as Indicators of Ecological Conditions. *Ecology*, Vol. 11, pp. 673-86.
- Stafford, T.W., Semken, H.A. Jr., Graham, R.W., Klippel, W.F., Markova, A., Smirnov, and N.G., Southon, J. 1999. First accelerator mass spectrometry ^{14}C dates documenting contemporaneity of nonanalog species in late Pleistocene mammal communities. *Geology* v. 27, no. 10, pp. 903-906.
- Stuiver, M., and Reimer, P. J. 1993. Extended ^{14}C database and revised CALIB radiocarbon calibration program, *Radiocarbon* 35:215-230.
- Syverson, K.M. 2007. Pleistocene geology of Chippewa County, Wisconsin: Wisconsin Geological and Natural History Survey Bulletin 103, 53 p
- Syverson, K.M. and Colgan, P.M. 2004. The Quaternary of Wisconsin: a review of stratigraphy and glaciation history. In *Quaternary Glaciations - Extent and Chronology, Part II* (Ehlers, J. and Gibbard, P.L. eds).
- Theler, J.L. 1997. The modern terrestrial gastropod (land snail) fauna of western Wisconsin's hill prairies. *The Nautilus*, 110: 111-121.

- Turgeon, D.D., J.F. Quinn, Jr., A.E. Bogan, E.F. Coan, F.G. Hochberg, W.G. Lyons, P.M. Mikkelsen, R.J. Neves, C.F.E. Roper, G. Rosenberg, B. Roth, A. Scheltema, F.G. Thompson, M. Vecchione, and J.D. Williams. 1998. Common and scientific names of aquatic invertebrates from the United States and Canada: mollusks, 2nd ed. American Fisheries Society, Bethesda, Maryland. 526 pp.
- van der Schalie, H. 1939. *Hendersonia occulta* (SAY) in Michigan; its distribution, ecology, and geological significance. Occasional Papers of the Museum of Zoology, University of Michigan, No. 399, 10 pp.
- Waldén, H.W. 1966. Einige Bemerkungen zum Ergänzungsband zu Ehrmann's "Mollusca", in "Die Tierwelt Mitteleuropas". Archiv für Molluskenkunde 95 (1/2): 49-68.
- Walther, R.A. 2004. Construction of a Late Pleistocene Paleothermometer Based on Amino Acid Racemization in Fossil *Succinea* Shells. University of South Florida, Unpublished Masters Thesis.
- Washburn, A.L. 1980. Permafrost features as evidence of climatic change. Earth Science Reviews, Vol. 15, pp. 327-402.
- Webb, T. III, Shuman, B., Williams, J.W. 2004. Climatically forced vegetation dynamics in eastern North America during the late Quaternary Period. In: The Quaternary Period of the United States, eds. Gillespe, A.R., Porter, S.C., Atwater, B.F. Elsevier, B.V. Amsterdam, pp. 459-478.
- Wehmiller, J.F., and Miller, G.H., 2000. Aminostratigraphic dating methods in Quaternary geology, in Noller, J.S., Sowers, J.M., and Lettis, W.R., eds., Quaternary geochronology: methods and applications, American Geophysical Union, Washington D.C., 187-222.
- Wells, P.V.; Stewart, J.D. 1987. Cordilleran-boreal Taiga and Fauna on the Central Great Plains of North America, 14,000-18,000 Years Ago. American Midland Naturalist, Vol. 118, pp. 94-106.
- Woodman, N., D. P. Schwert, T. J. Frest, & A. C. Ashworth. 1996. Paleoecology of Subarctic Faunal Assemblages from the Woodfordian Age (Pleistocene: Wisconsinan) Elkader Site, Northeastern Iowa. Occasional Papers, Natural History Museum, University of Kansas, 178, 33 pp.
- Yanes, Y.; Kowalewski, M.; Ortiz, J.E.; Castillo, C.; de Torres, T.; de la Nuez, J. 2007. Scale and structure of time-averaging (age mixing) in terrestrial gastropod assemblages from Quaternary eolian deposits of the eastern Canary Islands. Palaeogeography, Palaeoclimatology, Palaeoecology, Vol. 251, pp. 283-299.