

Strain name	Genotype	Source	Reference
CB1370	daf-2(e1370) III.	Dr. Rick Morimoto	[1]
OW40	zgl-15[P(unc-54)::asyn::YFP]IV	Dr. Rick Morimoto	[2]
DA2123	adls2122 [lgg-1p::GFP::lgg-1 + rol-6(su1006)]	Dr. Rick Morimoto	[3]
AM135	rmls127[unc-54p::Q0::YFP]	Dr. Nussbaum-Krammer	[4]
AM887	rmEx339[unc-54p::cfp::rab-5]	Dr. Nussbaum-Krammer	[5]
AM890	rmEx340[unc-54p::lmp-1::gfp]	Dr. Nussbaum-Krammer	[5]
AM1066	rmls350[unc-54p::Q40::RFP]	Dr. Nussbaum-Krammer	[6]
AM1065	rmls349[myo-3p::RFP]	Dr. Nussbaum-Krammer	[6]
	qxls66[Pced-1::GFP::RAB-7]	Dr. Xiaochen Wang	[7]
	qxls281[Pced-1::CTNS-1::GFP]	Dr. Xiaochen Wang	[7]
BC12890	dpy-5(e907) I; sls11337[rCesY37A1B.5::GFP + pCeh361]	CGC	[8]
CB6081	bus-17(e2800) X	CGC	[9]
TV14687	wyEx5968[Pdes-2::EMTB::gfp; Podr-1::rfp]	Dr. Claire Richardson and Dr. Kang Shen	[10]
VH95	hdl-61[phl-1::memGFP, rol-6(su1006)]	Dr. Harald Hutter	[11]
BIJ34	jaals8[Phyp:sfgfphGal3]	Dr. Bin Liu and Dr. Marja Jäätelä	[12]
EG6147	apa-2(ox422) X	Dr. Erik Jorgensen	[13]
BZ555	egl-1 [dat-1p::GFP]	CGC	
MT15620	cat-2(n4547) II.	CGC	[14]
AM1218	rmls400[myo-3p::alpha-synuclein WT::RFP::unc-54 3'UTR]	this study	this study
CNK3	rmls400[myo-3p::alpha-synuclein WT::RFP::unc-54 3'UTR]; hdl-61[phl-1::memGFP, rol-6(su1006)]	this study	this study
CNK19	rmls400[myo-3p::alpha-synuclein WT::RFP::unc-54 3'UTR]; wyEx5968[Pdes-2::EMTB::gfp; Podr-1::rfp]	this study	this study
CNK21	bus-17(e2800) X; rmls400[myo-3p::alpha-synuclein WT::RFP::unc-54 3'UTR]	this study	this study
CNK49	rmls400[myo-3p::alpha-synuclein WT::RFP::unc-54 3'UTR]; dpy-5(e907) I; sls11337[rCesY37A1B.5::GFP + pCeh361]	this study	this study
CNK50	rmls400[myo-3p::alpha-synuclein WT::RFP::unc-54 3'UTR]; adls2122[lgg-1p::GFP::lgg-1 + rol-6(su1006)]	this study	this study
CNK57	rmls400[myo-3p::alpha-synuclein WT::RFP::unc-54 3'UTR]; rmls127[unc-54::YFP]	this study	this study
CNK59	rmls400[myo-3p::alpha-synuclein WT::RFP::unc-54 3'UTR]; rmEx340[unc-54p::lmp-1::GFP]	this study	this study
CNK66	rmls400[myo-3p::alpha-synuclein WT::RFP::unc-54 3'UTR]; jaals8 [Phyp:sfgfphGal3]	this study	this study
CNK75	daf-2(e1370)III; rmls400[myo-3p::alpha-synuclein WT::RFP::unc-54 3'UTR]	this study	this study

CNK82	rmIs400[myo-3p::alpha-synuclein WT::RFP::unc-54 3'UTR]; jaals8 [Phyp:sfgfphGal3]; daf-2(e1370) III	this study	this study
CNK83	rmIs400[myo-3p::alpha-synuclein WT::RFP::unc-54 3'UTR]; rmEx339[unc-54p::cfp::rab-5]	this study	this study
CNK84	rmIs400[myo-3p::alpha-synuclein WT::RFP::unc-54 3'UTR]; qxls281[Pced-1::CTNS-1::GFP]	this study	this study
CNK85	rmIs400[myo-3p::alpha-synuclein WT::RFP::unc-54 3'UTR]; qxls66[Pced-1::GFP::RAB-7]	this study	this study
CNK91	prpls12[dat-1p::alpha-synuclein WT::RFP::unc-54 3'UTR] 1]	this study	this study
CNK94	prpls12[dat-1p::alpha-synuclein WT::RFP::unc-54 3'UTR] 1]; jaals8 [Phyp:sfgfphGal3]	this study	this study
CNK116	prpls12[T23G5.5p::alpha-synuclein WT::RFP::unc-54 3'UTR] III 1; uls69 [pCFJ90 (myo-2p::mCherry) + unc-119p::sid-1]	this study	this study
CNK125	prpls12[dat-1p::alpha-synuclein WT::RFP::unc-54 3'UTR] 1]; apa-2(ox422) X	this study	this study
CNK135	prpls12[dat-1p::alpha-synuclein WT::RFP::unc-54 3'UTR] 1]; jaals8 [Phyp:sfgfphGal3]; daf-2(e1370) III	this study	this study
CNK168	wyEx5968 [Pdes-2::EMTB::gfp; Podr-1::rfp]; rmIs400[myo-3p::alpha-synuclein WT::RFP::unc-54 3'UTR]; bus-17(e2800) X	this study	this study
CNK169	rmIs400[myo-3p::alpha-synuclein WT::RFP::unc-54 3'UTR]; prpEx43 [unc-54p::sfGFP::hGal3::unc-54 3'UTR]	this study	this study
CNK171	prpEx43 [unc-54p::sfGFP::hGal3::unc-54 3'UTR]	this study	this study
CNK201	prpls12[dat-1p::alpha-synuclein WT::RFP::unc-54 3'UTR] 1]; daf-2(e1370) III	this study	this study

References

1. Gems D, Sutton AJ, Sundermeyer ML, et al. Two pleiotropic classes of daf-2 mutation affect larval arrest, adult behavior, reproduction and longevity in *Caenorhabditis elegans*. *Genetics*. 1998 Sep;150(1):129-55. PubMed PMID: 9725835; PubMed Central PMCID: PMC1460297.
2. van Ham TJ, Thijssen KL, Breitling R, et al. *C. elegans* model identifies genetic modifiers of alpha-synuclein inclusion formation during aging. *PLoS Genet*. 2008 Mar;4(3):e1000027. doi: 10.1371/journal.pgen.1000027. PubMed PMID: 18369446; PubMed Central PMCID: PMC2265412. eng.
3. Kang C, You YJ, Avery L. Dual roles of autophagy in the survival of *Caenorhabditis elegans* during starvation. *Genes Dev*. 2007 Sep 01;21(17):2161-71. doi: 10.1101/gad.1573107. PubMed PMID: 17785524; PubMed Central PMCID: PMC1950855.
4. Morley JF, Brignull HR, Weyers JJ, et al. The threshold for polyglutamine-expansion protein aggregation and cellular toxicity is dynamic and influenced by aging in *Caenorhabditis elegans*. *Proc Natl Acad Sci U S A*. 2002 Aug 6;99(16):10417-22. doi: 10.1073/pnas.152161099. PubMed PMID: 12122205; PubMed Central PMCID: PMC124929. eng.
5. Nussbaum-Krammer CI, Park KW, Li L, et al. Spreading of a prion domain from cell-to-cell by vesicular transport in *Caenorhabditis elegans*. *PLoS Genet*. 2013 Mar;9(3):e1003351. doi: 10.1371/journal.pgen.1003351. PubMed PMID: 23555277; PubMed Central PMCID: PMC3610634.
6. Kirstein J, Morito D, Kakihana T, et al. Proteotoxic stress and ageing triggers the loss of redox homeostasis across cellular compartments. *EMBO J*. 2015 Sep 14;34(18):2334-49. doi: 10.15252/embj.201591711. PubMed PMID: 26228940; PubMed Central PMCID: PMC4570520.
7. Liu B, Du H, Rutkowski R, et al. LAAT-1 is the lysosomal lysine/arginine transporter that maintains amino acid homeostasis. *Science*. 2012 Jul 20;337(6092):351-4. doi: 10.1126/science.1220281. PubMed PMID: 22822152; PubMed Central PMCID: PMC3432903.
8. McKay SJ, Johnsen R, Khattra J, et al. Gene expression profiling of cells, tissues, and developmental stages of the nematode *C. elegans*. *Cold Spring Harb Symp Quant Biol*. 2003;68:159-69. PubMed PMID: 15338614.
9. Gravato-Nobre MJ, Nicholas HR, Nijland R, et al. Multiple genes affect sensitivity of *Caenorhabditis elegans* to the bacterial pathogen *Microbacterium nematophilum*. *Genetics*. 2005 Nov;171(3):1033-45. doi: 10.1534/genetics.105.045716. PubMed PMID: 16079230; PubMed Central PMCID: PMC1456810.
10. Richardson CE, Spilker KA, Cueva JG, et al. PTRN-1, a microtubule minus end-binding CAMSAP homolog, promotes microtubule function in *Caenorhabditis elegans* neurons. *eLife*. 2014 Feb 25;3:e01498. doi: 10.7554/eLife.01498. PubMed PMID: 24569477; PubMed Central PMCID: PMC3932522.
11. Viveiros R, Hutter H, Moerman DG. Membrane extensions are associated with proper anterior migration of muscle cells during *Caenorhabditis elegans* embryogenesis. *Dev Biol*. 2011 Oct 1;358(1):189-200. doi: 10.1016/j.ydbio.2011.07.026. PubMed PMID: 21820426.

12. Aits S, Krickler J, Liu B, et al. Sensitive detection of lysosomal membrane permeabilization by lysosomal galectin puncta assay. *Autophagy*. 2015;11(8):1408-24. doi: 10.1080/15548627.2015.1063871. PubMed PMID: 26114578; PubMed Central PMCID: PMC4590643.
13. Gu M, Liu Q, Watanabe S, et al. AP2 hemicomplexes contribute independently to synaptic vesicle endocytosis. *eLife*. 2013 Mar 5;2:e00190. doi: 10.7554/eLife.00190. PubMed PMID: 23482940; PubMed Central PMCID: PMC3591783.
14. Omura DT, Clark DA, Samuel AD, et al. Dopamine signaling is essential for precise rates of locomotion by *C. elegans*. *PLoS One*. 2012;7(6):e38649. doi: 10.1371/journal.pone.0038649. PubMed PMID: 22719914; PubMed Central PMCID: PMC3374838.