EXASCALE COMPUTING PROJECT

Code Coverage and Continuous Integration

Better Scientific Software Tutorial

Jared O’Neal
Mathematics and Computer Science Division
Argonne National Laboratory

Supercomputing 2018
Dallas, TX
November 12, 2018

License, citation, and acknowledgments

License and Citation

- Requested citation: Alicia Klinvex and Jared O’Neal, Code Coverage and Continuous Integration, Better Scientific Software tutorial, in SC ‘18: International Conference for High Performance Computing, Networking, Storage and Analysis, Dallas, Texas, 2018. DOI: 10.6084/m9.figshare.7304180

Acknowledgements

- **Alicia Klinvex developed earlier versions of this module**
- This work was supported by the U.S. Department of Energy Office of Science, Office of Advanced Scientific Computing Research (ASCR), and by the Exascale Computing Project (17-SC-20-SC), a collaborative effort of the U.S. Department of Energy Office of Science and the National Nuclear Security Administration.
- This work was performed in part at the Argonne National Laboratory, which is managed by UChicago Argonne, LLC for the U.S. Department of Energy under Contract No. DE-AC02-06CH11357

Code Coverage

How do we determine what other tests are needed?

Code coverage tools

- Expose parts of the code that aren’t being tested
- gcov
  - standard utility with the GNU compiler collection suite
  - Compile/link with –coverage & turn off optimization
  - counts the number of times each statement is executed
- lcov
  - a graphical front-end for gcov
  - available at http://ltp.sourceforge.net/coverage/lcov.php
- Hosted servers (*e.g.* coveralls, codecov)
  - graphical visualization of results
  - push results to server through continuous integration server

Code coverage output

Overall Analysis



SOURCE FILES ON BUILD 45

LIST 2 CHANGED 0 SOURCE CHANGED 0 COVERAGE CHANGED 0

▲ COVERAGE	Δ	FILE	LINES	RELEVANT	COVERED
− 74.39		src/functions/linear_fcn_class.f90	301	82	61
− 100.0		src/general/modulo_mod.f90	52	3	3

Detailed Analysis



```
! Error distribution same for all x values
delta = S*Sxx - Sx*Sx
if (delta == 0.0_wp) then
    ERRORMSG("Cannot do linear least-sqrs.  Divide by zero.")
    stop
end if
delta_inv = 1.0_wp / delta
```

https://github.com/jrdoneal/infrastructure

Code coverage is popular

- gcov also works for C and Fortran
- Other tools exist for other languages
    - JCov for Java
    - Coverage.py for python
    - Devel::Cover for perl
    - profile for MATLAB
    - *etc*.

Continuous Integration

The Short & Sweet of Continuous Integration

A master branch that always works

- DVCS workflow isolate master from integration environment
- Extend workflow to address difficulties of integrating
  - Minimize likelihood of merge conflict
  - Detect bugs immediately
  - Make debugging process quick and easy

Work Decomposition

Commit and integrate often

- Limit divergence between feature and master branches
- Decreased probability of conflict
- Conflict resolution is simpler and less risky



Error detection

Test at integration to identify failures immediately

- Control quality of code
- Isolate failure to few commits
- No context switching for programmer

We want a system that

- triggers automated builds/tests on target environments when code changes and
- ideally tests on proposed merge product without finalizing merge.

Test Servers

Servers that

- automate the execution of a test suite or a subset of a test suite,
- allow for running tests on different environments,
- host an interface for viewing results, and
- allows for configuring when the tests are run.

Examples

- CTest/CDash
- Jenkins
- Travis CI and GitLab CI

Cloud-based Test Servers

- Linked to VCS hosts
  - GitHub & Travis CI
  - GitLab CI
  - BitBucket Pipelines
- Automated builds/tests triggered *via* pushes and pull requests
- Builds/tests can be run on cloud systems
- Test results are reported in repository’s web interface
- Can trigger code coverage analysis & documentation build

Continuous integration (CI)

- Has existed for some time and interest is growing
- ECP working to adapt CI for HPC machines
- Setup, maintenance, and monitoring required
- Prerequisites
  - A reasonably automated build system
  - An automated test system with significant test coverage & useful feedback
  - Builds/tests must finish in reasonable about of time
  - Ability to bundle subset of tests

CI Hello World

https://github.com/jrdoneal/CI_HelloWorld

https://travis-ci.org/jrdoneal/CI_HelloWorld

GitHub Repository Page

https://github.com/jrdoneal/CI_HelloWorld



jrdoneal / CI_HelloWorld

No description, website, or topics provided.

5 commits | 1 branch | 0 releases | 0 contributors

Developer D. Develop This change should lead to a correct build environment for the purpos... … Latest commit 93a75c4 2 days ago

.travis.yml	This change should lead to a correct build environment for the purpos...	2 days ago
README.md	Add README file to explain the intent and eventual content of this tu...	2 days ago
hello_world.sh	Add the script that tests that the build environment is correctly con...	2 days ago

Travis CI Configuration File

.travis.yml



```
env:
- TRAVIS_CI_ENV="Hello, World"

#before_install:
#- Put commands here to prepare for executing builds/installs
#- Examples would be using apt-get to install dependencies not
#  included in the Travis CI build environment by default.

#install:
#- Put build commands here
#- In each phase, you can execute multiple commands
#- Travis CI stops if any single command fails in this phase

before_script:
- echo $TRAVIS_CI_ENV

script:
- $TRAVIS_BUILD_DIR/hello_world.sh
#- Travis CI will run each command in this phase even if a previous command
#  terminated in failure

after_success:
- echo "You should see that Hello, World was printed by before_script"

after_failure:
- echo "Hello, World should not have been printed by before_script"
```

The Script Phase

hello_world.sh



```
#!/bin/bash

if   [ -z "${TRAVIS_CI_ENV}" ]; then
  echo "Please set the TRAVIS_CI_ENV environment variable"
  exit 1
elif [ "${TRAVIS_CI_ENV}" != "Hello, World" ]; then
  echo "TRAVIS_CI_ENV value is ill-suited for this tutorial"
  exit 2
fi
```

Connecting GitHub & Travis CI



MY ACCOUNT

jrdoneal

ORGANIZATIONS

You are not currently a member of any organization.

MISSING AN ORGANIZATION?

Review and add your authorized organizations.

jrdoneal

@jrdoneal

We're only showing your public repositories. You can find your private projects on travis-ci.com.

Legacy Services Integration

Repository	Enabled	
CI_HelloWorld	✓	Settings
CI_Multiplatform	✓	Settings
infrastructure	✓	Settings

Repository in Travis CI

https://travis-ci.org/jrdoneal/CI_HelloWorld



jrdoneal / CI_HelloWorld

✓ master This change should lead to a correct build environment for the pu

tutorial. Travis CI builds should now be successful.

Commit 93a75c4

Compare ff52718..93a75c4

Branch master

jrdoneal

#3 passed

Ran for 18 sec

a day ago

Ruby

TRAVIS_CI_ENV="Hello, World"

Commit History



jrdoneal / CI_HelloWorld

Commits on Nov 3, 2018

This change should lead to a correct build environment for the purpos... ⋯
Developer D. Develop committed 2 days ago ✓

Update Travis CI configuration file so that it is a step closer to se... ⋯
Developer D. Develop committed 2 days ago ✗

Add Travis CI configuration file. With the present content, the build ⋯
Developer D. Develop committed 2 days ago ✗

Add the script that tests that the build environment is correctly con... ⋯
Developer D. Develop committed 2 days ago

Add README file to explain the intent and eventual content of this tu... ⋯
Developer D. Develop committed 2 days ago

.travis.yml
added →

Travis CI Build History



Add Travis CI configuration file. With the present content, the build

Developer D. Develop committed 2 days ago ✗



```
Worker information
Build system information


Setting APT mirror in /etc/apt/sources.list: http://us-east-1.ec2.archive.ubuntu.com/ubuntu/

$ git clone --depth=50 --branch=master https://github.com/jrdoneal/CI_HelloWorld.git jrdoneal/CI_HelloWorld
$ rvm use default
$ ruby --version
No Gemfile found, skipping bundle install
$ echo $TRAVIS_CI_ENV


$ $TRAVIS_BUILD_DIR/hello_world.sh
Please set the TRAVIS_CI_ENV environment variable


The command "$TRAVIS_BUILD_DIR/hello_world.sh" exited with 1.
$ echo "Hello, World should not have been printed by before_script"

Done. Your build exited with 1.
```

Travis CI Build History



Update Travis CI configuration file so that it is a step closer to se...

Developer D. Develop committed 2 days ago ✗

```
Worker information
Build system information


Setting APT mirror in /etc/apt/sources.list: http://us-east-1.ec2.archive.ubuntu.com/ubuntu/

$ git clone --depth=50 --branch=master https://github.com/jrdoneal/CI_HelloWorld.git jrdoneal/CI_HelloWorld

Setting environment variables from .travis.yml
$ export TRAVIS_CI_ENV="This content will result in failure"

$ rvm use default
$ ruby --version
No Gemfile found, skipping bundle install
$ echo $TRAVIS_CI_ENV
This content will result in failure

$ $TRAVIS_BUILD_DIR/hello_world.sh
TRAVIS_CI_ENV value is ill-suited for this tutorial


The command "$TRAVIS_BUILD_DIR/hello_world.sh" exited with 2.
$ echo "Hello, World should not have been printed by before_script"

Done. Your build exited with 1.
```

Travis CI Build History



This change should lead to a correct build environment for the purpos... ···

Developer D. Develop committed 2 days ago ✓

```
▶ Worker information                                                                                   worker_info
▶ Build system information                                                                             system_info


Setting APT mirror in /etc/apt/sources.list: http://us-east-1.ec2.archive.ubuntu.com/ubuntu/

▶ $ git clone --depth=50 --branch=master https://github.com/jrdoneal/CI_HelloWorld.git jrdoneal/CI_HelloWorld   git.checkout   0.53s

Setting environment variables from .travis.yml
$ export TRAVIS_CI_ENV="Hello, World"

▶ $ rvm use default                                                                                    rvm            4.69s
▶ $ ruby --version                                                                                     ruby.versions
No Gemfile found, skipping bundle install
▼ $ echo $TRAVIS_CI_ENV                                                                                before_script  0.00s
Hello, World

$ $TRAVIS_BUILD_DIR/hello_world.sh                                                                                    0.00s


The command "$TRAVIS_BUILD_DIR/hello_world.sh" exited with 0.
▶ $ echo "You should see that Hello, World was printed by before_script"                               after_success  0.00s

Done. Your build exited with 0.
```

! →

Agenda

Tutorial evaluation form: http://bit.ly/sc18-eval

Time	Module	Topic	Speaker
8:30am-8:40am	00	Introduction and Setup	David E. Bernholdt, ORNL
8:40am-9:00am	01	Overview of Best Practices in HPC Software Development	David E. Bernholdt, ORNL
9:00am-10:00am	02	Git Workflows	Jared O’Neal, ANL
10:00am-10:30am		*Break*	
10:30am-11:40am	03	Better (Small) Scientific Software Teams	Michael A. Heroux, SNL
11:40am-12:00pm	04	Improving Reproducibility through Better Software Practices	Michael A. Heroux, SNL
12:00pm-1:30pm		*Lunch (C1/2/3/4 Ballroom, 2nd floor)*	
1:30pm-2:15pm	05	An Introduction to Software Licensing	David E. Bernholdt, ORNL
2:15pm-2:55pm	06	Verification and Refactoring	Anshu Dubey, ANL
2:55pm-3:00pm	07	Code Coverage and Continuous Integration	Jared O’Neal, ANL
3:00-3:30pm		*Break*	
3:30pm-3:40pm	07	Code Coverage and Continuous Integration (continued)	Jared O’Neal, ANL
3:40pm-5:00pm	08	Hands-on Activities	Jared O’Neal, ANL, and team