

Appendix: Loss-Balanced Task Weighting to Reduce Negative Transfer in Multi-Task Learning

Shengchao Liu^{1,2} and Yingyu Liang¹ and Anthony Gitter^{1,2,3}

¹Department of Computer Sciences, University of Wisconsin-Madison, Madison, WI

²Morgridge Institute for Research, Madison, WI

³Department of Biostatistics and Medical Informatics, University of Wisconsin-Madison, Madison, WI
{shengchao, yliang}@cs.wisc.edu, gitter@biostat.wisc.edu

In this appendix, we provide supplementary material to “Loss-Balanced Task Weighting to Reduce Negative Transfer in Multi-Task Learning” (Liu, Liang, and Gitter 2019), which includes a more detailed description of the experimental results.

Implementation

We tested six algorithms on the PubChem BioAssay (PCBA) dataset (Wang et al. 2017). Data processing followed (Liu et al. 2018).

Hyperparameters were guided by prior work on chemical screening (Liu et al. 2018), and all algorithms used the same network architecture. We used two layers with 2000 hidden units each, the first with ReLU activation functions and the second with sigmoid activation functions. The output layer used sigmoid activation functions, one per task in multi-task models. We used a dropout rate of 0.25 and trained with the Adam optimizer. We fixed the epoch number as 100 and the batch size as 1024 for all algorithms. For Single-Task Learning (STL), Fine Tuning, and Reinforced Multi-Task Learning (RMTL), we ran 128 jobs corresponding to each PCBA task. Multi-Task Learning (MTL), GradNorm, and Loss-Balanced Task Weighting (LBTW) made predictions for all 128 tasks in a single run. For GradNorm and LBTW, we tested multiple values of α , which controls the task weights. Code implementing LBTW is available at (Liu 2018).

Results

Figure S1 visualizes the difference in ROC AUC between STL and each transfer learning approach, complimenting the PR AUC results in the main text. Table S1 summarizes the mean ROC AUC for each method and the number of tasks with negative transfer when evaluated with ROC AUC. The performance on each of the 128 tasks is listed in Table S2 (PR ROC) and Table S3 (ROC AUC).

Although all of the transfer learning strategies have widespread negative transfer, LBTW has the most robust results relative to the other methods. It has the highest mean PR AUC and ROC AUC and the fewest tasks with negative transfer. RMTL achieves comparatively few instances of negative transfer, tying LBTW for ROC AUC, but its average performance is worse than LBTW and MTL. GradNorm

struggles in this setting with the PR AUC evaluation metric. Its average performance is worse than STL, and the majority of the tasks have negative transfer.

References

- Liu, S.; Alnammi, M.; Ericksen, S. S.; Voter, A. F.; Ananiev, G. E.; Keck, J. L.; Hoffmann, F. M.; Wildman, S. A.; and Gitter, A. 2018. Practical model selection for prospective virtual screening. *bioRxiv* 337956.
- Liu, S.; Liang, Y.; and Gitter, A. 2019. Loss-Balanced Task Weighting to Reduce Negative Transfer in Multi-Task Learning. In *Proceedings of the Thirty-Third AAAI Conference on Artificial Intelligence Student Abstract*, 371.
- Liu, S. 2018. Loss-balanced task weighting. <https://github.com/chao1224/Loss-Balanced-Task-Weighting>.
- Wang, Y.; Bryant, S. H.; Cheng, T.; Wang, J.; Gindulyte, A.; Shoemaker, B. A.; Thiessen, P. A.; He, S.; and Zhang, J. 2017. PubChem BioAssay: 2017 update. *Nucleic Acids Research* 45(D):D955–D963.




Figure S1: Distribution of the change in ROC AUC relative to STL for 128 tasks. Values below 0 indicate tasks with negative transfer.

Table S1: Mean ROC AUC on all 128 tasks and the number of tasks with negative transfer based on ROC AUC.

Evaluation Metric	STL	MTL	FineTuning	GradNorm ($\alpha = 0.1$)	GradNorm ($\alpha = 0.5$)	RMTL	LBTW ($\alpha = 0.1$)	LBTW ($\alpha = 0.5$)
Mean ROC AUC	0.799	0.857	0.806	0.840	0.833	0.852	0.859	0.863
# Negative Transfer	-	13	50	44	46	11	13	11

Table S2: PR AUC on all 128 PCBA tasks.

Task id	STL	MTL	FineTuning	GradNorm ($\alpha = 0.1$)	GradNorm ($\alpha = 0.5$)	RMTL	LBTW ($\alpha = 0.1$)	LBTW ($\alpha = 0.5$)
PCBA-1030	0.436	0.429	0.457	0.296	0.325	0.432	0.430	0.425
PCBA-1379	0.218	0.239	0.209	0.196	0.147	0.180	0.241	0.245
PCBA-1452	0.122	0.111	0.121	0.132	0.117	0.096	0.089	0.099
PCBA-1454	0.185	0.143	0.203	0.078	0.056	0.142	0.184	0.162
PCBA-1457	0.062	0.064	0.052	0.029	0.014	0.046	0.048	0.073
PCBA-1458	0.363	0.433	0.370	0.320	0.328	0.423	0.455	0.427
PCBA-1460	0.605	0.591	0.598	0.469	0.477	0.595	0.604	0.578
PCBA-1461	0.131	0.124	0.113	0.074	0.077	0.115	0.125	0.112
PCBA-1468	0.293	0.235	0.353	0.156	0.102	0.320	0.296	0.285
PCBA-1469	0.244	0.229	0.216	0.151	0.073	0.214	0.240	0.270
PCBA-1471	0.002	0.003	0.006	0.003	0.002	0.003	0.007	0.003
PCBA-1479	0.069	0.074	0.069	0.048	0.038	0.075	0.064	0.069
PCBA-1631	0.096	0.088	0.133	0.020	0.012	0.067	0.058	0.053
PCBA-1634	0.104	0.121	0.086	0.132	0.043	0.166	0.118	0.235
PCBA-1688	0.118	0.151	0.119	0.100	0.109	0.149	0.159	0.155
PCBA-1721	0.316	0.305	0.321	0.248	0.163	0.297	0.321	0.307
PCBA-2100	0.248	0.201	0.238	0.124	0.075	0.228	0.185	0.210
PCBA-2101	0.182	0.167	0.174	0.090	0.009	0.122	0.123	0.158
PCBA-2147	0.386	0.383	0.378	0.322	0.308	0.392	0.387	0.375
PCBA-2242	0.589	0.389	0.596	0.163	0.120	0.471	0.416	0.439
PCBA-2326	0.029	0.017	0.036	0.014	0.016	0.019	0.017	0.023
PCBA-2451	0.275	0.233	0.281	0.137	0.145	0.229	0.224	0.227
PCBA-2517	0.198	0.283	0.209	0.238	0.218	0.292	0.279	0.280

Table S2: PR AUC on all 128 PCBA tasks.

Task id	STL	MTL	FineTuning	GradNorm ($\alpha = 0.1$)	GradNorm ($\alpha = 0.5$)	RMTL	LBTW ($\alpha = 0.1$)	LBTW ($\alpha = 0.5$)
PCBA-2528	0.119	0.148	0.122	0.124	0.131	0.195	0.125	0.193
PCBA-2546	0.517	0.536	0.513	0.435	0.447	0.536	0.535	0.554
PCBA-2549	0.184	0.214	0.211	0.174	0.177	0.224	0.219	0.213
PCBA-2551	0.640	0.638	0.650	0.557	0.557	0.648	0.641	0.662
PCBA-2662	0.066	0.113	0.106	0.061	0.083	0.032	0.089	0.080
PCBA-2675	0.120	0.001	0.128	0.123	0.068	0.002	0.004	0.060
PCBA-2676	0.115	0.107	0.122	0.044	0.012	0.109	0.137	0.163
PCBA-411	0.323	0.470	0.364	0.373	0.387	0.460	0.496	0.491
PCBA-463254	0.003	0.021	0.009	0.028	0.007	0.054	0.032	0.022
PCBA-485281	0.010	0.008	0.006	0.004	0.002	0.003	0.012	0.033
PCBA-485290	0.095	0.151	0.096	0.082	0.079	0.133	0.130	0.137
PCBA-485294	0.105	0.047	0.222	0.185	0.033	0.144	0.042	0.215
PCBA-485297	0.483	0.527	0.482	0.373	0.393	0.515	0.530	0.527
PCBA-485313	0.459	0.496	0.466	0.346	0.358	0.494	0.507	0.502
PCBA-485314	0.268	0.329	0.305	0.259	0.234	0.308	0.319	0.315
PCBA-485341	0.028	0.026	0.026	0.025	0.025	0.034	0.031	0.033
PCBA-485349	0.009	0.033	0.007	0.011	0.011	0.062	0.028	0.026
PCBA-485353	0.109	0.071	0.099	0.099	0.067	0.098	0.064	0.098
PCBA-485360	0.195	0.276	0.215	0.218	0.205	0.250	0.262	0.280
PCBA-485364	0.450	0.464	0.467	0.336	0.332	0.460	0.454	0.454
PCBA-485367	0.146	0.113	0.183	0.057	0.025	0.172	0.137	0.108
PCBA-492947	0.000	0.003	0.023	0.012	0.008	0.004	0.004	0.013
PCBA-493208	0.250	0.241	0.244	0.227	0.213	0.236	0.147	0.214
PCBA-504327	0.108	0.159	0.116	0.140	0.117	0.126	0.165	0.160
PCBA-504332	0.526	0.527	0.533	0.427	0.439	0.533	0.524	0.525
PCBA-504333	0.534	0.570	0.555	0.438	0.465	0.556	0.562	0.562
PCBA-504339	0.542	0.555	0.550	0.464	0.469	0.552	0.557	0.557
PCBA-504444	0.235	0.244	0.243	0.145	0.151	0.243	0.260	0.248
PCBA-504466	0.276	0.353	0.280	0.217	0.228	0.321	0.348	0.347
PCBA-504467	0.296	0.311	0.291	0.203	0.224	0.313	0.298	0.298
PCBA-504706	0.002	0.017	0.017	0.017	0.011	0.020	0.016	0.014
PCBA-504842	0.013	0.030	0.101	0.072	0.147	0.007	0.009	0.157
PCBA-504845	0.004	0.023	0.010	0.009	0.034	0.020	0.023	0.024
PCBA-504847	0.287	0.312	0.301	0.158	0.153	0.310	0.312	0.302
PCBA-504891	0.000	0.163	0.125	0.097	0.265	0.064	0.111	0.463
PCBA-540276	0.230	0.312	0.238	0.217	0.213	0.278	0.320	0.308
PCBA-540317	0.202	0.255	0.222	0.210	0.184	0.250	0.251	0.271
PCBA-588342	0.686	0.667	0.689	0.515	0.558	0.666	0.665	0.674
PCBA-588453	0.372	0.419	0.372	0.266	0.230	0.411	0.388	0.393
PCBA-588456	0.099	0.311	0.108	0.298	0.308	0.207	0.362	0.387
PCBA-588579	0.321	0.353	0.304	0.315	0.272	0.367	0.364	0.357
PCBA-588590	0.270	0.302	0.289	0.261	0.241	0.294	0.299	0.296
PCBA-588591	0.372	0.380	0.378	0.314	0.295	0.386	0.381	0.369
PCBA-588795	0.261	0.332	0.254	0.266	0.198	0.292	0.336	0.335
PCBA-588855	0.256	0.302	0.265	0.219	0.205	0.293	0.294	0.306
PCBA-602179	0.003	0.010	0.006	0.007	0.007	0.020	0.022	0.026
PCBA-602233	0.031	0.063	0.083	0.105	0.104	0.133	0.159	0.127
PCBA-602310	0.037	0.069	0.031	0.022	0.010	0.040	0.057	0.049
PCBA-602313	0.047	0.079	0.056	0.062	0.023	0.067	0.086	0.100
PCBA-602332	0.000	0.002	0.000	0.001	0.002	0.001	0.001	0.002
PCBA-624170	0.035	0.069	0.048	0.050	0.042	0.062	0.075	0.043
PCBA-624171	0.103	0.102	0.096	0.046	0.035	0.114	0.088	0.106
PCBA-624173	0.367	0.363	0.390	0.378	0.304	0.393	0.429	0.424
PCBA-624202	0.083	0.116	0.080	0.074	0.072	0.102	0.115	0.114
PCBA-624246	0.053	0.066	0.053	0.228	0.060	0.054	0.197	0.169

Table S2: PR AUC on all 128 PCBA tasks.

Task id	STL	MTL	FineTuning	GradNorm ($\alpha = 0.1$)	GradNorm ($\alpha = 0.5$)	RMTL	LBTW ($\alpha = 0.1$)	LBTW ($\alpha = 0.5$)
PCBA-624287	0.013	0.017	0.008	0.011	0.002	0.009	0.014	0.042
PCBA-624288	0.025	0.039	0.022	0.019	0.019	0.049	0.038	0.036
PCBA-624291	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
PCBA-624296	0.247	0.305	0.258	0.193	0.207	0.279	0.295	0.291
PCBA-624297	0.214	0.256	0.218	0.135	0.147	0.228	0.255	0.223
PCBA-624417	0.175	0.172	0.183	0.112	0.120	0.181	0.199	0.179
PCBA-651635	0.332	0.386	0.341	0.244	0.244	0.363	0.370	0.383
PCBA-651644	0.230	0.231	0.229	0.118	0.075	0.205	0.176	0.185
PCBA-651768	0.249	0.288	0.206	0.243	0.212	0.268	0.293	0.295
PCBA-651965	0.187	0.159	0.170	0.071	0.070	0.169	0.147	0.144
PCBA-652025	0.038	0.069	0.021	0.013	0.006	0.036	0.051	0.091
PCBA-652104	0.127	0.128	0.133	0.073	0.063	0.130	0.124	0.111
PCBA-652105	0.369	0.361	0.391	0.287	0.271	0.362	0.364	0.346
PCBA-652106	0.025	0.024	0.053	0.008	0.007	0.014	0.017	0.026
PCBA-686970	0.241	0.298	0.252	0.203	0.202	0.270	0.319	0.314
PCBA-686978	0.713	0.734	0.721	0.602	0.644	0.724	0.732	0.734
PCBA-686979	0.642	0.683	0.661	0.543	0.584	0.671	0.681	0.680
PCBA-720504	0.257	0.265	0.254	0.169	0.170	0.263	0.248	0.255
PCBA-720532	0.538	0.570	0.576	0.490	0.490	0.539	0.566	0.545
PCBA-720542	0.221	0.258	0.191	0.152	0.099	0.243	0.260	0.261
PCBA-720551	0.080	0.095	0.076	0.035	0.029	0.086	0.113	0.114
PCBA-720553	0.133	0.155	0.125	0.082	0.059	0.124	0.158	0.162
PCBA-720579	0.197	0.216	0.200	0.162	0.144	0.206	0.227	0.218
PCBA-720580	0.245	0.261	0.233	0.172	0.149	0.260	0.279	0.268
PCBA-720707	0.086	0.069	0.058	0.061	0.012	0.169	0.124	0.084
PCBA-720708	0.036	0.041	0.038	0.025	0.022	0.032	0.054	0.046
PCBA-720709	0.066	0.123	0.074	0.109	0.081	0.087	0.165	0.136
PCBA-720711	0.065	0.122	0.061	0.080	0.014	0.132	0.152	0.134
PCBA-743255	0.286	0.276	0.309	0.198	0.129	0.295	0.256	0.247
PCBA-743266	0.003	0.001	0.004	0.001	0.001	0.001	0.001	0.001
PCBA-875	0.447	0.215	0.478	0.339	0.429	0.257	0.309	0.343
PCBA-881	0.383	0.290	0.370	0.291	0.212	0.323	0.295	0.292
PCBA-883	0.639	0.641	0.665	0.553	0.588	0.611	0.636	0.618
PCBA-884	0.860	0.830	0.873	0.792	0.824	0.847	0.828	0.826
PCBA-885	0.366	0.248	0.362	0.352	0.354	0.256	0.419	0.388
PCBA-887	0.196	0.178	0.193	0.136	0.139	0.170	0.177	0.165
PCBA-891	0.673	0.664	0.710	0.606	0.675	0.675	0.675	0.678
PCBA-899	0.711	0.692	0.721	0.666	0.698	0.734	0.695	0.716
PCBA-902	0.249	0.314	0.238	0.192	0.232	0.317	0.312	0.305
PCBA-903	0.292	0.369	0.350	0.237	0.272	0.390	0.403	0.455
PCBA-904	0.203	0.221	0.171	0.112	0.136	0.138	0.249	0.196
PCBA-912	0.106	0.143	0.108	0.101	0.123	0.085	0.102	0.127
PCBA-914	0.662	0.575	0.693	0.467	0.458	0.550	0.589	0.537
PCBA-915	0.372	0.274	0.435	0.287	0.301	0.301	0.349	0.317
PCBA-924	0.246	0.387	0.262	0.223	0.265	0.368	0.372	0.390
PCBA-925	0.220	0.041	0.077	0.028	0.073	0.005	0.093	0.094
PCBA-926	0.040	0.015	0.029	0.018	0.013	0.014	0.011	0.021
PCBA-927	0.056	0.013	0.029	0.010	0.024	0.008	0.014	0.009
PCBA-938	0.249	0.175	0.250	0.153	0.124	0.206	0.183	0.188
PCBA-995	0.054	0.070	0.075	0.058	0.056	0.062	0.088	0.081

Table S3: ROC AUC on all 128 PCBA tasks

Task id	STL	MTL	FineTuning	GradNorm ($\alpha = 0.1$)	GradNorm ($\alpha = 0.5$)	RMTL	LBTW ($\alpha = 0.1$)	LBTW ($\alpha = 0.5$)
PCBA-1030	0.801	0.799	0.806	0.731	0.755	0.803	0.798	0.792
PCBA-1379	0.893	0.951	0.893	0.944	0.930	0.944	0.954	0.958
PCBA-1452	0.805	0.908	0.750	0.837	0.873	0.863	0.902	0.908
PCBA-1454	0.774	0.898	0.765	0.869	0.883	0.903	0.901	0.900
PCBA-1457	0.800	0.848	0.813	0.853	0.786	0.852	0.880	0.856
PCBA-1458	0.884	0.906	0.880	0.877	0.883	0.902	0.908	0.907
PCBA-1460	0.937	0.941	0.939	0.920	0.922	0.944	0.947	0.940
PCBA-1461	0.816	0.856	0.802	0.833	0.837	0.847	0.867	0.858
PCBA-1468	0.886	0.906	0.904	0.886	0.855	0.912	0.903	0.912
PCBA-1469	0.852	0.936	0.915	0.956	0.944	0.962	0.945	0.953
PCBA-1471	0.524	0.544	0.470	0.581	0.560	0.595	0.599	0.553
PCBA-1479	0.710	0.683	0.698	0.706	0.699	0.717	0.697	0.730
PCBA-1631	0.824	0.824	0.830	0.800	0.769	0.853	0.834	0.810
PCBA-1634	0.910	0.942	0.895	0.947	0.950	0.942	0.935	0.958
PCBA-1688	0.733	0.810	0.720	0.758	0.768	0.792	0.809	0.804
PCBA-1721	0.914	0.954	0.924	0.945	0.939	0.947	0.947	0.951
PCBA-2100	0.880	0.880	0.885	0.858	0.835	0.888	0.890	0.884
PCBA-2101	0.782	0.879	0.778	0.872	0.806	0.878	0.859	0.875
PCBA-2147	0.846	0.870	0.854	0.836	0.842	0.872	0.869	0.865
PCBA-2242	0.955	0.958	0.933	0.934	0.907	0.967	0.963	0.965
PCBA-2326	0.728	0.751	0.746	0.747	0.742	0.752	0.749	0.753
PCBA-2451	0.882	0.894	0.876	0.867	0.878	0.902	0.900	0.893
PCBA-2517	0.846	0.890	0.867	0.868	0.868	0.888	0.892	0.887
PCBA-2528	0.855	0.923	0.853	0.920	0.892	0.921	0.904	0.934
PCBA-2546	0.882	0.904	0.884	0.871	0.884	0.905	0.912	0.914
PCBA-2549	0.804	0.865	0.810	0.848	0.846	0.865	0.868	0.872
PCBA-2551	0.913	0.920	0.915	0.893	0.899	0.921	0.922	0.922
PCBA-2662	0.686	0.907	0.712	0.921	0.866	0.895	0.880	0.856
PCBA-2675	0.633	0.687	0.608	0.737	0.741	0.634	0.763	0.827
PCBA-2676	0.836	0.872	0.839	0.837	0.766	0.892	0.887	0.890
PCBA-411	0.882	0.933	0.876	0.905	0.916	0.922	0.938	0.934
PCBA-463254	0.566	0.693	0.590	0.805	0.724	0.719	0.720	0.803
PCBA-485281	0.705	0.742	0.676	0.698	0.670	0.707	0.721	0.726
PCBA-485290	0.781	0.833	0.776	0.821	0.810	0.812	0.841	0.836
PCBA-485294	0.578	0.859	0.777	0.842	0.866	0.860	0.890	0.868
PCBA-485297	0.932	0.944	0.929	0.914	0.921	0.941	0.944	0.948
PCBA-485313	0.930	0.947	0.930	0.918	0.922	0.944	0.946	0.950
PCBA-485314	0.851	0.883	0.866	0.850	0.851	0.880	0.874	0.874
PCBA-485341	0.725	0.730	0.728	0.742	0.701	0.746	0.740	0.753
PCBA-485349	0.655	0.749	0.578	0.741	0.744	0.749	0.751	0.747
PCBA-485353	0.713	0.774	0.726	0.790	0.774	0.764	0.777	0.771
PCBA-485360	0.829	0.905	0.858	0.875	0.870	0.893	0.899	0.908
PCBA-485364	0.887	0.885	0.889	0.847	0.851	0.889	0.882	0.884
PCBA-485367	0.847	0.835	0.844	0.829	0.736	0.876	0.843	0.850
PCBA-492947	0.463	0.879	0.660	0.854	0.808	0.803	0.889	0.799
PCBA-493208	0.733	0.781	0.778	0.795	0.777	0.808	0.778	0.775
PCBA-504327	0.715	0.844	0.761	0.828	0.820	0.854	0.868	0.849
PCBA-504332	0.842	0.842	0.845	0.790	0.803	0.845	0.842	0.843
PCBA-504333	0.892	0.909	0.900	0.869	0.878	0.910	0.908	0.910
PCBA-504339	0.870	0.885	0.875	0.854	0.858	0.884	0.888	0.885
PCBA-504444	0.805	0.854	0.804	0.798	0.807	0.845	0.856	0.855
PCBA-504466	0.895	0.927	0.894	0.898	0.899	0.918	0.923	0.930
PCBA-504467	0.851	0.876	0.847	0.834	0.843	0.875	0.872	0.870
PCBA-504706	0.687	0.923	0.702	0.852	0.873	0.880	0.911	0.902
PCBA-504842	0.604	0.777	0.779	0.875	0.875	0.775	0.800	0.824

Table S3: ROC AUC on all 128 PCBA tasks

Task id	STL	MTL	FineTuning	GradNorm ($\alpha = 0.1$)	GradNorm ($\alpha = 0.5$)	RMTL	LBTW ($\alpha = 0.1$)	LBTW ($\alpha = 0.5$)
PCBA-504845	0.883	0.926	0.905	0.919	0.903	0.863	0.899	0.918
PCBA-504847	0.855	0.884	0.863	0.844	0.837	0.873	0.886	0.890
PCBA-504891	0.520	0.999	0.507	0.998	0.999	0.996	0.998	0.999
PCBA-540276	0.811	0.880	0.813	0.837	0.847	0.865	0.887	0.880
PCBA-540317	0.905	0.933	0.899	0.917	0.920	0.938	0.937	0.937
PCBA-588342	0.933	0.930	0.936	0.889	0.903	0.932	0.929	0.931
PCBA-588453	0.894	0.922	0.896	0.888	0.885	0.921	0.917	0.915
PCBA-588456	0.715	0.914	0.767	0.962	0.871	0.951	0.963	0.955
PCBA-588579	0.913	0.931	0.908	0.921	0.911	0.926	0.931	0.930
PCBA-588590	0.843	0.880	0.845	0.853	0.843	0.868	0.875	0.872
PCBA-588591	0.916	0.923	0.915	0.905	0.896	0.927	0.924	0.925
PCBA-588795	0.933	0.948	0.919	0.921	0.912	0.942	0.939	0.946
PCBA-588855	0.852	0.901	0.853	0.869	0.876	0.903	0.904	0.906
PCBA-602179	0.612	0.804	0.649	0.815	0.812	0.819	0.824	0.858
PCBA-602233	0.826	0.965	0.888	0.951	0.960	0.937	0.973	0.961
PCBA-602310	0.837	0.904	0.700	0.886	0.893	0.905	0.891	0.889
PCBA-602313	0.860	0.904	0.838	0.886	0.866	0.908	0.917	0.909
PCBA-602332	0.587	0.642	0.493	0.612	0.718	0.585	0.654	0.715
PCBA-624170	0.742	0.884	0.816	0.836	0.835	0.869	0.857	0.876
PCBA-624171	0.906	0.911	0.900	0.884	0.877	0.918	0.910	0.916
PCBA-624173	0.876	0.925	0.888	0.925	0.928	0.929	0.931	0.944
PCBA-624202	0.853	0.894	0.849	0.861	0.868	0.891	0.893	0.896
PCBA-624246	0.431	0.783	0.407	0.787	0.758	0.693	0.697	0.779
PCBA-624287	0.769	0.793	0.737	0.740	0.600	0.773	0.786	0.787
PCBA-624288	0.699	0.797	0.705	0.761	0.762	0.785	0.794	0.784
PCBA-624291	0.567	0.497	0.597	0.536	0.569	0.512	0.505	0.519
PCBA-624296	0.808	0.845	0.810	0.811	0.816	0.837	0.845	0.845
PCBA-624297	0.771	0.820	0.787	0.785	0.792	0.812	0.823	0.825
PCBA-624417	0.841	0.867	0.852	0.828	0.834	0.861	0.877	0.866
PCBA-651635	0.882	0.919	0.877	0.897	0.897	0.915	0.921	0.924
PCBA-651644	0.886	0.945	0.890	0.928	0.928	0.943	0.936	0.947
PCBA-651768	0.874	0.929	0.883	0.914	0.905	0.919	0.932	0.928
PCBA-651965	0.781	0.766	0.778	0.704	0.706	0.773	0.762	0.762
PCBA-652025	0.742	0.893	0.803	0.900	0.861	0.870	0.916	0.879
PCBA-652104	0.825	0.828	0.822	0.790	0.778	0.837	0.835	0.824
PCBA-652105	0.882	0.897	0.890	0.871	0.870	0.897	0.902	0.893
PCBA-652106	0.729	0.784	0.688	0.784	0.776	0.801	0.818	0.816
PCBA-686970	0.834	0.887	0.841	0.843	0.855	0.878	0.888	0.893
PCBA-686978	0.885	0.892	0.890	0.835	0.854	0.889	0.894	0.893
PCBA-686979	0.876	0.890	0.879	0.833	0.850	0.887	0.891	0.891
PCBA-720504	0.730	0.734	0.735	0.708	0.709	0.738	0.737	0.734
PCBA-720532	0.833	0.876	0.871	0.829	0.840	0.858	0.875	0.875
PCBA-720542	0.875	0.946	0.851	0.910	0.915	0.918	0.944	0.948
PCBA-720551	0.690	0.712	0.707	0.709	0.697	0.721	0.717	0.720
PCBA-720553	0.744	0.759	0.744	0.753	0.754	0.754	0.760	0.752
PCBA-720579	0.784	0.862	0.811	0.848	0.853	0.871	0.864	0.879
PCBA-720580	0.857	0.875	0.853	0.866	0.869	0.880	0.883	0.892
PCBA-720707	0.666	0.760	0.706	0.770	0.730	0.777	0.752	0.795
PCBA-720708	0.830	0.864	0.821	0.839	0.814	0.843	0.843	0.838
PCBA-720709	0.883	0.939	0.878	0.924	0.907	0.916	0.948	0.939
PCBA-720711	0.780	0.913	0.866	0.907	0.864	0.888	0.897	0.897
PCBA-743255	0.888	0.921	0.896	0.905	0.892	0.914	0.919	0.922
PCBA-743266	0.520	0.512	0.570	0.550	0.546	0.478	0.547	0.556
PCBA-875	0.800	0.936	0.900	0.921	0.870	0.894	0.914	0.891
PCBA-881	0.858	0.934	0.851	0.921	0.941	0.949	0.942	0.955

Table S3: ROC AUC on all 128 PCBA tasks

Task id	STL	MTL	FineTuning	GradNorm ($\alpha = 0.1$)	GradNorm ($\alpha = 0.5$)	RMTL	LBTW ($\alpha = 0.1$)	LBTW ($\alpha = 0.5$)
PCBA-883	0.835	0.851	0.856	0.791	0.807	0.832	0.834	0.832
PCBA-884	0.910	0.893	0.916	0.868	0.889	0.903	0.896	0.892
PCBA-885	0.903	0.850	0.932	0.906	0.816	0.827	0.895	0.872
PCBA-887	0.718	0.807	0.764	0.785	0.781	0.806	0.777	0.792
PCBA-891	0.830	0.849	0.854	0.831	0.858	0.851	0.853	0.856
PCBA-899	0.837	0.855	0.838	0.830	0.844	0.856	0.851	0.854
PCBA-902	0.826	0.899	0.819	0.867	0.874	0.892	0.893	0.898
PCBA-903	0.859	0.938	0.810	0.888	0.895	0.919	0.938	0.931
PCBA-904	0.783	0.897	0.747	0.827	0.853	0.854	0.892	0.889
PCBA-912	0.715	0.840	0.688	0.819	0.828	0.848	0.843	0.867
PCBA-914	0.879	0.902	0.903	0.888	0.865	0.893	0.925	0.912
PCBA-915	0.755	0.812	0.842	0.806	0.807	0.800	0.818	0.828
PCBA-924	0.785	0.921	0.876	0.895	0.906	0.924	0.930	0.936
PCBA-925	0.860	0.884	0.648	0.881	0.926	0.851	0.870	0.952
PCBA-926	0.666	0.723	0.695	0.726	0.699	0.726	0.662	0.715
PCBA-927	0.816	0.700	0.731	0.744	0.696	0.705	0.725	0.753
PCBA-938	0.791	0.810	0.792	0.783	0.770	0.804	0.795	0.797
PCBA-995	0.761	0.796	0.770	0.781	0.803	0.798	0.796	0.808