Contemporary Peer Code Review Practices in Research Software



```
// file: IVR.CPP
  void IVR()
3
          //press 1 for account balance, 2 for last transaction,
4
          //3 for last statement, any other for operator
          play prompt();
6
          int key pressed= get user choice();
8
          if(key pressed ==1)
9
10
                  play account balance();
11
                                                   Assignment operator
12
          else if(key pressed =2)
13
                                                   instead of comparison
14
                  play last transaction();
15
16
          else if(key pressed ==3)
17
18
                  play last statement();
19
20
          else transfer to operator();
21
22}
```

```
/file: printer.java
     (user.isAuthenticated)
3
        userAccess = checkUserAuthorization(user);
5
        //if user has access to printer
6
        if (user.isAuthenticated && userAccess.printer)
              printUsageReport ();
8
        else
9
                                           Redundant check
               emailUsageReport();
10
11 }
```

Do you think only novice developers make those mistakes?

#define CDMA_SUBSCRIPTION_SOURCE_NV 0	80
#define CDMA_SUBSCRIPTION_SOURCE_RUIM 1	81
	82
David Turner Sep 13, 2010	
the functions below operate on an AModem object, so should be named amodem_switch_technology(),	
amodem_set_cdma_xxxx	
Reply Reply 'Done'	
Jaime A Lopez-Sollano Sep 23, 2010	
Done	
Reply Reply 'Done'	
static const char* switchTechnology(AModem modem, AModemTech newtech, int32_t newpreferred);	83
static int set_cdma_subscription_source(AModem modem, ACdmaSubscriptionSource ss);	84
static int set_cdma_prl_version(AModem modem, int prlVersion);	85

```
if (noMedia)
                                                                                                    478
                                                                                                    479
                    In case the file is known and now is under a
                    .nomedia folder mark as not seen in order to
                                                                                                    480
                                                                                                    481
                    be removed from files table in the post scan.
                    (entry != null && noMedia)
                                                                                                    482
Emilio López
                                                                                       Jan 15, 2012
Isn't '&& noMedia' redundant? noMedia can only be true inside the if block.
          Reply 'Done'
Reply ...
                                                                                       Jan 16, 2012
David Marques
Thanks Emilio! My bad :D
          Reply 'Done'
Reply ...
                     entry.mSeenInFileSystem = false;
                                                                                                    483
```

return null;

484 485

486 487

Feb 8, 2010

Isn't there a risk of msgbuf not being terminated? Reading all the way to MSGBUFSIZE seems to risk overwriting the implicit init done, or does the kernel always null-terminate the buffer, even if it is larger than MSGBUFSIZE?

I guess the worst case scenario is puts going off on a tangent, so probably not particularly dangerous, but still?



Feb 9, 2010

You are absolutely right. I will change it to write() the number of bytes received. I only tested it with the other file (sender.c) which sends "Hello, world" with the null-byte attached. I will send a patch when I get home. Thanks for the review!

```
if ( $this->isPermalink ) {
54 »
55 »
                              $html .= Linker::link(
           33
                                                SpecialPage::getTitleFor( 'ArticleFeedbackv5', $record[0]->p
56 »
   age_title ),
                                                wfMessage( 'articlefeedbackv5-special-goback' )->text()
57 »
                             >>
                                       >>
                                                                                                      Apr 17, 2012
    Catrope
   And this unfixes a security bug that was fixed earlier: this must be ->escaped(), not ->text(), because the second
   param to link() is HTML.
             Reply 'Done'
   Reply ...
    Reha Sterbin
                                                                                                      Apr 17, 2012
   Done
   Reply ...
             Reply 'Done'
```



https://twitter.com/noeabarcam/ status/394749401283190784 You might be an Internet 'solopreneur', a lone wolf who writes, edits, formats, checks and publishes your own content. Or you might work for a company website, either as a content creator or as a production editor, sub-editor or editor - the person in charge of quality control and tasked to edit/proofread work produced by your colleagues.

Not you? Maybe you want to self-publish a book on Amazon, check through a student essay or thesis, perhaps error-check a company report? Maybe you're involved in creating a brochure, newsletters, business cards, product packaging or signs? Not you either? What about sending an email, posting a Tweet or updating Facebook? They all involve words. Is everything you've typed recently correct? Are you certain? It's not always easy to spot errors.

You might not have a proofreading process. Or you might be already be actively proofreading and want to get better at it.

And forgotten


If you publish or print words of any kind, you won't want any mistakes to slip through. You want to ensure that what you produce is the best that it can be. This is especially true if you are printing anything. Mistakes on the web can be corrected. You don't have that luxury with print. Print has permanency. Just think how you'd feel if you'd been the sign writer who painted 'SHCOOL' in big white letters on the road when you meant to spell 'SCHOOL'. Or that you'd given the OK to a sign that read 'DRIVE-THRU ENTERANCE'. These are real examples.

You'll find more proofreading howlers like these later, in this book.

Again, proofreading is an essential part of the publishing process. The larger the font, the more you should check it. The more permanent the publication or installation, the more you should check it. You should check and re-check everything you plan to publish until your eyes ache or until the words start to look incorrect and you have to look them up again just to make sure that you're not going crazy. And if you have time for a re-re-check, so much the better.











Code Review Practices






Code Review Techniques

```
<div id="fb-root"></div>
     <?php bouy_c c</pre>
<script>(function(d, s, id) {
  var js, fjs = d.getElementsByTagName(s)[0];
  js.src = "//connect.facebook.net/en_US/sdk.js#xfbml=1&version=v2.&Aappl@
  js = d.createElement(s); js.id = id;
     v io="page" class="51le">
<a class="skip-link screen-reader-text" href="#content"><?php esc.html
 }(document, 'script', 'facebook-jssdk'));</script>
<div id="page" class="site">
   fjs.parentNode.insertBefore(js, fjs);
     <header id="masthead" class="site-header" role="banner">
                <?php if(is_home() && $xpanel['homepage-style'] == 1) { ?>
<a href="#" id="openMenu"><1 class="fa fa-bars fa-3x"></b>
         <div class="site-branding">
             <div class="navBtn pull-left">
                 <?php } else { ?>
                  <?php } ?>
                  <a href="<?php echo esc_url( home_url() ) ?>">
               <div class="logo pull-left">
                      <img src="<?php echo $xpanel['logo']['url'] ?>">
               <div class="search-box hidden-xs hidden-sm pull-left ml-10">
                    <?php get_search_form(); ?>
                <div class="submit-btn hidden-xs hidden-sm pull-left ml-10">
                <div class="user-info pull-right mr-10">
                     if ( is_user_logged_in() ) {
```

Code

Algorithms



Code Review Comment Exercise

"You are writing cryptic code"

"Its hard for me to grasp what is going on in the code"

Use I-Messages

"This is not how I would have solved the problem"

"Why did you use this approach rather than approach X?"

Ask questions where possible

"You are sloppy when it comes to writing tests"

"I believe that you should pay more attention to writing tests"

Criticize the author's behavior, not the author

"You're requesting the serve multiple times, which is inefficient"

"This code is requesting the service multiple times, which is inefficient"

Talk about the code, not the coder

"I always use fixed timestamps in tests and you should too"


"I would always use fixed timestamps in tests for better reproducibility, but in this simple test, using the current timestamp is also ok"

Accept different solutions



Developer

Checklist



Reviewer

Checklist









Frameworks have been used appropriately

Functionality fits the design/architecture

Code is testable

Code compiles

Code Review

BEST PRACTICE

Research Code Review



Our Results



Typical Code Review Workflow



Wdites

STA

SBC STA STA

RTS

SHEP APPLE DOS

PAGE 111

3574 3755 ADF137 3575 3758 BDE337

3576 3758 38 3577 375C ADE737 3578 375F EDE337

3579 3762 BDE037 3580 3765 BDE237

3606 3795 ADE037 3607 3798 BDE137 3608 3798 209F37 3609 3610 379E 60 3611 Requests Review



Merge



3582 3768 A900 3583 376A BDEC37 3584 376D BDED37 STA IBTRK IBSECT SECTOR=0 3585 3770 8DF037 3587 3773 ADE737 3588 3776 BDF137 ADOSLD+1 IBBUFP+1 GET BOOT START ADR TO BUFP 3589 3779 8DFE36 3590 3590 3591 377C A90A 3592 377E 8DE137 3593 3781 0A A948 3594 3782 0A EA NO OF BOOT PAGES AND TO 139 #48 00P GRPGC GARBAGE RECORD 3596 3784 8DFF36 3597 3598 3787 A902 3599 3789 8DF437 #IBCWTS IBCMD 3600 3601 378C 209F37 BOOTIO , GO WRITE BOOT SECTORS 3602 3603 378F ADE337 BONDOS SET START OF DOS 3604 3792 8DF137 3605 IBBUFF+1

IBBUFP+1 BGNDOS

ADOSLD+1 BGNDOS GET START OF DOS

CALCULATE

I GO WRITE DOS

Abandon



Mailing List Code Review

From Grie Garaha de Jaconstillanhor

Subject [patch] Fix cross-user symlink race condition vulnerability

Date Wed, 31 Oct 2012 04:46:47 GMT

There is a race condition vulnerability in httpd 2.2.23 (also present in previous releases) that allows a malicious user to serve arbitrary files from nearly anywhere on a server that isn't protected by strict os level permissions. In a shared hosting environment, this is a big vulnerability.

If you would like more information on the exploit itself, please let me know. I have a proof of concept that is able to hit the exploit with 100% success.

This is my first patch submitted to Apache, so I'm sorry if I've missed something. I'm aware that this doesn't meet some of the code standards that are in place (e.g, it doesn't work at all on Windows), but I wanted to put it out there anyway.

The patch that fixes the vulnerability is attached. Thank you in advance for the feedback.

--

Curio Cucolo Cunio: Dystern Administrator

Mime

- Unnamed multipart/mixed (inline, None, 0 bytes)
 - o Unnamed text/plain (inline, 7-Bit, 857 bytes)
 - httpd-2.2.23-symlink-protection.patch (text/x-patch) (attachment, 7-Bit, 8324 bytes)

View raw message

Pull Requests

Fix a small bug in a project in GitHub Pull Requests

```
#git clone https://github.com/project/code ; cd code
#vi some.c
#git commit —a —m 'Fix the frobinator'
#go to web UI
#click fork
#git remote add me https://github.com/$USER/code
#git push me master
#go to web UI
#create pull request
```

Fix a small bug in a project in Gerrithub

```
#git clone https://gerrit.googlsource.com/gerrit ; cd gerrit
#vi .buckconfig
#git commit —a —m 'Add new target alias for doc index'
#git push origin HEAD:refs/for/master
```

Contemporary Code Reviews













facebook









Code Review Tools

Code Review Tools



Gerrit: https://code.google.com/p/gerrit/



Review Board: https://www.reviewboard.org/



Phabricator: https://phabricator.org/



Crucible:

https://www.atlassian.com/software/crucible

References for further reading

- Code Complete, by Steve McConnel
- https://www.codeproject.com/articles/5242 35/codeplusreviewplusguidelines
- https://blog.philipphauer.de/code-reviewguidelines
- https://github.com/joho/awesome-codereview
- https://www.planetgeek.ch/wpcontent/uploads/2013/06/Clean-Code-V2.1.pdf



Photo Credits

- http://incolors.club/collectionfdwn-female-computer-programmer.htm
- http://tech.trivago.com/img/posts/code-review/code-review-3.jpg
- http://www.protectitip.com/wp-content/uploads/2014/11/Software-Code.jpg
- http://www.computerhistory.org/atchm/wpcontent/uploads/2013/11/marked_up_listing-542x404.jpg
- https://static1.squarespace.com/static/53798babe4b0fca944 9cf693/t/53f78774e4b0ce4d05e4152f/1408730997720/
- https://residentialwastesystems.com/wpcontent/uploads/2016/10/dumpsters-trumbull-ct.jpg
- http://www.hipaasecurenow.com/index.php/beckers-hipaacompliance-8-best-practices/
- https://commons.wikimedia.org/wiki/File:Collaboration_(960 1759166).jpg#metadata
- http://entertainment.time.com/2012/05/09/confessions-ofanother-book-reviewer/