

Sample	Total Clean	Total	Total Raw	Total Clean	Total	Clean Reads	Clean	Clean
	Reads	Mapping	Reads	Reads(Mb)	Clean	Q20 (%)	Reads	Reads
		Ratio	(Mb)		Bases(Gb)		Q30 (%)	Ratio (%)
ACB_Control	30022508	85.08%	37.25	30.02	4.5	98.4	95.31	80.6
ACB_KETAMINE	30372596	85.29%	37.25	30.37	4.56	98.42	95.35	81.54
ACB_R1	30209912	85.27%	37.25	30.21	4.53	98.44	95.38	81.11
ACB_R5	30468892	85.71%	37.25	30.47	4.57	98.4	95.25	81.8
BLA_Control	29432304	84.74%	35.63	29.43	4.41	98.46	95.46	82.61
BLA_KETAMINE	30190824	84.96%	37.25	30.19	4.53	98.39	95.31	81.06
BLA_R1	29948020	85.87%	35.63	29.95	4.49	98.36	95.21	84.06
BLA_R5	30434350	85.54%	37.25	30.43	4.57	98.32	95.12	81.71
INS_Control	30145498	85.21%	37.25	30.15	4.52	98.37	95.21	80.93
INS_KETAMINE	30601914	85.16%	37.25	30.6	4.59	98.39	95.31	82.16
INS_R1	29469980	85.58%	35.63	29.47	4.42	98.41	95.34	82.72
INS_R5	30199728	84.56%	37.25	30.2	4.53	98.3	95.05	81.08
PVT_Control	30033452	85.42%	37.25	30.03	4.51	98.39	95.28	80.63
PVT_KETAMINE	30524800	86.15%	37.25	30.52	4.58	98.38	95.19	81.95
PVT_R1	30454864	85.88%	37.25	30.45	4.57	98.4	95.28	81.76
PVT_R5	30270614	84.21%	37.25	30.27	4.54	98.25	94.93	81.27