

Delivering web-based access to data and algorithms to support computational toxicology: US EPA CompTox Chemicals Dashboard

Antony Williams, Chris Grulke, Ann Richard, Richard Judson, Grace Patlewicz, Imran Shah, John Wambaugh, Katie Paul-Friedman, Jeremy Dunne and Jeff Edwards

National Center for Computational Toxicology, U.S. Environmental Protection Agency, RTP, NC

The views expressed in this presentation are those of the author and do not necessarily reflect the views or policies of the U.S. EPA

Overview




- The CompTox Chemicals Dashboard webbased database of 875k substances
- Associated data including:
 - Experimental and predicted physicochemical data
 - In vivo hazard data
 - In vitro bioactivity screening data
 - Link farm to tens of public resources
- Integrated modules read-across, lit search
- Data mappings and searches supporting
 Mass Spectrometry & structure identification

CompTox Chemicals Dashboard






875k Chemical Substances




BASIC Search






Detailed Chemical Pages






Experimental and Predicted Data






Transparency for prediction models







Bisphenol A 80-05-7 | DTXSID7020182




OPERA Models: LogP: Octanol-Water


rest Neighbors from the Training Set







Measured:3.25 Predicted: 3.39062 Measured:4.16 Predicted: 3.94445



Predicted: 2.84603

OPERA Predicted Properties



An automated curation procedure for addressing chemical errors and inconsistencies in public datasets used in QSAR modelling

K. Mansouri, C. M. Grulke, A. M. Richard, R. S. Judson & A. J. Williams



Journal of Cheminformatics

RESEARCH ARTICLE

Open Access


OPERA models for predicting physicochemical properties and environmental fate endpoints

Kamel Mansouri 1,2,3* , Chris M. Grulke 1, Richard S. Judson 1 and Antony J. Williams 1

OPERA Models: https://github.com/kmansouri/OPERA

Access to Chemical Hazard Data





Hazard Data from "ToxVal_DB"




- ToxVal Database contains following data:
 - -~800,000 toxicity values
 - -~30 sources of data
 - -~22,000 sub-sources
 - -~5000 journals cited
 - -~70,000 literature citations

In Vitro Bioassay Screening

ToxCast and Tox21






In Vitro Bioassay Screening

ToxCast and Tox21





Bioactivity: Downloadable Data

https://www.epa.gov/chemical-research/exploring-toxcast-data-downloadable-data



Exploring ToxCast Data: Downloadable Data

The results after processing through the Pipeline are available on the <u>ToxCast Dashboard</u>, and for most users EPA recommends accessing the data there.

- ToxCast Chemicals
- <u>ToxCast Assays</u>

ToxCast Data and Information

- ToxCast & Tox21 Summary Files. Data for a single chemical endpoint pair for thousands of chemicals and assay endpoints for 20 variables such as the activity or hit call, activity concentrations, whether the chemical was tested in a specific assay, etc.
 - o <u>Download ToxCast Summary Information</u>
 - Download ReadMe
- ToxCast & Tox21 Data Spreadsheet. A spreadsheet of EPA's analysis of the chemicals screened through ToxCast and the Tox21 collaboration which includes EPA's activity calls from the screening of over 1,800 chemicals.
 - Download Data
 - Download ReadMe
- ToxCast Data Pipeline R Package. The R computer programming package used to process and model all EPA ToxCast and Tox21 chemical screening data. The files include the R programming package as well as documents that provide overviews of the data analysis pipeline used and the R package. Users will need experience with R to use these files.
 - <u>Download Package</u>
 - TCPL Overview


Resources

- <u>Toxicity Forecaster (ToxCast)</u>
 Fact Sheet
- ToxCast Publications
- ToxCast Citation
- About ToxCast

Sources of Exposure to Chemicals


PRODUCTION VOLUME





Sources of Exposure to Chemicals





An "Executive Summary" Quick Look Tox Info



Executive Summary

Quantitative Risk Assessment Values

- IRIS values available
- No PPRTV values
- Minimum RfD: 0.050 mg/kg-day (chronic, IRIS, oral, 8) [3]
- No RfC calculated

Quantitative Hazard Values

- Minimum oral POD: 3.8 mg/kg-day (reproductive, HPVIS, oral, 6) 3
- No inhalation POD values
- Lowest Observed Bioactivity Equivalent Level: CYP1A1, CYP1A2, Tpo, ESR2, ESR1, ESR1,
- NR1I3, PPARA, NR1I2, Cyp2c11, MMP3, Esr1

Cancer Information

- No cancer slope factor No inhalation unit risk value
- Carcinogenicity data available: University of Maryland carcinogenicity warning: 2 No genotoxicity findings reported

Reproductive Toxicology

200 Reproductive toxicity PODs available 2

Chronic Toxicology

340 Chronic toxicity PODs available 2

Subchronic Toxicology

✓ 12 Subchronic toxicity PODs available

Developmental Toxicology

6 Developmental toxicity PODs available

Acute Toxicology

391 Acute toxicity PODs available 2

Subacute Toxicology

1 subacute toxicity PODs available

No neurotoxicology data available.

Endocrine System

Endocrine Disruption Potential. Significant Estrogen and Androgen Receptor activity seen. Chemical was positive in 21 ER assays (out of 35) and was positive in 9 AR assays (tested in 19).

MTTK Css data are available

Fate and Transport

No bioaccumulation concern.

No volatility concern.

Biodegradation predictions are available

✓ Vapor Pressure predictions are available
✓

Exposure estimates are available based on NHANES and SEEM

AOP Information

AOP Links: 13, 33, 36, 58, 60, 61, 66, 107, 124, 150, 163, 175, 187, 200

Other Notes

- No water quality values available
- No air quality values available.
- 14 Occupational exposure values available.

REGIONAL SCREENING Class THQ = 0 risk-based SSL (mg/kg) 5.8 GIABS (unspecified) THO = 1GIABS (unspecified) THQ = 0.1 ABS (unspecified) THQ = 0.1 0.1 RFDo (mg/kg-day) THQ = 0.10.05 screening level (residential Soil) (mg/kg) THQ = 0.1320 4100 screening level (industrial soil) (mg/kg) THQ = 0.1screening level (tap water) (ug/L) THQ = 0.1 77 RFDo (mg/kg-day) THQ = 1 0.05 screening level (residential Soil) (mg/kg) THO = 13200 screening level (industrial soil) (mg/kg) THO = 141000 ABS (unspecified) THQ = 1 0.1 risk-based SSL (mg/kg) THQ = 1 58

♠ PHYSCHEM PARAMETERS

THQ = 1

screening level (tap water) (ug/L)





Guantitative Risk Assessment Values

- IRIS values available
- No PPRTV values
- EPA RSL values available
- Minimum RfD: 0.050 mg/kg-day (chronic, IRIS, oral, 8)
- No RfC calculated
- NIVIVE POD not calculated


Quantitative Hazard Values

- Minimum oral POD: 3.8 mg/kg-day (reproductive, HPVIS, oral, 6)
- No inhalation POD values
- NR1I3, PPARA, NR1I2, Cyp2c11, MMP3, Esr1

15

Identifiers to Support Searches






Quality Control of the Database



We have full time curators checking data






Built-in "Modules"

Abstract Sifter for Excel





Literature Searching





Morphine

57-27-2 | DTXSID9023336

Searched by Approved Name.

Abstract Sifter

1) Select PubMed starting point query then 2) click on Retrieve. Select a Query Term Retrieve Articles Select a Query Term Hazard Fate and Transport Metabolism/PK/PD Chemical Properties Exposure Mixtures Male Reproduction Androgen Disruption Female Reproduction GeneTox Cancer Clinical Trials Embryo and embryonic development Child (infant through adolescent) Dust and Exposure Food and Exposure Water and Exposure Algae Disaster / Emergency

Optionally	v. edit	the o	querv	before	retrieving
Optionuli	y, care	unc v	quoi y	DOIDIG	TOUTO VIIII

"57-27-2" OR "Morphine"

Literature Searching



Child (Intant through adolescent)

Dust and Exposure

Food and Exposure

Water and Exposure

Algae

Disaster / Emergency

Öptionally, edit the query before retrieving.

("57-27-2" OR "Morphine") AND ((water OR groundwater OR drinking water) AND Environmental Exposure)

Literature Searching




37 of 37 articles loaded...

To find articles quickly, enter terms to sift abstracts. (1)												
wastewater		Spe	Spectrometry		EPA		Clear Terms		Download / Send to Download Sifter for I	Excel	0	
	wastewater	Spectromet	гу 👃	EPA	Total	PMID	Year	Title	Authors	Journal	Rev	_
	4	2		0	6	29274731	2017	Simultaneous analysis of opioid analgesics and thei	Krizman-Matasic; Kostanjevecki; Ahel; Terzic	Journal of chromatography. A		
	0	1		0	1	25768972	2015	Evaluating external contamination of polybrominate	Poon; Aleksa; Carnevale; Kapur; Goodyer; Koren	Therapeutic drug monitoring		
	0	1		0	1	22544551	2012	Spatial distribution of illicit drugs in surface waters o	Vazquez-Roig; Andreu; Blasco; Morillas; Picó	Environmental science and pollution research inter		
	1	1		0	2	20801487	2010	Analysis of llicit and illicit drugs in waste, surface an	Berset; Brenneisen; Mathieu	Chemosphere		
	1	1		0	2	17935751	2007	Illicit drugs, a novel group of environmental contami	Zuccato; Castiglioni; Bagnati; Chiabrando; Grassi;	Water research		
	2	1		1	4	17607391	2007	Using environmental analytical data to estimate lev	Bones; Thomas; Paull	Journal of environmental monitoring : JEM		
	3	1		2	6	17180984	2006	Simultaneous determination of psychoactive drugs \dots	Hummel; Löffler; Fink; Ternes	Environmental science & technology		
	6	0		0	6	30583189	2018	Assessment of drugs of abuse in a wastewater trea	Kumar; Tscharke; O'Brien; Mueller; Wilkins; Padhye	The Science of the total environment		
	0	0		3	3	30488421	2018	Effect of enriched environment during adolescence \dots	Mohammadian; Najafi; Miladi-Gorji	Developmental psychobiology		
	3	0		0	3	29574368	2018	Estimation of the consumption of illicit drugs during \dots	Foppe; Hammond-Weinberger; Subedi	The Science of the total environment		
	1	0		0	1	28787791	2017	$\label{thm:equation} \mbox{Evaluation of in-sewer transformation of selected illi}$	Gao; Banks; Li; Jiang; Lai; Mueller; Thai	The Science of the total environment		
	9	0		0	9	28472697	2017	Occurrence and fate of illicit drugs and pharmaceuti	Causanilles; Ruepert; Ibáñez; Emke; Hernández; d	The Science of the total environment		
	0	0		0	0	28010888	2016	Dose-dependent effects of morphine on lipopolysac	Mottaz; Schönenberger; Fischer; Eggen; Schirmer;	Environmental pollution (Barking, Essex : 1987)		
	0	0		0	0	27746311	2016	Effects of voluntary exercise on the viability, prolifer	Haydari; Safari; Zarbakhsh; Bandegi; Miladi-Gorji	Neuroscience letters		
	0	0		0	0	27261879	2016	Genotoxic effects induced by the exposure to an en	Parolini; Magni; Castiglioni; Binelli	Ecotoxicology and environmental safety		
	3	0		0	3	27179320	2016	Temporal trends in drug use in Adelaide, South Aus	Tscharke; Chen; Gerber; White	The Science of the total environment		-

Generalized Read-Across (GenRA)









Related Publications





Cite This: Chem. Res. Toxicol. 2017, 30, 2046-2059

pubs.acs.org/crt

Predicting Organ Toxicity Using in Vitro Bioactivity Data and Chemical Structure

Jie Liu, \$\frac{1}{2}\$. Grace Patlewicz, \$\frac{1}{2}\$ Antony J. Williams, \$\frac{1}{2}\$ Russell S. Thomas, \$\frac{1}{2}\$ and Imran Shah**

[†]National Center for Computational Toxicology, Office of Research and Development, U.S. Environmental Protection Agency, Research Triangle Park, Durham, North Carolina 27711, United States



Computational Toxicology

Available online 23 July 2018

In Press, Corrected Proof ?



Extending the Generalised Read-Across approach (GenRA): A systematic analysis of the impact of physicochemical property information on read-across performance



Regulatory Toxicology and Pharmacology

Volume 79, August 2016, Pages 12-24



Systematically evaluating read-across prediction and performance using a local validity approach characterized by chemical structure and bioactivity information

Imran Shah ^a ^o ⊠, Jie Liu ^{b, c}, Richard S. Judson ^a, Russell S. Thomas ^a, Grace Patlewicz ^a



Contents lists available at ScienceDirect

Computational Toxicology

ogy

journal homepage: www.elsevier.com

Navigating through the minefield of read-across frameworks: A commentary perspective

Grace Patlewicz^{a, *}, Mark T.D. Cronin^b, George Helman^{a, c}, Jason C. Lambert^d, Lucina E. Lizarraga^d, Imran Shah^a

- ^a National Center for Computational Toxicology (NCCT), Office of Research and Development, US Environmental Protection Agency (US EPA), 109 TW Alexander Dr, Research Triangle Park
- b School of Pharmacy and Biomolecular Sciences, Liverpool John Moores University, Byrom Street, Liverpool L3 3AF, UK
- Coak Ridge Institute for Science and Education (ORISE), 1299 Bethel Valley Road, Oak Ridge, TN 37830, USA
- Anational Center for Evaluation Assessment (NCEA), US Environmental Protection Agency (US EPA), 26 West Martin Luther King Dr., Cincinnati, OH 45268, USA

Iourna

Image

Department of Information Science, University of Arkansas at Little Rock, Arkansas 72204, United States


[§]Oak Ridge Institute for Science Education, National Center for Computational Toxicology, Office of Research and Development, U.S. Environmental Protection Agency, Research Triangle Park, Durham, North Carolina 27711, United States



Mapped Relationships

Relationships in the Data






Presence in Lists




pubs.acs.org/est

Open Science for Identifying "Known Unknown" Chemicals

Emma L. Schymanski*,† and Antony J. Williams*,† 0



CN1CCC[C@H]1C1=CN=CC=C1 DTXSID1020930| SNICXCGAKADSCV 54-11-5 | 162.1157 | 0.929 | 72 Tox: yes | Expo: yes | Bioassay: yes




Benzoic acid, 2-hydroxy-, compd. with 3-[(2S)-1-methyl-2-pyrrolidinyl]pyridine (1:1)

OC(=O)C1=C(O)C=CC=C1.CN1CCC[C@H]1C1=CN=CC=C1 DTXSID5075319 | AIBWPBUAKCMKNS 29790-52-1 300.1474 0.929 6

Tox: no | Expo: yes | Bioassay: no

CN1CCC[C@@H]1C1=CN=CC=C1 DTXSID004635 | SNICXCGAKADSCV 25162-00-9 | 162.1157 | 0.929 | 20 Tox: no | Expo: ves | Bioassay: ves



CN1CCCC1C1=CN=CC=C1 DTXSID3048154 | SNICXCGAKADSCV 22083-74-5 | 162.1157 | 0.953 | 9 Tox: yes | Expo: no | Bioassay: yes

LEGEND: Name, SMILES DTXSID | InChlKey 1st Block CAS | Monoiso. Mass | logP | Sources Data on: Toxicity | Exposure | Bioassays

Nicotine hydrochloride

HCI

CI.CN1CCC[C@H]1C1=CN=CC=C1 DTXSID602093 | HDJBTCAJIMNXEW 2820-51-1 | 198.0924 | 0.929 | 9 Tox: no | Expo: yes | Bioassay: yes

[2H]C([2H])([2H])N1CCCC1C1=CN=CC=C1 DTXSID80442666| SNICXCGAKADSCV 69980-24-1 | 165.1345 | 0.929 | 1

Tox: no | Expo: no | Bioassay: no

"MS-Ready Structures"

https://doi.org/10.1186/s13321-018-0299-2



McEachran et al. J Cheminform (2018) 10:45 https://doi.org/10.1186/s13321-018-0299-2

Journal of Cheminformatics

METHODOLOGY


Open Access

"MS-Ready" structures for non-targeted high-resolution mass spectrometry screening studies

Andrew D. McEachran^{1,2*}, Kamel Mansouri^{1,2,3}, Chris Grulke², Emma L. Schymanski⁴, Christoph Ruttkies⁵ and Antony J. Williams^{2*}


Bisphenol A 27 Total MS-Ready Mappings





Related Substances – Transformation Products, "Monomer-Polymer"







"UVCB" Chemical Substances

UVCB Chemicals




Chemical Substances of Unknown or Variable Composition, Complex Reaction Products and Biological Materials (UVCB Substance) on the TSCA Inventory

This paper is a compendium of information related to the broad class of chemical substances referred to as UVCBs for the Toxic Substances Control Act (TSCA) Chemical Substance Inventory. These chemical substances cannot be represented by unique structures and molecular formulas.

UVCB: Complex Surfactants








"Markush Structures"


https://en.wikipedia.org/wiki/Markush_structure



















UVCB: Complex Surfactants







C10-linear alkylbenzenesulfonate NOCAS_891689 | DTXSID70891689

Searched by DSSTox Substance Id.









Chemical Lists and Categories

Category example – PAHs






Searched by DSSTox Substance Id.

Wikipedia

Polycyclic aromatic hydrocarbons (PAHs, also polyaromatic hydrocarbons or polynuclear aromatic hydrocarbons) are hydrocarbons—organic compounds containing only carbon and hydrogen—that are composed of multiple aromatic rings (organic rings in which the electrons are delocalized). The simplest such chemicals are naphthalene, having two aromatic rings, and the three-ring compounds anthracene and phenanthrene.


PAHs are uncharged, non-polar molecules found

Read more




Polycyclic aromatic hydrocarbons 130498-29-2 | DTXSID3044043


Searched by DSSTox Substance Id.



EPAHFR: Hydraulic Fracturing









List of Assays





From Assay to Chemicals...







Other Searches

Chemicals Product/Use Categories Assay/Gene

Search for chemicals based on product or use categories

Product/Use Categories



Chemicals

Product/Use Categories

Assay/Gene



CPDat PRODUCT category: auto products auto lubricant engine lubricants and belt dressings, not including motor oils (spray or aerosol formulation specified)

CPDat PRODUCT category: auto products auto lubricant engine lubricants and belt dressings, not including motor oils

CPDat PRODUCT category: home maintenance lubricant household maintenance lubricants (spray or aerosol formulation specified)


CPDat PRODUCT category: home maintenance lubricant household maintenance lubricants

CPDat PRODUCT category: personal care clipper lubricant/cleaner cleaning and lubricating products for hair clippers

CPCat USE category: lubricant generic lubricants, lubricants for engines, brake fluids, oils, etc (does not include personal care lubricants)

Lubricant





Lots of UVCBS in Commerce....



1 related chemical structure with this substance

Butoxypolypropylene glycol DTXSID: DTXSID3034404 PubChem: 0 CPDAT: 437

0 related chemical structures with this substance

Distillates, petroleum, hydrotreated heav...
DTXSID: DTXSID3028217

PubChem: 0 CPDAT: 433 0 related chemical structures with this substance

> Fatty acids, tall-oil DTXSID: DTXSID0028088 PubChem: 0 CPDAT: 436

1 related chemical structure with this substance

CPDAT: 433

Edifas B DTXSID: DTXSID2020555 PubChem: 0 ~~~~~~/~}

Poly(oxy-1,2-ethanediyi), alpha-tridecyl-... DTXSID: DTXSID8043993 PubChem: 0 CPDAT: 435

0 related chemical structures with this substance

> Coconut oil DTXSID: DTXSID8027664 PubChem: 0 CPDAT: 432

1 related chemical structure with this substance

Polyoxyethylene (20) oleylether DTXSID: DTXSID1027714 PubChem: 0 CPDAT: 435

4-Methyl-2-pentanone

PubChem: 173

CPDAT: 428

DTXSID: DTXSID5021889

0 related chemical structures with this substance

Soy oil DTXSID: DTXSID8027660 PubChem: 0 CPDAT: 435 0 related chemical structures with this substance

Bentonite DTXSID: DTXSID6030782 PubChem: 0 CPDAT: 433


0 related chemical structures with this substance

Distillates, petroleum, solvent-refined he...
DTXSID: DTXSID9028172
PubChem: 0
CPDAT: 426

Dibutyl phthalate
DTXSID: DTXSID2021781
PubChem: 138
CPDAT: 421




Other Searches



Chemical-Biology


Assay/Gene Search





Assay/Gene Search Finds associated assays/chemicals








Mass/Formula Searching and Metadata Ranking


Advanced Searches Mass Search






Advanced Searches Mass Search





MS-Ready Structures for Formula Search







MS-Ready Mappings



EXACT Formula: C10H16N2O8: 3 Hits






MS-Ready Mappings



- Same Input Formula: C10H16N2O8
- MS Ready Formula Search: 125 Chemicals



Mass Spec Focused Applications



Analytical and Bioanalytical Chemistry (2019) 411:853–866 https://doi.org/10.1007/s00216-018-1435-6

RESEARCH PAPER



EPA's non-targeted analysis collaborative trial (ENTACT): genesis, design, and initial findings

Elin M. Ulrich¹ • Jon R. Sobus¹ • Christopher M. Grulke² • Ann M. Richard² • Seth R. Newton¹ • Mark J. Strynar¹ • Kamel Mansouri^{3,4} • Antony J. Williams²

Analytical and Bioanalytical Chemistry (2019) 411:835–851 https://doi.org/10.1007/s00216-018-1526-4

RESEARCH PAPER



Using prepared mixtures of ToxCast chemicals to evaluate non-targeted analysis (NTA) method performance

Jon R. Sobus ¹ • Jarod N. Grossman ^{2,3} • Alex Chao ² • Randolph Singh ⁴ • Antony J. Williams ⁵ • Christopher M. Grulke ⁵ • Ann M. Richard ⁵ • Seth R. Newton ¹ • Andrew D. McEachran ⁴ • Elin M. Ulrich ¹

Mass Spec Focused Applications



Journal of Exposure Science & Environmental Epidemiology (2018) 28:411–426 https://doi.org/10.1038/s41370-017-0012-y

REVIEW ARTICLE



Integrating tools for non-targeted analysis research and chemical safety evaluations at the US EPA

Jon R. Sobus¹ · John F. Wambaugh² · Kristin K. Isaacs¹ · Antony J. Williams² · Andrew D. McEachran³ · Ann M. Richard² · Christopher M. Grulke² · Elin M. Ulrich¹ · Julia E. Rager^{3,4} · Mark J. Strynar¹ · Seth R. Newton¹



Article

Cite This: Environ. Sci. Technol. 2018, 52, 3125-3135

pubs.acs.org/est

Suspect Screening Analysis of Chemicals in Consumer Products

Katherine A. Phillips, Dalice Yau, Kristin A. Favela, Kristin K. Isaacs, Andrew McEachran, Alice Grulke, Ann M. Richard, Antony J. Williams, Jon R. Sobus, Russell S. Thomas, and John F. Wambaugh.



Batch Searching

Batch Searching



 Singleton searches are useful but people generally want data on LOTS of chemicals!

Typical questions

- What is the list of chemicals for the formula C_xH_yO_z
- What is the list of chemicals for a mass +/- error
- Can I get chemical lists in Excel files? In SDF files?
- Can I include properties in the download file?

Aggregate data for a list of chemicals





Trends in Environmental Analytical Chemistry



Volume 20, October 2018, e00059

Opioid occurrence in environmental water samples—A review

Marina Celia Campos-Mañas a, Imma Ferrer b ≥ 🖾, E.Michael Thurman b, Ana Agüera a

■ Show more


https://doi.org/10.1016/j.teac.2018.e00059

Get rights and content

Batch Search Names



Buprenorphine Codeine Dextromethorphan Dihydrocodeine Dihydromorphine Ethylmorphine Fentanyl Heroin Hydrocodone Hydromorphone Ketamine Meperidine Methadone Morphine Morphinone Naloxone Naltriben 0xycodone Oxymorphone Propoxyphene Sufentanil Tramadol



Add Other Data of Interest



Chemical Identifiers

- ✓ DTXSID
- Chemical Name
- ☐ DTXCID **(**)
- ✓ CAS-RN
- ✓ InChlKey <a>f
- ☐ IUPAC Name 🚹

Structures

- ☐ Mol File 🚯
- SMILES 1
- ☐ InChI String **1**
- ✓ MS-Ready SMILES
- QSAR-Ready SMILES (1)

Intrinsic And Predicted Properties

- Molecular Formula
- Average Mass < 1</p>
- ✓ Monoisotopic Mass

 ⑥
- ☐ TEST Model Predictions 🕦
- OPERA Model Predictions

1					
INPUT	DTXSID	CASRN		MONOISOTOPIC	
Buprenorph	DTXSID202	52485-79-7	C29H41NO4	467.3035588	[H]C12CC3=C4C(
Codeine	DTXSID202	76-57-3	C18H21NO3	299.1521435	[H]C12CC3=C4C
Dextrometh	DTXSID302	125-71-3	C18H25NO	271.1936144	[H]C12CC3=C(C=
Dihydrocode	DTXSID502	125-28-0	C18H23NO3	301.1677936	[H]C12CC3=C4C
Dihydromor	DTXSID704	509-60-4	C17H21NO3	287.1521435	[H]C12CC3=C4C
Ethylmorph	DTXSID104	76-58-4	C19H23NO3	313.1677936	[H]C12CC3=C4C
Fentanyl	DTXSID902	437-38-7	C22H28N2O	336.2201635	CCC(=O)N(C1CC
Heroin	DTXSID604	561-27-3	C21H23NO5	369.1576228	[H]C12CC3=C4C
Hydrocodon	DTXSID802	125-29-1	C18H21NO3	299.1521435	[H]C12CC3=C4C
Hydromorph	DTXSID802	466-99-9	C17H19NO3	285.1364935	[H]C12CC3=C4C
Ketamine	DTXSID802	6740-88-1	C13H16CINO	237.0920418	CNC1(CCCCC1=
Meperidine	DTXSID902	57-42-1	C15H21NO2	247.1572289	CCOC(=0)C1(CC
Methadone	DTXSID702	76-99-3	C21H27NO	309.2092645	CCC(=O)C(CC(C)
Morphine	DTXSID902	57-27-2	C17H19NO3	285.1364935	[H]C12CC3=C4C
Morphinone	DTXSID501	467-02-7	C17H17NO3	283.1208434	[H]C12CC3=C4C
Naloxone	DTXSID802	465-65-6	C19H21NO4	327.1470582	[H]C12CC3=C4C
Naltriben	-	-	-	-	-
Oxycodone	DTXSID502	76-42-6	C18H21NO4	315.1470582	[H]C12CC3=C4C
Oxymorpho	DTXSID502	76-41-5	C17H19NO4	301.1314081	[H]C12CC3=C4C
Propoxyphe	DTXSID102	469-62-5	C22H29NO2	339.2198292	CCC(=O)OC(CC1
Sufentanil	DTXSID602	56030-54-7	C22H30N2O2S	386.2027994	CCC(=O)N(C1=C
Tramadol	DTXSID908	27203-92-5	C16H25NO2	263.188529	COC1=CC=CC(=

Batch Search in specific lists



	INPUT	DTXSID	MASSBANKREF	NEMILIST	WRTMSD	NORMANPRI	SUSDAT
1	Buprenorph	DTXSID202:	-	_	Υ	-	Υ
	Codeine	DTXSID202	Υ	Υ	Υ	Υ	Υ
	Dextrometh	DTXSID302:	Υ	Υ	Υ	-	Υ
	Dihydrocode			-	Υ	Υ	Υ
-N	Dihydromor			-	-	-	Υ
	Ethylmorph			-	Υ	-	Υ
	Fentanyl	DTXSID902:	Υ	-	Υ	-	Υ
₩ N		DTXSID604		-	Υ	Υ	Υ
₽	Hydrocodor			Υ	Υ	Υ	Υ
	Hydromorph	DTXSID802:	-	-	Υ	-	Υ
	Ketamine	DTXSID802:	Υ	-	Υ	-	Υ
₩ N-	Meperidine	DTXSID902:	Υ	-	Υ	-	Υ
	Methadone	DTXSID702:	Υ	Υ	Υ	-	Υ
✓ N	Morphine	DTXSID902:	Υ	Υ	Υ	Υ	Υ
	Morphinone	DTXSID501!	-	_	-	-	Υ
ĭ V	Naloxone	DTXSID802	-	_	Υ	-	Υ
	Naltriben	-	-	_	-	-	-
<u> </u>	Oxycodone	DTXSID502:	Υ	Υ	Υ	Υ	Υ
	Oxymorpho			_	Υ	-	Υ
	Propoxyphe	DTXSID102:	Υ	Υ	Υ	-	Υ
<u>i</u>	Sufentanil	DTXSID602:	-	_	Υ	-	Υ
\square N	Tramadol	DTXSID908	Υ	Υ	Υ	Υ	Υ

Built in Checks...



W	m		υ	U	U	
Ingredient Name	variable and the second of	- (Cas Number 🔻	FIXED (🔻	FOUND_BY	įΤ
D-Glucitol, 1-deoxy	-1(methylamino)-, N-C12 acyl derivs.	8	87246-72-8	87246-72-	Alternate CAS-RN	
6-Acetyl-1,1,2,4,4,7	-hexamethyl tetralin	1	1506-02-1	1506-02-1	Alternate CAS-RN	
Spiro(isobenzofura	n-1(3H),9'-(9H)xanthen)-3-one,3',6'-dihydroxy-2',4',5',7'-tetra	i¢!	568-63-8	568-63-8	Alternate CAS-RN	
2-Propenoic acid, 2-	-methyl-, 2-((2,3,3a,4,7,7a(or 3a,4,5,6,7,7a)-hexahydro-4,7-me	et (68586-19-6	68586-19-	Alternate CAS-RN	
Sodium N-cis-9-oct	adecenyl-N-methyltaurine	-	7346-80-7	7346-80-7	Alternate CAS-RN	
Oxirane, methyl-, p	olymer with oxirane, ether with oxybis(propanol) (2:1)	(63466-93-3	63466-93-	Alternate CAS-RN	
Spiro(isobenzofura	n-1(3H),9'-(9H)xanthen)-3-one, 2',4',5',7',-tetrabromo-3',6'-dil	h'!	548-26-5	548-26-5	Alternate CAS-RN	
1-Octadecene		1	111-88-9	111-88-9	Checksum Failed	
1,2,4-Benzenetricar	boxylic acid, tris(decyl) ester,mixt. with 2-[[3-[(1-oxodecyl)o	X :	187273-40-6	187273-40	Checksum Failed	
Acetic acid ethenyl	ester, polymer with ethenol		24213-24-5	24213-24-	Checksum Failed	
1,4-Benzenedicarbi	xylic acid, dimethyl ester,polymer with 1,4-cyclohexanedime	et 2	25640-14-0	25640-14-0	Checksum Failed	
Poly(oxy-1,2-ethan	ediyl), .alpha.,.alpha.'-[[methyl[3-(tridecyloxy)propyl]imino]	d (68601-19-5	68601-19-	Checksum Failed	
Cyclohexanol, 5-me	ethyl-2-(1-methylethyl)-, acetate, (1.alpha.,2.beta.,5.alpha.)-((. :	29066-34-0	29066-34-0	Deleted CAS-RN	
Ethoxylated lanolin			9/6/8039	8039-09-6	Deleted CAS-RN	
1-Octanaminium, N	-methyl-N,N-dioctyl-, chloride	-	76925-99-0	76925-99-0	Deleted CAS-RN	
Nitric acid, copper(2+) salt	1	10031-43-3; 3251-23	10031-43-	Not CAS Number Form	at
Fatty acids, coco, re	action products with 2-{(2-aminoethyl)amino}ethanol, bis(2-	c:	132647-09-7; 68411-	132647-09	Not CAS Number Form	at
Mixture of 2,2'-Dim	orpholinodiethyl ether with 1,2-dimorpholinoethane	1	1723-94-0; 6425-39-4	1723-94-0	Not CAS Number Form	at
(Chloropropyl)trim	ethoxysilane	1	2530-87-2; 25512-39	2530-87-2	Not CAS Number Form	at

Related Substance Relationships




Februard Data Sharts	── EPA: National-Scale Air
Enhanced Data Sheets	☐ EPA: PPRTV Chemical R
☐ MetFrag Input File (Beta) 1	EPA: Provisional Adviso
☐ ToxPrint single fingerprints 1	
Abstract Sifter Input File (Beta) 🚯	EPA: Safer Choice Chem
Synonyms and Identifiers 1	Selecting this checkbox provides a separate Excel worksheet containing the relationship
✓ Related Substance relationships	between two chemicals. The output file includes the DTXSIDs and names/CASRNs between the
ToxPrint fingerprints (ChemoTyper f	input list and the related chemical. Relationships include, for example, polymer, components, salt form, transformation product and other relationships.
Associated ToxCast Assays	b

/	Α	В	С	D	Е	
1	INPUT	DTXSID	PREFERRED_NAME	HAS_RELATIONSHIP_WITH	RELATED_DTXSID	RELATED_PREFERRED_NAM
2	xylenes	DTXSID2021446	Xylenes	Transformation Product	DTXSID40176394	N-Benzoylalanine
3	xylenes	DTXSID2021446	Xylenes	Component	DTXSID6026298	m-Xylene
4	xylenes	DTXSID2021446	Xylenes	Component	DTXSID3021807	o-Xylene
5	xylenes	DTXSID2021446	Xylenes	Component	DTXSID2021868	p-Xylene
6	xylenes	DTXSID2021446	Xylenes	Predecessor: Component	DTXSID9021421	Xylenes; defined mixture 1
7	xylenes	DTXSID2021446	Xylenes	Predecessor: Component	DTXSID7021447	Xylenes; defined mixture 2
8	xylenes	DTXSID2021446	Xylenes	Predecessor: Component	DTXSID30891529	Total Petroleum Hydrocarbons
9	xylenes	DTXSID2021446	Xylenes	Markush Child	DTXSID3021807	o-Xylene
10	xylenes	DTXSID2021446	Xylenes	Markush Child	DTXSID6026298	m-Xylene
11	xylenes	DTXSID2021446	Xylenes	Markush Child	DTXSID2021868	p-Xylene

Batch Searching Formula/Mass





Searching batches using MS-Ready Formula (or mass) searching




		<u> </u>	`	i i i a c	o) coarcining	_		
		A	В	С	D	E	F	G
		INPUT	DTXSID	CASRN		MOL FORMULA	MONOISOTOPIC MASS	
		C14H22N2O3	DTXSID2022628	29122-68-7		C14H22N2O3	266.163042576	46
	3	C14H22N2O3	DTXSID0021179	6673-35-4		C14H22N2O3		32
	4	C14H22N2O3	DTXSID4048854	841-73-6		C14H22N2O3		20
	5	C14H22N2O3	DTXSID1045407	13171-25-0		C14H24Cl2N2O3		19
	6	C14H22N2O3	DTXSID0045753	56715-13-0		C14H22N2O3		19
		C14H22N2O3	DTXSID2048531	5011-34-7		C14H22N2O3		14
	8	C14H22N2O3	DTXSID10239405			C14H22N2O3		12
		C14H22N2O3	DTXSID50200634		. , , , , , , , , , , , , , , , , , , ,	C14H22N2O3	266.163042576	7
		C14H22N2O3	DTXSID4020111	51706-40-2	,	C14H23CIN2O3		6
				51963-82-7		C14H22N2O3	266.163042576	5
				154-21-2		C18H34N2O6S		35
			DTXSID7047803	859-18-7		C18H35CIN2O6S		22
			DTXSID20849438			C18H35CIN2O6S		1
		C10H12N2O	DTXSID1047576	486-56-6		C10H12N2O		40
		C10H12N2O	DTXSID8075330	50-67-9		C10H12N2O		22
		C10H12N2O	DTXSID8044412	2654-57-1		C10H12N2O		18
		C10H12N2O	DTXSID80165186			C10H13CIN2O		11
		C10H12N2O	DTXSID2048870	29493-77-4	(4R,5S)-4-methyl-5-phenyl-4,5-dihydro-1,3-oxazol-2-amine			10
		C10H12N2O	DTXSID10196105			C10H12N2O		9
		C10H12N2O	DTXSID90185693			C10H12N2O		7
		C10H12N2O	DTXSID40178777			C10H12N2O		7
		C10H12N2O	DTXSID80157026			C10H12N2O		6
- 3		C10H12N2O	DTXSID30205607			C10H12N2O	176.094963014	6
- 3		C14H18N4O3	DTXSID5023900	17804-35-2		C14H18N4O3		68
1		C14H18N4O3	DTXSID3023712	738-70-5		C14H18N4O3	290.137890456	51
1		C14H18N4O3	DTXSID40209671			C14H19CIN4O3	326.1145682	8
1		C14H18N4O3	DTXSID70204210		Benzenemethanol, 4-((2,4-diamino-5-pyrimidinyl)methyl)-2,		290.137890456	5
1		C14H18N4O3	DTXSID20152671		6-Methoxy-4-(3-(N,N-dimethylamino)propylamino)-5,8-quina		290.137890456	4
		C14H18N4O3	DTXSID30213742		1H-1,2,4-Benzotriazepine-3-carboxylic acid, 4,5-dihydro-4-			3
		C14H18N4O3	DTXSID30219608		2,4-Pyrimidinediamine, 5-((3,4,5-trimethoxyphenyl)methyl)-		308.14845514	3
	32	C14H18N4O3	DTXSID20241155	94232-27-6	L-Aspartic acid, compound with 5-((3,4,5-trimethoxyphenyl		423.175398165	3
,	33	C14H18N4O3	DTXSID80241156	94232-28-7	L-Glutamic acid, compound with 5-((3,4,5-trimethoxypheny	C19H27N5O7		3
		C14H18N4O3	DTXSID20143781		1H-Pyrido(2,3-e)-1,4-diazepine-2,3,5-trione, 4-(2-(diethylam	C14H18N4O3		3
;	35	C12H11N7	DTXSID6021373	396-01-0	Triamterene	C12H11N7		52
	36	C12H11N7	DTXSID00204465	5587-93-9		C12H11N7	253.107593382	7
	37	C12H11N7	DTXSID5064621	7300-26-7		C12H9N7		4
	38	C12H11N7	DTXSID00848025	90293-82-6	Sulfuric acid6-phenylpteridine-2,4,7-triamine (1/1)	C12H13N7O4S	351.074973101	1
	39	C12H11N7	DTXSID50575293	92310-83-3		C12H11N7	253.107593382	1
- 4	40	C8H9NO2	DTXSID2020006	103-90-2	Acetaminophen	C8H9NO2	151.063328534	75
	11	C8H0NU3	DTYSIDE026667	13/1-20-3	Mothyl 2 aminohonzoato	CSHONUS	161 063338634	E 0



Real-Time Predictions


Real-Time Predictions





Real-Time Predictions with detailed calculation reports





Real-Time Predictions with detailed calculation reports



Predicted Vapor pressure at 25°C for CIC=1N=C(N=C(N1)NC(C)CCC(CI)C)NC(C)C from Consensus method


Predictio	n results	
	Experimental value	Predicted va

Endpoint	Experimental value	Predicted value
Vapor pressure at 25°C Log10(mmHg)	N/A	-6.85
Vapor pressure at 25°C mmHg	N/A	1.42E-07

Individual Pre		
Method	Predicted value Log10(mmHg)	H
Hierarchical clustering	-6.47	-((-)
Group contribution	-7.62	
Nearest neighbor	-6.46	
		I

Predictions for the test chemical and for the most similar chemicals in the external tes

If the predicted value matches the experimental values for similar chemicals in the test set (and the similar che



Chemicals	MAE*
Entire set	0.47
Similarity coefficient ≥ 0.5	0.67
*Moon absolute ower in Legal	(mmHa)


CAS	Structure	Similarity Coefficient	Experimental value Log10(mmHg)	Predicted value Log10(mmHg)
CIC=1N=C(N=C(N1)NC(C)CCC(CI)C)NC(C)C (test chemical)	-		N/A	-6.85
7287-19-6	بالمبد	0.83	-5.91	-5.86
130339-07-0	AND,	0.77	-5.62	-7.11
<u>21725-46-2</u>	~;	0.76	-6.86	-7.01
120928-09-8	OC OC	0.58	-7.59	-7.67
<u>101200-48-0</u>	of it	0.56	-9.41	-9.76
<u>119738-06-6</u>	approx	0.55	-7.23	-9.11



Open Data Download Files

Downloadable Data







Work in Progress Prototypes in Development

Predicted Mass Spectra


http://cfmid.wishartlab.com/








- MS/MS spectra prediction for ESI+, ESI-, and EI
- Predictions generated and stored for >800,000 structures, to be accessible via Dashboard




Search Expt. vs. Predicted Spectra






Search Expt. vs. Predicted Spectra






Spectral Viewer Comparison





Prototype Development






In Progress: pKa Prediction Model



 pKa prediction models based on Open Data Set of 8000 chemicals – acidic, basic and amphoteric chemicals




Accepted for publication to Journal of Cheminformatics

Conclusion




- Building an integrated hub for environmental chemistry data to serve computational toxicology
- Transparent access to data and models file downloads, SQL data dumps and web services
- Expansion of functionality to serve all data streams generated by NCCT across the agency & community
- Data QUALITY is a key focus - ongoing curation
- Ongoing API development will provide enhanced access to data streams



Acknowledgements





EPA-RTP

- An enormous team of contributors from NCCT, especially the IT software development team
- Our curation team for their care and focus on data quality
- Multiple centers and laboratories across the EPA
- Many public domain databases and open data contributors

Contact




Antony Williams

NCCT, US EPA Office of Research and Development,

Williams.Antony@epa.gov

ORCID: https://orcid.org/0000-0002-2668-4821



https://doi.org/10.1186/s13321-017-0247-6