

Combinatorial exploration of structural landscape of acid– pyridine cocrystals

Arijit Mukherjee and Gautam R. Desiraju*

Solid State and Structural Chemistry Unit, Indian Institute of Science, Bangalore, India

Fax: +91 80 23602306; Tel: +91 80 22933311; E-mail: desiraju@sscu.iisc.ernet.in


Supporting Information

Contents


1.	ORTEP diagrams	2
-----------	----------------	----------

1. ORTEP diagrams


4-Cyanopyridine–4-aminobenzoic acid (1)




4-Cyanopyridine– 4-hydroxybenzoic acid (2)




4-Cyanopyridine– 4-methoxybenzoic acid (3)




4-Cyanopyridine–4-nitrobenzoic acid (6):




4,4'-bipyridine–4-methoxybenzoic acid (9):




Isonicotinamide–4-aminobenzoic acid (13):




1,2-bis-(4-pyridyl)-ethane-4-methoxybenzoic acid (21):




1,2-bis-(4-pyridyl)-ethane-4-nitrobenzoic acid (24):




4-Aminopyridine-4-methoxybenzoic acid (27):




4-Aminopyridine–4-methylbenzoic acid (28):




*4-*N,N'*-dimethylaminopyridine–4-aminobenzoic acid (31):*



*4-*N,N'*-dimethylaminopyridine–4-hydroxybenzoic acid (32):*



4-N, N'-dimethylaminopyridine–benzoic acid (35):



4-N, N'-dimethylaminopyridine–4-nitrobenzoic acid (36):

