Sesquiterpenoids from *Incarvillea arguta*: Absolute Configuration and Biological Evaluation

Yong-Ming Yan,[†,‡] Gui-Sheng Wu,[†] Xiao-Ping Dong,[‡] Lan Shen,[†] Yan Li,[†] Jia Su,[†] Huai-Rong Luo,[†] Hua-Jie Zhu,[*,†] and Yong-Xian Cheng[*,†,‡]

State Key Laboratory of Phytochemistry and Plant Resources in West China, Kunming Institute of Botany, Chinese Academy of Sciences, Kunming 650204, People's Republic of China, College of Pharmacy, Chengdu University of Traditional Chinese Medicine, Chengdu 610075, People's Republic of China

*Corresponding author. Tel/Fax: 86-871-5223048. E-mail: yxcheng@mail.kib.ac.cn (Y.–X. C.). E-mail: hjzhu@mail.kib.ac.cn (H.–J. Z.).

Table of contents

Supporting Information

S1. ^{1}H NMR (CD_3OD, 400 MHz) of Diincarvilone A (1)



S2. ^{13}C NMR (CD_3OD, 100 MHz) of Diincarvilone A (1)



S3. ^{1}H-^{1}H COSY (CD_3OD, 500 MHz) of Diincarvilone A (1)



S4. HSQC (CD_3OD, 500 MHz) of Diincarvilone A (1)



S5. HMBC (CD_3OD, 500 MHz) of Diincarvilone A (1)



S6. ROESY (CD_3OD, 600 MHz) of Diincarvilone A (1)



S7. ESIMS (negative) of Diincarvilone A (1)



S8. ^{1}H NMR (CD_3OD, 400 MHz) of Diincarvilone B (2)



S9. ^{13}C NMR (CD_3OD, 100 MHz) of Diincarvilone B (2)



S10. ^{1}H-^{1}H COSY (CD_3OD, 600 MHz) of Diincarvilone B (2)



S11. HSQC (CD_3OD, 600 MHz) of Diincarvilone B (2)



S12. HMBC (CD_3OD, 600 MHz) of Diincarvilone B (2)



S13. ROESY (CD_3OD, 600 MHz) of Diincarvilone B (2)



S14. ESIMS (negative) of Diincarvilone B (2)



S15. ^{1}H NMR (CD_3OCD_3, 400 MHz) of Diincarvilone C (3)



S16. ^{13}C NMR (CD_3OCD_3, 100 MHz) of Diincarvilone C (3)



S17. ^{1}H-^{1}H COSY (CD_3OCD_3, 600 MHz) of Diincarvilone C (3)



S18. HSQC (CD_3OCD_3, 600 MHz) of Diincarvilone C (3)



S19. HMBC (CD_3OCD_3, 600 MHz) of Diincarvilone C (3)



S20. ROESY (CD_3OCD_3, 600 MHz) of Diincarvilone C (3)



S21. ESIMS (negative) of Diincarvilone C (3)



S22. ^{1}H NMR (CD_3OD, 500 MHz) of Diincarvilone D (4)



S23. ^{13}C NMR (CD_3OD, 100 MHz) of Diincarvilone D (4)



S24. ^{1}H-^{1}H COSY (CD_3OD, 600 MHz) of Diincarvilone D (4)



S25. HSQC (CD_3OD, 600 MHz) of Diincarvilone D (4)



S26. HMBC (CD_3OD, 600 MHz) of Diincarvilone D (4)



S27. ROESY (CD_3OD, 600 MHz) of Diincarvilone D (4)



S28. ESIMS (negative) of Diincarvilone D (4)



S29. ^{1}H NMR (CD_3OD, 400 MHz) of Incarvilone A (5)



S30. ^{13}C NMR (CD_3OD, 100 MHz) of Incarvilone A (5)



S31. ^{1}H-^{1}H COSY (CD_3OD, 500 MHz) of Incarvilone A (5)



S32. HSQC (CD_3OD, 500 MHz) of Incarvilone A (5)



S33. HMBC (CD_3OD, 500 MHz) of Incarvilone A (5)



S34. ROESY (CD_3OD, 500 MHz) of Incarvilone A (5)



S35. ESIMS (negative) of Incarvilone A (5)



S36. The relative shift errors between the computed and recorded of 1 and 2



Figure 1. Color ■ representatives the relative shift errors between the computed and recorded for **1**, and color ■ is the one between the computed and recorded for **2**.

S37. The shift errors between the experimental or the computed ^{13}C NMR of 1 and 2



Figure 2. Color ■ exhibits the shift errors between the experimental ^{13}C NMR **1** and **2**. Color ■ is the errors between the computed ^{13}C NMR of **1** and **2**.