## **Support information**

## Controllable Synthesis of ZnO Architectures for Enhanced Photocatalytic Activity by Ethanolamine-Assisted Hydrothermal Process

Xinjuan Wang,<sup>†</sup> Qinglin Zhang,<sup>†</sup> Qiang Wan,<sup>†</sup>Guozhang Dai,<sup>†</sup>Chunjiao Zhou,<sup>†</sup>
Bingsuo Zou\*<sup>†,‡</sup>

State Key lab of CBSC, Micronano Research Center, Hunan University, Changsha, 410082, China; School of MSE, BIT, Beijing 100081, China

\*Corresponding author. Email: <a href="mailto:zoubs@bit.edu.cn">zoubs@bit.edu.cn</a>, Tel.010-68913948; Fax: 10-68913938. †State Key lab of CBSC, Micronano Research Center, Hunan University, \*School of MSE, BIT




Figure S1 FE-SEM images of as-prepared ZnO samples synthesized without EA under the Zn<sup>2+</sup>/NaOH molar ratios 1:2




Figure S2 FE-SEM images of as-prepared ZnO samples synthesized without EA under the Zn<sup>2+</sup>/NaOH molar ratios 1:6




Figure S3 FE-SEM images of as-prepared ZnO samples synthesized without EA under the  $\rm Zn^{2+}/NaOH$  molar ratios 1:12