SUPPORTING INFORMATION

PART 2. NMR SPECTRA

An Epoxyamide-based Strategy for the Synthesis of Polypropionate-type Frameworks

Francisco Sarabia,* Francisca Martín-Gálvez, Miguel García-Castro, Samy Chammaa, Antonio Sánchez-Ruiz and José F. Tejón-Blanco

Department of Biochemistry, Molecular Biology and Organic Chemistry
Faculty of Sciences. University of Malaga
Campus de Teatinos s/n. 29071. Malaga (SPAIN)
Fax: 34-952 131941
Email: frsarabia@uma.es

CONTENTS



^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





10a

^{1}H NMR (400 MHz, $CDCl_3$)





10a

^{13}C NMR (100 MHz, $CDCl_3$)





10b

^{1}H NMR (400 MHz, $CDCl_3$)



^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





13

^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





14b

^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)


4.0
3.8
3.6
(ppm)
7.0
6.0
5.0
4.0
3.0
2.0
1.0
0.0
(ppm)



^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)


160
140
120
100
80
60
40
20
0
(ppm)



^{1}H NMR (400 MHz, $CDCl_3$)





Empresa UMA
Universidad Malaga
Facultad Ciencias
.amento Quimica Organica
o de Investigacion DSF

^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)




TBSO
OTBS
CO2Et
33
1H NMR (400 MHz, CDCl3)
6.9798
5.8024
5.8007
5.7618
4.1457
4.1280
4.1100
4.0921
3.9724
3.9068
3.8877
3.8716
3.7569
3.7441
3.7381
3.7296
3.7100
3.6969
3.6916
3.6838
3.5403
1.3296
1.2592
1.2315
1.2134
1.1957
1.0266
1.0093
0.8756
0.8640
0.8485
0.8309
0.7891
0.7727
0.0298
0.0173
-0.0250
-0.0585
Integral
4.180
1.000
6.066
0.952
1.401
28.081
9.473
ppm
7
6
5
4
3
2
1
0


TBSO
OTBS
OH
34
^{1}H NMR (400 MHz, $CDCl_3$)
5.6491
5.6327
5.6197
5.6046
4.0694
4.0373
4.0258
4.0163
4.0004
3.9775
3.9683
3.9643
3.9567
3.9467
3.8353
3.8219
3.8180
3.5638
3.5573
3.5426
3.5361
1.3314
1.2789
1.1987
1.0413
1.0238
0.8627
0.8495
0.8319
0.8153
0.8010
0.7940
0.7872
0.7807
0.7714
0.7633
0.0087
-0.0028
-0.0096
Integral
2.010
4.813
1.000
0.862
2.584
25.786
8.867
ppm
7
6
5
4
3
2
1
0



^{1}H NMR (400 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)




NMe2
TBS TBS
45
13C NMR (100 MHz, CDCl3)
109.240
109.156
100.217
99.943
77.867
77.743
77.202
76.885
76.773
76.566
76.329
69.688
67.318
42.806
40.468
33.988
26.593
26.531
26.478
26.060
25.946
25.867
25.512
25.117
25.081
24.713
24.150
13.422
12.672
10.110
-3.794
-4.014
ppm
150
100
50
0



^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)




TBDPSO
OTBS
NMe2
O
O
54
13C NMR (100 MHz, CDCl3)
135.505
135.466
135.452
133.634
133.582
129.527
129.516
129.446
129.431
127.533
127.477
77.234
76.916
76.597
74.407
73.813
66.539
66.419
59.569
59.113
53.046
51.946
40.473
39.882
39.749
36.284
35.684
26.774
26.014
25.938
25.816
19.088
13.498
12.263
11.449
-4.046
-4.151
-4.355
ppm
150
100
50
0



^{1}H NMR (400 MHz, $CDCl_3$)




TBDPSO
OTBS
NMe2
55
13C NMR (100 MHz, CDCl3)
135.497
135.457
133.544
133.518
129.551
129.513
129.417
127.542
127.479
77.265
76.947
76.628
76.363
73.808
66.022
59.763
59.564
53.762
53.039
40.803
40.390
38.368
36.283
35.739
26.760
25.945
25.904
25.875
25.824
19.095
18.031
14.968
13.502
13.317
11.456
-4.363
-4.392
-4.449
ppm
150
100
50
0



^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)



^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)




79
^{1}H NMR (400 MHz, $CDCl_3$)
7.6544
7.6517
7.6344
7.6318
7.2019
7.0665
7.0471
3.8909
3.6774
3.6674
3.6604
3.6394
3.6350
3.6239
3.6111
3.4716
3.4434
1.5376
1.3509
1.2754
1.1918
1.0810
1.0634
0.9624
0.9447
0.8487
0.8424
0.8341
0.8263
0.8039
0.6575
0.6410
0.0331
0.0199
Integral
1.000
4.202
1.109
1.087
30.532
8.032
ppm
8
6
4
2
0



^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)





^{13}C NMR (100 MHz, $CDCl_3$)




TBDPSO
OTBS
OEt
O
SI-1
^{1}H NMR (400 MHz, $CDCl_3$)
7.3513
7.3361
7.3334
7.3215
6.9776
6.9378
6.9176
5.7330
5.6938
5.6919
4.1566
4.1389
4.1209
4.1031
3.8042
3.7972
3.7893
3.7824
3.4975
3.4912
3.4724
3.3956
3.3796
1.2563
1.2402
1.2225
1.2044
1.0506
1.0214
0.9710
0.9537
0.8401
0.8198
0.8015
0.7731
0.7559
-0.0073
-0.0224
-0.0446
Integral
8.256
1.222
1.000
1.827
0.812
1.772
1.182
1.687
20.977
4.513
ppm
8
7
6
5
4
3
2
1
0



^{13}C NMR (100 MHz, $CDCl_3$)




TBDPSO
OTBS
OH
SI-2
1H NMR (400 MHz, CDCl3)
7.3464
7.3315
7.3280
5.6026
5.5833
5.5033
5.4644
3.9801
3.9658
3.7140
3.7057
3.7017
3.6933
3.5253
3.5077
3.5006
3.4831
3.3898
3.3731
3.3650
3.3483
1.7667
1.2632
1.2200
1.0160
0.9671
0.9395
0.9222
0.8525
0.8273
0.8193
0.8125
0.7954
0.7857
0.7784
-0.0166
-0.0275
-0.0420
-0.1257
Integral
5.166
1.189
1.000
0.654
1.116
0.660
0.742
11.423
2.857
ppm
7
6
5
4
3
2
1
0



SI-2

^{13}C NMR (100 MHz, $CDCl_3$)





^{1}H NMR (400 MHz, $CDCl_3$)




TBDPSO
OTBS
OH
O
SI-3
^{13}C NMR (100 MHz, $CDCl_3$)
129.519
129.423
128.117
127.772
127.532
127.472
127.453
120.261
116.926
111.704
110.875
77.215
76.898
76.581
73.951
66.381
61.553
58.565
57.479
40.839
39.872
39.847
26.763
25.952
25.858
25.634
19.110
18.223
13.805
11.646
-4.204
-4.227
ppm
160
140
120
100
80
60
40
20
0


TBDPSO
OTBS
OEt
O
SI-4
1H NMR (400 MHz, CDCl3)
7.3376
7.3194
7.3030
7.2988
7.2018
7.0167
6.9561
5.6548
5.6530
5.6156
5.6139
4.1454
4.1278
4.1099
4.0921
3.6476
3.6392
3.6216
3.6107
3.5984
3.4094
3.3913
3.3843
1.2419
1.2241
1.2062
1.0007
0.9718
0.9544
0.9357
0.8253
0.7991
0.7973
0.7824
0.7529
-0.0285
-0.0410
-0.0652
-0.1136
Integral
6.578
1.000
1.015
1.343
1.489
1.145
1.209
1.346
17.700
3.597
ppm
8
7
6
5
4
3
2
1
0


TBDPSO
OTBS
OEt
O
SI-4
^{13}C NMR (100 MHz, $CDCl_3$)
135.497
135.483
135.468
133.641
129.492
129.453
127.515
127.495
120.240
77.212
77.052
76.894
76.576
65.911
59.941
40.614
39.880
29.579
29.541
29.244
26.767
25.931
25.846
25.693
19.103
18.093
17.857
14.142
13.510
-4.189
-4.323
ppm
150
100
50
0


TBDPSO
OTBS
OH
SI-5
1H NMR (400 MHz, CDCl3)
7.2985
7.2009
5.6577
5.6367
5.4726
5.4337
4.0074
3.9925
3.7134
3.6977
3.6882
3.6735
3.5027
3.4936
3.4891
3.4806
3.3889
3.3695
3.3648
3.3446
1.8635
1.3426
1.2037
1.0014
0.9538
0.9234
0.9061
0.8855
0.8682
0.8343
0.8172
0.8106
0.8035
0.7969
0.7852
0.7690
0.0331
0.0582
0.1424
Integral
8.390
2.000
1.667
1.013
1.790
0.746
1.086
21.553
4.645
ppm
7
6
5
4
3
2
1
0


TBDPSO
OTBS
OH
SI-5
^{13}C NMR (100 MHz, $CDCl_3$)
135.513
135.481
133.856
133.795
129.461
129.416
129.388
127.972
127.520
127.455
77.473
77.206
76.888
76.572
66.198
63.940
40.549
39.933
26.790
26.758
25.954
25.900
19.127
18.750
18.138
13.904
-4.174
-4.189
ppm
150
100
50
0


TBDPSO
OTBS
OH
O
SI-6
1H NMR (400 MHz, CDCl3)
7.3548
7.3390
7.3365
7.3207
7.2010
3.8304
3.7993
3.7945
3.6990
3.6888
3.5981
3.5810
3.4159
3.3971
2.9241
2.9187
2.9042
2.8993
2.8544
2.8491
2.8443
1.0034
0.9896
0.9721
0.9400
0.8526
0.8366
0.8310
0.8175
0.8049
0.7897
0.0026
-0.0108
-0.0377
-0.0851
Integral
9.729
5.443
2.000
1.539
3.061
21.918
5.223
ppm
8
7
6
5
4
3
2
1
0



^{13}C NMR (100 MHz, $CDCl_3$)