

Table 2: Determination of protein content and weight loss after 10 weeks

	Protein [µg/ml]	Protein [µg/ml]	Protein [µg/ml]	Protein [µg/ml]	Weight loss [%]
	- SR	+ SR	- gloves	+ gloves	gloves
sterile control	240	250	250	260	< 3
<i>S. lividans</i> 1326	80	90	110	160	< 3
<i>S. exfoliatus</i> K10	150	140	200*	230*	< 3
<i>S. griseus</i> 1D	180	650	180	700	18
<i>S. griseus</i> 1D-L ⁻ -M1	110	120	190	200	5
<i>S. griseus</i> 1D-L ⁺ -M100	120	470	110	650	15
<i>S. coelicolor</i> 1A	240	810	240	620	18
<i>S. coelicolor</i> 1A-L ⁻ -M1	nd	nd	180	220	6
<i>S. coelicolor</i> 1A-L ⁺ -M1 00	290	860	110	780	18
Isolate 18a	260	1250	260	760	13
<i>Nocardia</i> sp.DSMZ43191	240	770	240	460	11
<i>P. citronellolis</i>	370	1100	370	850	13
<i>A. calcoaceticus</i>	230	670	230	830	12
<i>Xanthomonas</i> sp.	90	1100	90	850	12

value after 6 weeks (*), not dtermined (nd)