

SPIELMANN; STANDARD ANILINO-GERANYL-OPP IN D2O; 02JL97

```

Current Data Parameters
NAME      hm070297
EXPNO     101
PROCNO    1

F2 - Acquisition Parameters
Date_     970702
Time      12.03
INSTRUM   am300
PROBHD    HD.AUR
PULPROG   8192
TD         unknown
SOLVENT   1024
NS         0
DS         0
SWH        4000.000 Hz
FIDRES     0.488281 Hz
AQ         1.0240500 sec
RG         1
DW         125.000 usec
DE         158.80 usec
TE         297.0 K
D1         2.63000011 sec
P1         4.00 usec
SFO1       300.1359000 MHz

F2 - Processing parameters
SI         4096
SF         300.1340920 MHz
WDW        GM
SSB        0
LB         -1.00 Hz
GB         0.15
PC         1.00

```




Figure S1. 300 MHz ¹H NMR spectrum (10.0-0.0 ppm) of 8-anilinogeranyl pyrophosphate (AGPP) in D₂O.

SPIELMANN; PURIFIED ANILINO-GERANYL-OPP IN D₂O; 29JN97

```

Current Data Parameters
NAME      hm062997
EXPNO     101
PROCNO    1

F2 - Acquisition Parameters
Date_     970629
Time      13.02
INSTRUM   am300
PROBHD    HD.AUR
PULPROG   zgpg30
TD         8192
SOLVENT   unknown
NS         2048
DS         0
SWH        4000.000 Hz
FIDRES     0.488281 Hz
AQ         1.0240500 sec
RG         1
DW         125.000 usec
DE         158.80 usec
TE         297.0 K
D1         2.63000011 sec
P1         4.00 usec
SFO1       300.1359000 MHz

F2 - Processing parameters
SI         4096
SF         300.1340920 MHz
WDW        GM
SSB        0
LB         -2.00 Hz
GB         0.2
PC         1.00
  
```




Figure S2. 300 MHz ¹H NMR spectrum (10.0-0.0 ppm) of 8-[³H]-8-anilinogeranyl pyrophosphate ([³H]-AGPP) in D₂O.

SPIELMANN; PURIFIED ANILINO-GERANYL-OPP IN D₂O; 29JN97

```

Current Data Parameters
NAME      hm062997
EXPNO     301
PROCNO    1

F2 - Acquisition Parameters
Date_     970629
Time      23.12
INSTRUM   am300
PROBHD    DOTWO.AU
PULPROG   zgpg30
TD         8192
SOLVENT   unknown
NS         7680
DS         0
SWH        4000.000 Hz
FIDRES     0.488281 Hz
AQ         1.0240500 sec
RG         1
DW         125.000 usec
DE         158.80 usec
TE         297.0 K
P1         5.00 usec
D1         3.63000011 sec
SFO1       320.1367000 MHz

F2 - Processing parameters
SI         4096
SF         320.1349500 MHz
WDW        GM
SSB        0
LB         -1.00 Hz
GB         0.1
PC         1.00
  
```




Figure S3. 320 MHz ³H NMR spectrum (proton coupled, 10.0-0.0 ppm) of 8-[³H]-8-anilinogeranyl pyrophosphate ([³H]-AGPP) in D₂O.

SPIELMANN; PURIFIED ANILINO-GERANYL-OPP IN D₂O; 29JN97

```

Current Data Parameters
NAME      hm062997
EXPNO     302
PROCNO    1

F2 - Acquisition Parameters
Date_     970630
Time      9.13
INSTRUM   am300
PROBHD    DOTWO.AU
TD        8192
SOLVENT   unknown
NS        7680
DS        0
SWH        4000.000 Hz
FIDRES    0.488281 Hz
AQ        1.0240500 sec
RG         1
DW        125.000 usec
DE        158.80 usec
TE        297.0 K
P1         5.00 usec
D1        3.63000011 sec
SFO1      320.1367000 MHz

F2 - Processing parameters
SI         4096
SF        320.1349500 MHz
WDW        GM
SSB        0
LB        -1.00 Hz
GB         0.1
PC         1.00

```




Figure S4. 320 MHz ³H NMR spectrum (proton decoupled, 10.0-0.0 ppm) of 8-[³H]-8-anilinogeranyl pyrophosphate ([³H]-AGPP) in D₂O.