

Terms & Conditions

Electronic Supporting Information files are available without a subscription to ACS Web Editions. The American Chemical Society holds a copyright ownership interest in any copyrightable Supporting Information. Files available from the ACS website may be downloaded for personal use only. Users are not otherwise permitted to reproduce, republish, redistribute, or sell any Supporting Information from the ACS website, either in whole or in part, in either machine-readable form or any other form without permission from the American Chemical Society. For permission to reproduce, republish and redistribute this material, requesters must process their own requests via the RightsLink permission system. Information about how to use the RightsLink permission system can be found at <http://pubs.acs.org/page/copyright/permissions.html>




ACS Publications

MOST TRUSTED. MOST CITED. MOST READ.


Copyright © 1998 American Chemical Society




(40)

File : C:\CJ80.D
Operator : cheryl jones
Acquired : 25 Jun 96 4:09 pm using AcqMethod CJONES
Instrument : 5971 - In
Sample Name: N-methyl-5-phenyladamantyl amine
Misc Info : 180 hold 2 min 5/min to 230
Vial Number: 1



File : C:\CJ80.D
 Operator : cheryl jones
 Acquired : 25 Jun 96 4:09 pm using AcqMethod CJONES
 Instrument : 5971 - In
 Sample Name: N-methyl-5-phenyladamantyl amine
 Misc Info : 180 hold 2 min 5/min to 230
 Vial Number: 1






CJ80.H00
DATE 1-7-96

SF 250.133
SY 100.0
O1 4102.190
SI 16384
TD 16384
SW 2994.012
HZ/PT .365

PW 3.0
RD 1.000
AQ 2.736
RG 40
NS 64
TE 297

FW 3000
O2 3210.000
DP 63L P0

LB .100
GB 0.0
CX 20.00
CY 14.00
F1 7.820P
F2 .910P
HZ/CM 86.418
PPM/CM .345
SR 2867.60



43

BRUKER

CJ80.H00
DATE 1-7-96



SF 250.133
SY 100.0
O1 4102.190
SI 16384
TD 16384
SW 2994.012
HZ/PT .365

PW 3.0
RD 1.000
AQ 2.736
RG 40
NS 64
TE 297

FW 3000
O2 3210.000
DP 63L P0

LB .100
GB .100
CX 20.00
CY 14.00
F1 2.475P
F2 2.026P
HZ/CM 5.592
PPM/CM .022
SR 2877.10

44



E, Z-6-Ph



CJ80.H00
DATE 1-7-96

SF 250.133
SY 100.0
O1 4102.190
SI 16384
TD 16384
SW 2994.012
HZ/PT .365

PW 3.0
AQ 1.000
AQ 2.736
RG 40
NS 64
TE 297

FW 3000
O2 3210.000
DP 63L P0


LB .100
GB .100
CX 20.00
CY 12.00
F1 2.247P
F2 2.170P
HZ/CM .969
PPM/CM .004
SA 2877.10

(45)

PPM
2.45414

2.41448

2.37251

*E,Z*-6-PhCJ80.H00
DATE 1-7-96


SF	250.133
SY	100.0
O1	4102.190
SI	16384
TD	16384
SW	2994.012
HZ/PT	.365

PW	3.0
RD	1.000
AQ	2.736
RG	40
NS	64
TE	297

FW	3000
O2	3210.000
DP	63L P0

LB	.100
GB	.100
CX	20.00
CY	12.00
F1	2.458P
F2	2.333P
HZ/CM	1.553
PPM/CM	.006
SR	2877.10

2.4
PPM



~~BRUKER~~

CJ602.C00
DATE 26-5-96

SF 62.896
SY 62.0
O1 3218.018
SI 32768
TD 32768
SW 15625.000
HZ/PT .954

PW 5.0
RD 1.000
AQ 1.049
RG 1600
NS 990
TE 297

FW 19600
O2 4100.000
DP 20H CPD

LB 1.000
GB .100
CX 20.00
CY 8.00
F1 153.898P
F2 26.213P
HZ/CM 401.545
PPM/CM 6.384
SR -4059.23

47

LB	1.000
GB	.100
CX	20.00
CY	8.00
F1	155.460P
F2	22.073P
HZ/CM	419.474
PPM/CM	6.669
SR	-4059.23

PPM


128.388
128.305

128.004

127.616

125.892
125.815

125.224



E,Z-6-Ph

~~BRUKER~~


CJ602.C00
DATE 26-5-96

SF 62.896
SY 62.0
O1 3218.018
SI 32768
TD 32768
SW 15625.000
HZ/PT .954



PW 5.0
RD 1.000
AQ 1.049
RG 1600
NS 990
TE 297

FW 19600
O2 4100.000
DP 20H CPD

LB 1.000
GB .100
CX 20.00
CY 8.00
F1 129.683P
F2 123.921P
LZ/CM 18.120
PPM/CM .288
SR -4059.23



48



~~BRUKER~~


CJ602.C00
DATE 26-5-96

SF 62.896
SY 62.0
O1 3218.018
SI 32768
TD 32768
SW 15625.000
HZ/PT .954

PW 5.0
RD 1.000
AQ 1.049
RG 1600
NS 990
TE 297

FW 19600
D2 4100.000
DP 20H CPD

LB 1.000
GB .100
CX 20.00
CY 8.00
F1 65.469P
F2 26.425P
HZ/CM 122.786
PPM/CM 1.952
SR -4059.23



~~BRUKER~~

CJ602.D00
AU PROG:
DEPT: AU
DATE 26-5-96



SF 62.896
SY 62.0
OI 3218.018
SI 32768
TD 32768
SW 15625.000
HZ/PT .954

PW 0.0
RD 0.0
AQ 1.049
RG 1600
NS 696
TE 297

FW 19600
Q2 4100.000
DP 20H D0

LB 1.000
GB .100
C: 20.00
CY 8.00
F1 65.499F
F2 27.001P
HZ/CM 121.069
FPM, CM 1.925
SR -4059.23

50



E,Z-6-Ph

BRUKER

CJ602.C00
DATE 26-5-96


SF 62.896
SY 62.0
O1 3218.018
SI 32768
TD 32768
SW 15625.000
HZ/PT .954

PW 5.0
RD 1.000
AQ 1.049
RG 1600
NS 990
TE 297

FW 19600
O2 4100.000
DP 20H CPD

LB 1.000
GB .100
CX 20.00
CY 8.00
F1 44.605P
F2 27.911P
HZ/CM 52.500
PPM/CM .835
SR -4059.23

51

~~BRUKER~~

52

CJ602.D00
AU PROG:
DEPT1.AU
DATE 26-5-96


SF 62.896
SY 62.0
OI 3218.018
SI 32768
TD 32768
SW 15625.000
HZ/PT .954

PW 0.0
RD 0.0
AQ 1.049
RG 1600
NS 696
TE 297

FW 19600
O2 4100.000
DP 20H D0


LB 1.000
GB .100
CX 20.00
CY 8.00
F1 44.544P
F2 28.351P
HZ/CM 50.926
PPM/CM .810
SR -4059.23

File : C:\CJ76.D
Operator : cheryl jones
Acquired : 22 Jun 96 2:42 pm using AcqMethod CJONES
Instrument : 5971 - In
Sample Name: N,N-dimethyl-5-phenyladamantyl amine
Misc Info : 180 hold 2 min 5/min to 230
Vial Number: 1




54

File : C:\CJ76.D
 Operator : cheryl jones
 Acquired : 22 Jun 96 2:42 pm using AcqMethod CJONES
 Instrument : 5971 - In
 Sample Name: N,N-dimethyl-5-phenyladamantyl amine
 Misc Info : 180 hold 2 min 5/min to 230
 Vial Number: 1





File : C:\CJ76.D
Operator : cheryl jones
Acquired : 22 Jun 96 2:42 pm using AcqMethod CJONES
Instrument : 5971 - In
Sample Name: N,N-dimethyl-5-phenyladamantyl amine
Misc Info : 180 hold 2 min 5/min to 230
Vial Number: 1



56

POOR QUALITY ORIGINAL



E,Z-7-Ph

~~BRUKER~~


CJ75A.H00
DATE 24-6-96

SF 250.133
SY 100.0
O1 4102.190
SI 16384
TD 16384
SW 2994.012
HZ/PT .365



PW 3.0
RD 1.000
AQ 2.736
RG 20
NS 64
TE 297

FW 3000
O2 3210.000
DP 63L P0

LB .100
GB .100
CX 20.00
CY 14.00
F1 7.696P
F2 .972P
HZ/CM 84.097
PPM/CM .336
SR 2867.60



POOR QUALITY ORIGINAL



E,Z-7-Ph

~~BRUKER~~

CJ76A.H00
DATE 24-6-96

SF 250.133
SY 100.0
O1 4102.190
SI 16384
TD 16384
SW 2994.012
HZ/PT .365



PW 3.0
RD 1.000
AQ 2.736
RG 20
NS 64
TE 297

FW 3000
O2 3210.000
DP 63L P0


LB .100
GB .100
CX 20.00
CY 14.00
F1 2.203P
F2 1.990P
HZ/CM 2.668
PPM/CM .011
SR 2867.60

57

POOR QUALITY ORIGINAL



E,Z-7-Ph



CJ76A.C00
DATE 24-6-96

SF 62.896
SY 62.0
Q1 3218.018
SI 32768
TD 32768
SW 15625.000
HZ/PT .954

PW 5.0
RD 1.000
AQ 1.049
RG 3200
NS 1550
TE 297


FW 19600
O2 4100.000
DP 20H CPD

LB .100
GB .100
CX 20.00
CY 8.00
F1 156.597P
F2 23.665P
HZ/CM 418.043
PPM/CM 6.647
SR -4060.19

58

(39)

POOR QUALITY ORIGINAL



~~BRUKER~~

CJ76A.D00
AU PR06:
DEPT1.AU
DATE 24-6-96

SF 62.896
SY 62.0
O1 3218.018
SI 32768
TD 32768
SW 15625.000
HZ/PT .954

PW 0.0
RD 0.0
AQ 1.049
RG 3200
NS 1007
TE 297

FW 19600
D2 4100.000
DP 20H D0


LB .100
GB .100
CX 20.00
CY 8.00
F1 131.472P
F2 25.591P
HZ/CM 332.975
PPH/CM 5.294
SR -4060.19

POOR QUALITY ORIGINAL

PPM
151.426
150.850

128.434
128.182
128.002
127.812

125.923
125.801
125.256



E,Z-7-Ph

~~BRUKER~~

CJ76A.C00
DATE 24-6-96

SF 62.896
SY 62.0
O1 3218.018
SI 32768
TO 32768
SW 15625.000
HZ/PT .954

PW 5.0
RD 1.000
AQ 1.049
RG 3200
NS 1550
TE 297

FW 19600
O2 4100.000
DP 20H CPD

LB .100
GB .100
CX 20.00
CY 10.00
F1 152.518P
F2 123.876P
HZ/CM 90.075
PPM/CM 1.432
SR -4060.19



11

145

140


PPM

13

130

125

60



BRUKER

CJ76A.C00
DATE 24-6-96

SF 62.896
SY 62.0
Q1 3218.018
SI 32768
TD 32768
SW 15625.000
HZ/PT .954


PW 5.0
RO 1.000
AQ 1.049
RG 3200
NS 1550
TE 297

FW 19600
O2 4100.000
DP 20H CPD

LB .100
GB .100
CX 20.00
CY 8.00
F1 71.125P
F2 26.152P
HZ/CM 141.430
PPM/CM 2.249
SR -4060.19

61

POOR QUALITY ORIGINAL



BRUKER

CJ76A.D00
 AU PROG:
 DEPT1.AU
 DATE 24-6-96

SF 62.896
 SY 62.0
 O1 3218.018
 SI 32768
 TD 32768
 SW 15625.000
 HZ/PT .954


PW 0.0
 RO 0.0
 AQ 1.049
 RG 3200
 NS 1007
 TE 297

FW 19600
 O2 4100.000
 DP 20H 00

LB .100
 GB .100
 CX 20.00
 CY 8.00
 F1 71.003P
 F2 26.607P
 HZ/CM 139.618
 PPM/CM 2.220
 SR -4060.19

(62)

POOR QUALITY ORIGINAL



~~BRUKER~~

CJ76A.C00
DATE 24-6-96

SF 62.896
SY 62.0
D1 3218.018
SI 32768
TD 32768
SW 15625.000
HZ/PT .954


PW 5.0
RD 1.000
AQ 1.049
RG 3200
NS 1550
TE 297

FW 19600
O2 4100.000
DP 20H CPD

LB .100
GB .100
CX 20.00
CY 8.00
F1 44.408P
F2 28.002P
HZ/CH 51.594
PPM/CH .820
SR -4060.19

63

POOR QUALITY ORIGINAL



CJ76A.D00
AU PROG:
DEPT1.AU
DATE 24-6-96

SF 62.896
SY 62.0
O1 3218.018
SI 32768
TD 32768
SW 15625.000
HZ/PT .954

PW 0.0
RD 0.0
AQ 1.049
RG 3200
NS 1007
TE 297

FW 19600
O2 4100.000
DP 20H D0

LB .100
GB .100
CX 20.00
CY 8.00
F1 44.802P
F2 27.532P
HZ/CM 54.312
PPM/CM .864
SR -4060.19

64