Title and Running Head:

Zooarchaeology, Improvement and the British Agricultural Revolution

Author

Richard Thomas¹

Submitted

International Journal of Historical Archaeology

¹ School of Archaeology and Ancient History, University of Leicester, University Road, Leicester, LE1 7RH. UK. E-mail: rmt12@le.ac.uk; Tel: 00 44 (0) 116 252 3343; Fax: 00 44 (0) 116 252 5005

Abstract

This paper seeks to revisit the debate concerning the nature and timing of the British Agricultural Revolution. Specifically, it considers how zooarchaeological evidence can be employed to investigate later-medieval and post-medieval ‘improvements’ in animal husbandry. Previous studies of animal bone assemblages have indicated that the size of many domestic species in England increases from the 15th century - an observation that has been used to support the writings of those historians that have argued that the Agricultural Revolution occurred several centuries prior to the traditionally ascribed date of 1760-1840. Here, zooarchaeological data are presented which suggest that the size of cattle, sheep, pig and domestic fowl were increasing from as early as the 14th century. However, it is argued that the description of these changes as revolutionary is misleading and disguises the interplay of factors that influenced agricultural practice in the post-Black Death period. This paper concludes with a plea for greater awareness of the value of collecting and analysing faunal data from the 18th and 19th centuries to enable the historically-attested productivity increases of the traditionally dated Agricultural Revolution to be examined archaeologically.

Key words

Zooarchaeology, improvement, Agricultural Revolution, animal husbandry, England

Introduction

Understanding ‘improvement’ in agriculture has been a central element of historical studies of the feudal/capitalist transition. The British Agricultural Revolution, in particular, has engendered a massive amount of debate in the literature, concerning its nature, timing, and even existence (see below). The principal focus of historical studies in this topic has tended to be land management and crop husbandry, partly reflecting the unsuitability of livestock data. As Albarella (1997), Davis (1997) and Davis and Beckett (1999) have demonstrated, however, archaeological animal bone assemblages have the potential to investigate this issue, since they enable long-term changes in animal husbandry to be charted.

In this paper, a review of previous historical and zooarchaeological debates concerning the nature of and timing of the Agricultural Revolution is outlined. This is followed by the presentation of faunal evidence from two recently studied sites, which challenge current perceptions of the nature of improvements in animal husbandry in later medieval and post-medieval England. These data provide the opportunity to reconsider the conceptual validity of the Agricultural Revolution.

Historiography of the ‘Agricultural Revolution’

The Agricultural Revolution has long been described as a widespread technological change in British farming practice that facilitated a sustainable increase in agricultural productivity. From the early 20th century until the 1960s there was little doubt in the

minds of historians that this occurred between about 1760 and 1840 in a movement intimately associated with the Industrial Revolution (e.g. Ernle 1912; Beckett 1990, 1). This was a phenomenon that enabled the farming community to feed a population that had grown by *c.*20 million in this period (Kerridge 1967; Mingay 1969; Turner *et al.* 2001, 211). Some of the traditional features perceived to have led to this increase in productivity included:

- parliamentary enclosure of land;
- introduction of new farming technology (e.g. the seed drill);
- new crops and crop rotations;
- improvement in livestock breeding (Beckett 1990, ix; Overton 1984, 119).

These developments were viewed by historians as being largely facilitated by a small number of key innovators. Robert Bakewell, for example, became famed for selectively breeding and improving domestic animals in Leicestershire; his ‘New Leicester’ breed of sheep fattened quicker and had a greater proportion of saleable meat, and his ‘New Longhorn’ cattle carried a larger amount of fat (Beckett 1990, 24-25).

While Marc Bloch recognised, as early as 1931, that the term ‘Agricultural Revolution’ was the consequence of a “slow process lasting from the late Middle Ages to the eighteenth century” (Bloch 1931, cited in Verhulst 1990, 17), it was not until the 1960s that many of Lord Ernle’s ideas, and the evidence upon which they were based, were more convincingly challenged; Eric Kerridge was perhaps the most influential opponent in this regard. Kerridge (1967) forcefully argued that many of the innovations or practices that were viewed as constituting an 18th-century revolution

in agriculture, did not occur at all, were insignificant, or occurred much earlier (Overton 1984, 121). Indeed, he sought to argue that the Agricultural Revolution occurred in the 16th and 17th centuries and only received “finishing touches” from the likes of Bakewell (Kerridge 1967; 1969). While Kerridge’s interpretation of the evidence was not unquestionably accepted (see, for example, Mingay 1969), by the 1970s the period encompassed by the Agricultural Revolution was generally considered to range from 1560 to 1880, occurring in anywhere up to five stages and “varying considerably in its timing across different farming regions” (Beckett 1990, x, 9; Overton 1996a).

More recent historical studies have *broadly* divided the study of this subject into two camps. One school contends that the change in agricultural practice, previously termed ‘the Agricultural Revolution’, was not revolutionary at all, but was rather a long and gradual process, which may have comprised various stages of significant development that varied considerably in space and time (Allen 1991; Beckett 1990; Thirsk 1987). The other school has maintained that the concept of an Agricultural Revolution is valid and asserts that while earlier improvements in agricultural practice did occur, only the 18th and 19th centuries are deserving of that appellation because of the *magnitude* of change (Campbell and Overton 1993; Overton 1996a; Overton 1996b; Mingay 1989; Turner *et al.* 2001).

Archaeology is well placed to contribute to this field of contention since it provides a line of enquiry that is independent of the historical crop and livestock data upon which the noted interpretations have largely been constructed. Indeed, a recent

archaeological study has led to the formulation of an alternative understanding of agricultural ‘improvements’, arguing that not just one revolution occurred in the 18th and 19th centuries but many, with different regions following their own unique trajectories (Williamson 2002, 158-9). As both Overton (1984, 131; 1996a, 12) and Williamson (2002, 165) note, one of the key problems in the analysis of historical data has been that animal output and improvements in livestock are difficult to measure. Crucially, zooarchaeological evidence has the potential to redress this problem.

The zooarchaeology of ‘improvement’

Introduction

From a methodological standpoint there are two principal means by which zooarchaeological data can be used to explore the issue of ‘improvement’: through the examination of changes in the conformation (size and shape) of animals, as established through the measurement of particular skeletal elements, and through the analysis of mortality profiles.

As Reitz and Ruff (1994, 699) note, animal body size is controlled by the complex interplay of both genotypic (genetic) and phenotypic (environmental) factors. In domestic animals, for example, previous archaeological studies have shown how the conformation of animals can be influenced by environmental adaptation and geographical origin (e.g. Cossette and Horard-Herbin 2003; Reitz and Ruff 1994) and

husbandry strategies (e.g. Higham and Message 1969). Analysis of medieval and post-medieval fauna from Britain has also demonstrated that size and shape change can provide a proxy indicator of deliberate attempts to ‘improve’ animal productivity (Albarella 1997; Davis 1997; Davis and Beckett 1999). In the latter context, biometrical analyses can provide indications of the causes of change since tooth size is largely dictated by genotype and is less affected by environmental conditions during development, while the size of the post-cranial skeleton can be influenced by both genotypic and phenotypic factors. In effect, an increase in the size of skeletal elements, in the absence of a size change in teeth, might signify an ‘improvement’ in nutritional intake, while any change in the size of teeth could be a consequence of selective breeding or the introduction of new stock.

Analyses of ageing data also have the potential to identify animal ‘improvement’ since animals that fattened quicker may have been slaughtered at an earlier age - a development that would have facilitated an increased supply in meat. Such an interpretation requires the assumption that skeletal maturation (i.e. epiphyseal closure and dental eruption) was decoupled from flesh growth rates through selective breeding. While historical evidence indicates that this had occurred by the 18th century, with Bakewell’s new breeds of sheep being slaughtered at two years of age (Beckett 1990, 25; Chambers and Mingay 1966, 67), Daniel Defoe, who published a three-volume travel guidebook to Britain in the 1720s, noted that bullocks and sheep fattened very slowly (around four years of age) (Chambers and Mingay 1966, 67). Thus, if the historical evidence is reliable, it seems unlikely that the separation of skeletal development and soft-tissue mass occurred prior to the 18th century.

Moreover, while changes in mortality profiles are identifiable through the analysis of

epiphyseal closure and tooth eruption and wear data, these may be affected by a range of other husbandry decisions, such as increasing consumer demand for tender meat; the emergence of more specialised farming (such as dairying and veal production); or changing emphasis on particular products (such as those required for the wool and cloth trade).

A supplementary means by which selective breeding might be identifiable is through the presence of certain congenital traits, such as the absent hypoconulid (third pillar) in cattle and sheep lower third molars (Miles and Grigson 1990), or the congenital absence of the second premolar (Andrews and Noddle 1975). Although it is hypothesised that these conditions might provide indications of gene flow, the full potential of this technique is yet to be fully realised (O'Connor 2000, 122).

While the benefits of these approaches are clear, such data must not be interpreted uncritically. Firstly, we have to question the extent to which a change in the conformation of domestic animals in later medieval and post-medieval Britain is a marker of increased productivity. If we consider the statement made by Gervase Markham (a late 16th- /early 17th-century writer and poet) that “the larger that every cow is, the better she is” (cited in Davis and Beckett 1999, 13), then such an assumption would appear valid. Furthermore, by the 16th century, substantially built Dutch cows were being imported into various parts of England for breeding (Trow-Smith 1957, 203). However, we must consider the evidence presented by Kerridge (1967, 313-314) who, in discussing the new stock associated with the Agricultural

Revolution, noted that while the Midland Plain pasture sheep produced large quantities of mutton and wool, the animals had shorter legs. It is equally possible that other 'improvements' may have had no discernible impact on the conformation of the skeleton, but resulted in developments of other desired characteristics, such as increased milk production, or finer quality meat or wool. Finally, it should be noted that 'improvement' in one commodity might have resulted in deterioration of other aspects of the animal. For example, while Bakewell's New Longhorn cattle were more fatty, they produced less milk and, despite their superior growth rate, his New Leicester sheep were unsuited to exposed environments (Beckett 1990, 24).

Clearly, the zooarchaeological data are not unproblematic, but integrated with other lines of evidence they provide a potentially valuable source of information regarding 'improvements' in animal husbandry in medieval and post-medieval Britain. In the following sections previous and new approaches to this theme of investigation are considered.

Previous research

In the late 1990s a number of zooarchaeological studies were published regarding the timing and nature of improvements in animal husbandry in later medieval and post-medieval England. By plotting histograms of measurements of specific bones, an increase in the size of cattle and sheep between the 15th and 17th centuries was observed on a number of sites (Davis and Beckett 1999, table 2). The size increase in

cattle appears to have been rather sudden, for sheep it was a much more gradual phenomenon, while ‘improvements’ in pig and domestic fowl were not observed before the 17th century (Albarella 1997, 21). For the most part, this evidence consisted of post-cranial bone data, however, evidence from Launceston Castle, Cornwall (Albarella and Davis 1996), and Castle Mall, Norwich (Albarella *et al.* 1997) (figure 1), also revealed an increase in the size of cattle and sheep teeth. Thus, it was argued that the variation was at least partly a consequence of the introduction of new stock or artificial selection. This evidence was initially used to support the argument of historians such as Kerridge, that the Agricultural Revolution occurred earlier than originally supposed (e.g. Davis 1997, 413), although a later reinterpretation resulted in a more tempered perspective: “agricultural improvements were already underway in the 15th and 16th centuries, and ... improvement in animal husbandry should be viewed more as a long term and gradual development ... rather than a revolutionary one” (Davis and Beckett 1999, 14).

New evidence

We can turn now, however, to a sizeable body of faunal material, which has the scope to expand some of this earlier work and raise further questions concerning the timing and nature of improvements in animal husbandry. Specifically, we can examine the large assemblage of animal bones from Dudley Castle, West Midlands (figure 1).

The medieval market town of Dudley is situated 15km north-west of Birmingham. Excavations were carried out at the castle there between 1983 and 1993 after growing concern that modern pollution, together with natural weathering, had left many of the

friable sandstone structures of the castle in danger of collapse (Boland 1984). During the excavation ten phases of activity were identified stretching from the 11th to the 18th century (Thomas 2002; forthcoming). The faunal assemblage totalled over 15'000 fragments of bones recorded using a 'one zone per bone' strategy (Davis 1992). While the animal bones were largely dominated by domestic taxa, the high proportions of wild mammals, particularly deer, and wild birds, testify to the high status nature of consumption at the site (Thomas 2002; forthcoming).

Figures 2-5 illustrate some of the biometrical data from this site for cattle, sheep, and pig and domestic fowl. The log ratio method has been partly employed in this analysis because it permits the combination of different measurements of the same species onto the same axis, thus increasing the size of biometrical datasets (Albarella 2002; Meadow 1999). In essence, the technique involves converting all measurements to logarithms. A single specimen, or group of specimens, is then chosen as a standard for comparison (see figure legends); in this study, however, it is the relationship between the data from different phases of the site, rather than the comparison of the data values against the standard, that is of interest. The log ratio is calculated by subtracting the log of each measurement from the log of the standard. A log ratio of zero implies the measurement is the same size as the standard, a positive value implies that it is larger, and a negative value that it is smaller. Measurements from bones and teeth were not combined because, as Albarella (2002, 54) notes, teeth respond differently than post-cranial bones to environmental conditions, sex and age. Where the sample sizes permitted, measurements taken along the same plane, i.e. lengths, widths and depths, were also considered together, because biometrical studies have demonstrated that these are highly correlated (see, for example, Davis 1996). For

sheep (figure 3), all measurements have been combined on the same axis because of the small sample sizes. All measurements were taken on adult bones using Vernier calipers, following the standards published by von den Driesch (1976), Bull and Payne (1988) and Davis (1992).

Scrutiny of these diagrams reveals that a substantial, and statistically significant, increase in the size of cattle, sheep, pig and domestic fowl, occurred sometime around the middle of the 14th century (figures 2-5, 7). More detailed analysis of the biometrical data from Dudley Castle (Thomas 2002; forthcoming) has revealed that for cattle, and domestic fowl, the size change affected all three anatomical planes (height, width and depth). Consequently, for these species at least, it is not possible to link the change in conformation to any shift in the sexual composition of the stock; no change in the relative proportion of males, females or castrates, would result in an increase in all dimensions (e.g. Fock 1966; Higham 1969; Thomas 1988). The unfortunate paucity of measurable sheep and cattle teeth from the site (Thomas 2002) makes it difficult to determine whether the size change only affected post-cranial bones. In pigs, however, it is clear that the size increase is at least partly genetically controlled (figure 4). In later post-medieval phases at the site, there was virtually no other biometrical variation (Thomas 2002; forthcoming).

At face value, this evidence would suggest that the ‘improvement’ of most domestic livestock was occurring, at least at this one site, from as early as the middle of the 14th century. While the temptation exists to associate these quite dramatic changes with an earlier incarnation of the Agricultural Revolution (*sensu* Davis 1997), which

became manifest at other sites at a slightly later date (Davis and Beckett 1999, table 2), the data for later post-medieval sites require consideration, since the observations noted at Dudley Castle may instead reflect entirely different phenomena.

Unfortunately, there is a marked paucity of excavated and published faunal assemblages dating from the later 18th and 19th centuries - the period when historical sources inform us that productivity expanded quickly and sustainably.

Later post-medieval (i.e. 17th – 19th century) assemblages of animal bones have often been neglected. Not only are they often sacrificed at the expense of the ‘more interesting’ earlier periods but they are also frequently truncated by later development and affected by problems of residuality (Thomas 1999, 342). As Davis and Beckett (1999, 6) note, we also have to contend with the fact that waste management was much more effective in this period. Indeed, comparison of the percentage of gnawed bones (which can provide a proxy indicator of redeposition) from 19th-century deposits at Stafford Castle (2%) with earlier dated deposits at Dudley Castle (11-37%) provides some support for this interpretation (Thomas 2002; 2003). Sample sizes from these later sites also tend to be small, although the application of scaling techniques for biometrical analysis (Albarella 2002; Meadow 1999) can be used to overcome such problems.

A recent study of the animal bones from 19th- and 20th-century deposits at Stafford Castle was undertaken to attempt to redress this gap (Thomas 2003). This site is particularly useful since it is located only 40km from Dudley Castle (figure 1). Unfortunately, only sheep provided a sufficiently large dataset for detailed

biometrical analysis. However, examination of these data demonstrate that the 19th century sheep were somewhat larger on average than those from slightly earlier dating deposits at Dudley Castle (Thomas 2002; forthcoming) and Launceston Castle (Albarella and Davis 1996), although those from Lincoln (Dobney *et al.* n.d.) were marginally bigger (Figures 6-7). The fact that the sheep from Lincoln were larger may reflect regional variation – a phenomenon that has its origins in the early post-medieval period (e.g. Albarella 1997). However, the fact that the Stafford Castle sheep were larger than the sheep from Dudley Castle might suggest that new breeds of sheep were introduced into the region, or that existing sheep were improved, sometime in the later 18th or 19th century.

Discussion

A slowly growing body of zooarchaeological evidence indicates that agricultural practice was changing from the 14th century onwards, although there was some regional variation, with outlying sites generally experiencing later developments than more central localities (Davis 1997; Davis and Beckett 1999). Moreover, in some places (such as Dudley Castle), the change in size seemingly occurs over a short period of time, while at other sites it is a much more gradual affair, such as Launceston Castle, Cornwall (Albarella and Davis 1996).

Clearly, the data from Dudley Castle reveal a fairly dramatic change in animal size in the 14th century, but does this represent an earlier incarnation of the ‘Agricultural Revolution’? As noted above, this term was coined to describe a period (1760-1830)

which saw “the agricultural sector of the economy [move] to a new level of productivity, which it was able to sustain” (Beckett 1990, ix). It affected the whole of farming, not just one particular sector (Beckett 1990, ix). Overton (1996a, 3) outlines three criteria by which revolutions in agricultural practice might be identifiable:

- a variety of changes in farming techniques, including the introduction of new crops, new husbandry techniques, and the improvement of livestock;
- the ability to feed a growing population;
- an increase in productivity.

The increase in the size of the principal domesticates may be a fairly good indicator of the introduction of ‘improved’ livestock. However, this by no means satisfies the three criteria outlined above, particularly since the 14th century was anything but a period of population growth. As Mingay (1989, 481) notes, at best “the time period involved stretches the term ‘Agricultural Revolution’ to little more than a convenient label”. Rather than try and associate the changes evident in the zooarchaeological assemblage at Dudley Castle with any particular ‘revolution’, it is more valuable to view the changes that occurred in the nature of animal husbandry in the light of existing historical evidence for the period (Thirsk 1987, 57-8).

The most plausible hypothesis to account for the pattern witnessed at Dudley Castle is that it reflects changes in agricultural and tenorial organisation in the post-Black Death period, coupled with change in the environmental landscape. Following the demographic decline in the wake of a host of disasters in 14th-century England, there is some evidence to suggest that agricultural improvement became a more pressing

issue. In the earlier medieval period, the rising population had led to an expansion of arable farming and forced sheep and cattle to graze on more marginal lands. However, following the Black Death (caused by Bubonic Plague spread by rat-borne infected fleas initially in 1348-1350) the demand to feed an expanding population had dissipated and the market in grain crashed. Animal husbandry thus became a more viable alternative and, while much more land intensive, it was much less labour intensive, thus suiting the prevailing socio-economic conditions (Hopcroft 1994, 1576). It is for this reason that a dramatic rise in the conversion of arable to pasture (and thus the movement of animals off more marginal land to which they had been previously restricted) occurred in this period which, alongside increased land-holdings and an expansion in enclosure, allowed greater control to be exercised over the food intake of animals and breeding (Dyer 1981; Hopcroft 1994; Williamson 2002). With respect to pigs, a widespread decline in numbers on archaeological sites, together with the greater consumption of neonatal animals, and the increase in size (enabled through greater control over breeding and nutrition) appears to be characteristic of a move towards sty farming (Thomas 2002; forthcoming). In the early medieval period, it would have been possible to keep large herds of pigs within woodland, in a semi-feral state, inter-breeding with local populations of wild boar. Following extensive woodland clearance, particularly in the 12th-14th centuries (e.g. Rackham 1986, 88), however, the keeping of such large populations of pigs would have been a less viable option. After the Black Death, there would have also been more underused waste land on which pigs could root which, together with a decline in woodland management, may have further accelerated the move towards sty-feeding (Chris Dyer pers. comm.).

Following the events of the mid- to late-14th century, there was also an increasing move away from direct management, towards leasing for cash rents, as landlords sought to minimise economic loss. A consequence of this, coupled with increasing wage demands in this period, was a downward social distribution of access to land (Dyer 1981). Since these new landowners were leasing for cash rent, they may have been more interested in enhancing the profitability of their stock, which may in turn have led to improvements in animal husbandry. As Dyer (1997, 306) notes, “in some circumstances lords could have acted as a drag on change”. Moreover, peasants who became landowners in this period are likely to have been in more “intimate contact” with the animals and better able to take “technological initiatives” (Dyer 1997, 308; see also Allen 1991, 252). Why, in either case, the evidence for similar changes in animal husbandry practice in the same period has not been identified elsewhere is curious, particularly since the communal grazing of the open field system in the Midlands is more likely to have inhibited stock breeding (Hopcroft 1994, 1581). The possibility exists, however, that landowners in this region were pioneering technological advances, which may have taken centuries to become established in other areas (Thomas forthcoming).

From the 15th century onwards a greater number of factors were influencing the development of animal husbandry. These included:

- Increasing population;
- freeing up of cattle as traction animals with the increased use of horses for ploughing;
- increasing agricultural specialisation (veal and dairy production);

- expansion and contraction of the wool and cloth industries (Albarella 1997).

By the 18th and 19th centuries the need to feed a rapidly expanding and industrialised population must have exerted further pressures on animal resources. Overton (1996a, 75) indeed suggests that there was an increase in meat production of the order of 150% and of 250% for dairy produce in this period. Moreover, Turner *et al.* (2001, 174-207) demonstrate that a significant increase in carcass weights occurred in the 19th century. This might partly reflect selective breeding, but the period also witnessed the emergence of better housing for animals and the more widespread use of different fodder - e.g. oil-cakes, clover, and turnips - as well as well drained pasture (Williamson 2002, 166). Unfortunately, the extent to which these historically-attested productivity increases are visible in the zooarchaeological record is precluded by a paucity of evidence. Tentative evidence from Stafford Castle, noted above, would suggest that, at least in some regions, this 'improvement' was reflected in the skeletons of certain animals. However, the increase in size appears to reflect a continuum of development from the 14th century rather than any particular 'revolution'.

Conclusions

The debate regarding the existence, timing and nature of animal improvements in the later medieval and post-medieval periods is ongoing. While it is difficult to be certain that an increase in the size of animals is a sufficiently good marker of improvement,

agriculture was certainly not static in the later medieval and post-medieval periods. The animal bone data would tend to support Beckett (1990), that particular regions followed their own trajectories of development, and that change in animal husbandry was a much more diverse and gradual process, thus calling the “grand historical narrative” into further question (e.g. Johnson 1996, 5). At Dudley Castle, ‘improvements’ in animal husbandry appear to have been occurring from at least the later 14th century as a consequence of the changing agricultural and tenorial landscape. Such changes are not currently archaeologically visible elsewhere until the 15th and 16th centuries, although it is likely that the stimulus for improvement at any site would have reflected a combination of local, regional and national environmental and socio-economic conditions. This evidence provides some support for the 19th-century writings of John Burke, who defines the period during the reign of Edward III (1326-1377) as the “dawn of general agricultural improvement”, and contended that these changes continued through the 15th and 17th centuries (Davis 1997, 414). The data from Stafford Castle would suggest that improvements in animal husbandry did indeed occur in the 19th century. However, the extent to which these can be called ‘revolutionary’ is difficult to establish, given the paucity of animal bone assemblages from this crucial period across Britain. Without the collection, analysis and publication of much more raw biometrical and ageing data from later post-medieval sites this issue will remain frustratingly unresolved. Only with of a sufficiently large dataset from this period, will it be possible to critically examine the archaeological visibility of the historically-attested productivity increases associated with the traditionally dated Agricultural Revolution.

Acknowledgements

This paper was original presented at the Contemporary and Historical Archaeology in Theory (CHAT) conference in November 2004 at the University of Leicester, UK. I would like to thank Neil Christie, Sarah Tarlow, Marilyn Palmer and the two anonymous referees for their helpful comments on earlier versions of this paper, and Joe Skinner for producing figure 1. I would also like to thank the University of Leicester for granting me a period of study leave to complete this research.

References

- Albarella, U. (1997). Size, power and veal: zooarchaeological evidence for late medieval innovations. In de Boe, G. and Verhaeghe, F. (eds.), *Environment and Subsistence in Medieval Europe: Papers of the 'Medieval Europe Brugge 1997' Conference Volume 9*, I.A.P. Rapporten 9, Zellik, pp. 19-30.
- Albarella, U. (2002). 'Size matters': how and why biometry is still important in zooarchaeology. In Dobney, K. and O'Connor, T. P. (eds.), *Festschrift for Don Brothwell*, Oxbow Books, Oxford, pp. 51-62.
- Albarella, U. and Davis, S. (1996). Mammals and birds from Launceston Castle, Cornwall: decline in status and the rise of agriculture. *Circaea* **12**: 1-156.
- Albarella, U., Beech, M., and Mulville, J. (1997). *The Saxon, Medieval and Post-Medieval Mammal and Bird Bones Excavated 1989-1991 from Castle Mall, Norwich, Norfolk*, Ancient Monuments Laboratory report 72/97, London.
- Allen, R. C. (1991). The two English Agricultural Revolutions, 1450-1850. In Campbell, B., and Overton, M. (eds.), *Land, Labour and Livestock: Historical Studies in European Agricultural Productivity*, Manchester University Press, Manchester, pp. 236-254.

Andrews, A., and Noddle, B. (1975). Absence of premolar teeth from ruminant mandibles found at archaeological sites. *Journal of Archaeological Science* **2**: 137-144.

Armitage, P. (1977). *The Mammalian Remains from the Tudor site of Baynard's Castle London. A Biometrical and Historical Analysis*, Unpublished Ph.D. thesis, Royal Holloway College / British Museum of Natural History, London.

Beckett, J. V. (1990). *The Agricultural Revolution*, Basil Blackwood Ltd, Oxford.

Boland, P. (1984). Dudley Castle Archaeological Project - First Interim Report (1983-1984). *West Midlands Archaeology* **27**: 1-20.

Bull, G. and Payne, S. (1988). Components of variation in measurements of pig bones and teeth, and the use of measurements to distinguish wild from domestic pig remains, *Archaeozoologia* **2**: 27-65.

Campbell, B. M. S. (2000). *English Seigniorial Agriculture, 1250-1450*, Cambridge University Press, Cambridge.

Campbell, B. M. S., and Overton, M. (1993). A new perspective on medieval and early modern agriculture: six centuries of Norfolk farming, c.1250-c.1850. *Past and Present* **141**: 38-105.

Chambers, J. D. and Mingay, G. E. (1966). *The Agricultural Revolution 1750-1880*, B T Batsford Ltd., London.

Cossette, E. and Horad-Herbin, M-P. (2003). A contribution to the morphometrical study of cattle in Colonial North America. *Journal of Archaeological Science* **30**: 263-274.

Davis, S. J. M. (1987). *Prudhoe Castle. A Report on the Animal Remains*, Ancient Monuments Laboratory report 162/87, London.

Davis, S. J. M. (1992). *A Rapid Method for Recording Information about Mammal Bones from Archaeological Sites*, Ancient Monuments Laboratory report 19/92, London.

Davis, S. J. M. (1996). Measurements of a group of adult female Shetland sheep skeletons from a single flock: a baseline for zooarchaeologists. *Journal of Archaeological Science* **23**: 593-612.

Davis, S. J. M. (1997). The Agricultural Revolution in England: some zooarchaeological evidence. *Anthropozoologica* **25/26**: 413-428.

Davis, S. J. M., and Beckett, J.V. (1999). Animal husbandry and agricultural improvement: the archaeological evidence from animal bones and teeth. *Rural History* **10**: 1-17.

Dyer, C. C. (1981). *Warwickshire Farming 1349-c.1520: Preparations for Agricultural Revolution*. Dugdale Society Occasional Papers No. 27, Oxford.

Dyer, C. C. (1997). Medieval farming and technology: conclusion. In Astill, G. and Langdon, J. (eds.), *Medieval Farming and Technology: The Impact of Agricultural Change in Northwest Europe*, Brill, Leiden, pp. 293-312.

Dobney, K., Jaques, S. D., and Irving, B. G. (n.d). *Of Butchers and Breeds: Report on Vertebrate Remains from Various Sites in the City of Lincoln*, Lincoln Archaeological Studies No. 5. Technical Print Services, Nottingham.

Driesch, A. von den. (1976). *A Guide to the Measurement of Animal Bones from Archaeological Sites*, Peabody Museum Bulletin 1, Harvard University.

Ernle, Lord (1912). *English Farming Past and Present*, Longmans, Green & Co., Ltd, London.

Fock, J. (1966). *Metrische Untersuchungen an Metapodien einiger Europäischer Rinderrassen*, Unpublished dissertation, University of Munich, Munich.

Gidney, L. J. (1991a). *Leicester, The Shires 1988 Excavations: The Animal Bones from the Medieval Deposits at St Peter's Lane*, Ancient Monuments Laboratory report 116/91, London.

Gidney, L. J. (1991b). *Leicester, The Shires 1988 Excavations: The Animal Bones from the Post-Medieval Deposits at St Peter's Lane*, Ancient Monuments Laboratory report 131/91, London.

Grant, A. (1985). The large mammals. In Cunliffe, B., and Munby, J. (eds.), *Excavations at Portchester Castle IV. Medieval, the Inner Bailey*, Reports of the Research Committee, Society of Antiquaries of London 34, London, pp. 244-256.

Grant, A. (1988). Animal resources. In Astill, G., and Grant, A. (eds.), *The Countryside of Medieval England*, Basil Blackwell Ltd., Oxford, pp. 149-187.

Higham, C. (1969). The metrical attributes of two samples of bovine limb bones. *Journal of Zoology, London* **157**: 63-74.

Higham, C. and Message, M. (1969). An assessment of a Prehistoric technique of bovine husbandry. In Brothwell, D. and Higgs, E. (eds.), *Science in Archaeology: A*

Survey of Progress and Research (second edition), Thames and Hudson, London, pp. 315-330.

Hopcraft, R. L. (1994). The social origins of agrarian change in late medieval England. *The American Journal of Sociology* **99** (6): 1559-1595.

Johnson, M. (1996). *An Archaeology of Capitalism*, Blackwell Publishers Ltd., Oxford.

Kerridge, E. (1967). *The Agricultural Revolution*, Allen and Unwin, London.

Kerridge, E. (1969). The Agricultural Revolution reconsidered. *Agricultural History* **43**: 463-476.

Maltby, M. (1979). *The Animal Bones from Exeter 1971-1975*, Exeter Archaeological Reports 2, Sheffield.

Maltby, M. (1982). Animal and bird bones. In Higham, R. A., Allan, J. P., and Blaylock, S. R. (eds.), *Excavations at Okehampton Castle, Devon*, *Devon Archaeological Society* **40**: 114-135.

Meadow, R. (1999). The use of size index scaling techniques for research on archaeozoological collections from the Middle East. In Becker, C., Manhart, H., Peters, J. and Schibler, J. (eds.), *Historia Animalium ex Ossibus. Festschrift für Angela von den Driesch*, Verlag Marie Leidorf GmbH, Rahden/Westf, pp. 285-300.

Miles, A. E. W., and Grigson, C. (1990). *Colyer's Variations and Diseases of the Teeth of Animals*, Cambridge University Press, Cambridge.

Mingay, G. E. (1969). Dr. Kerridge's "Agricultural Revolution": a comment. *Agricultural History* **42** (4): 477-482.

Mingay, G. E. (1989). *The Agrarian History of England and Wales Volume VI, 1750-1850*, Cambridge University Press, Cambridge.

Murray, E. and Albarella, U. (2000). *Mammal and Bird Bone Excavated 1997-8 from Dragon Hall, Norwich, Norfolk*, Birmingham University Field Archaeology Unit Project No. 715, Birmingham.

Noddle, B. (1995). The mammal bones. In Lewis, J. M. (ed.), *Excavations at Loughor Castle, West Glamorgan 1969-1973*, *Archaeologia Cambrensis* **142**: 159-171.

O'Connor, T. P. (2000). *The Archaeology of Animal Bones*, Sutton Publishing, Stroud.

Overton, M. (1984). Agricultural revolution? Development of the agrarian economy in early modern England. In Baker, A. R. H., and Gregory, D. (eds.), *Explorations in Historical Geography: Interpretative Essays*, Cambridge University Press, Cambridge, pp.118-235.

Overton, M. (1996a). Re-establishing the English Agricultural Revolution. *Agricultural History Review* **44**: 1-34.

Overton, M. (1996b). *Agricultural Revolution in England: The Transformation of the Agrarian Economy 1500-1850*, Cambridge University Press, Cambridge.

Rackham, O. (1986). *The History of the Countryside: The Classic History of Britain's Landscape, Flora and Fauna*, Dent, London.

Reitz, E. and Ruff, B. (1994). Morphometric data for cattle from North America and the Caribbean prior to the 1850s. *Journal of Archaeological Science* **21**: 699-713.

Thirsk, J. (1987). *England's Agricultural Regions and Agrarian History in England, 1500-1700*, Macmillan Education, Basingstoke.

Thomas, R. N. W. (1988). A statistical examination of criteria used in sexing cattle metapodials. *Archaeozoologia* **2**: 83-92.

Thomas, R. (1999). Feasting at Worcester Cathedral in the seventeenth century: a zooarchaeological and historical approach. *Archaeological Journal* **156**: 342-358.

Thomas, R. (2002). *Animals, Economy and Status: The Integration of Historical and Zooarchaeological Data in the Study of a Medieval Castle*, Unpublished Ph.D. thesis, University of Birmingham.

Thomas, R. (2003). The 19th - 20th century animal bones from Stafford Castle: an educational collection and a zooarchaeological investigation, Unpublished report.

Thomas, R. (forthcoming). *Animals, Economy and Status: The Integration of Historical and Zooarchaeological Data in the Study of Dudley Castle, West Midlands (c.1100-1750)*, BAR British Series, Archaeopress, Oxford.

Trow-Smith, R. (1957). *A History of British Livestock Husbandry to 1700*, Routledge and Kegan Paul, London.

Turner, M. E., Beckett, J. V., and Afton, B. (2001). *Farm Production in England 1700-1914*, Oxford University Press, Oxford.

Verhulst, A. (1990). The “Agricultural Revolution” of the Middle Ages Reconsidered.
In Bachrach, B. S., and Nicholas, D. (eds.), *Law, Custom and the Social Fabric of
Medieval Europe: Essays in Honor of Bryce Lyon*, Medieval Institute Publications,
Western Michigan University, Michigan, pp.17-28.

Williamson, T. (2002). *The Transformation of Rural England: Farming and the
Landscape 1700-1870*, University of Exeter Press, Exeter.

Figure Captions

1 – Map of archaeological sites referred to in the text.

2 – Log ratios of cattle width measurements at Dudley Castle by phase. The standard is derived from measurements taken on 15th century cattle bones from Launceston Castle (Albarella and Davis 1996). An arrow indicates the mean of each data set. Measurements included: tibia Bd; astragalus GL1, Bd, Dl; (after von den Driesch 1976); humerus BT, HTC (after Bull and Payne 1988); metapodial GL, SD, Bd, a, b, 1, 3, 4 (after Davis 1992).

3 – Log ratios of sheep post-cranial measurements at Dudley Castle by phase. The standard is derived from a modern flock of Shetland sheep (Davis 1996). An arrow indicates the mean of each dataset. Measurements included: humerus GLC, SD; radius GL, SD; tibia GL, SD, Bd; femur GLC, SD; calcaneum Gl; astragalus GL1, Bd, Dl (after von den Driesch 1976); humerus BT, HTC (after Bull and Payne 1988); metapodial GL, SD, Bd, a, b, 1, 3, 4 (after Davis 1992).

4 – Log ratio histograms of pig tooth width measurements at Dudley Castle by phase. The standard is based on a Neolithic population of pigs from Durrington Walls (Albarella and Payne 1993). An arrow indicates the mean of each dataset.

5 – Histograms of domestic fowl femur Bd measurements at Dudley Castle by phase. An arrow indicates the mean of each dataset.

6 – Log ratio diagrams of sheep post-cranial bones from a range of post-medieval sites. The standard is derived from a modern flock of Shetland sheep (Davis 1996). An arrow indicates the mean of each data set. Measurements included: tibia Bd; calcaneum Gl; astragalus GL1, Bd, Dl (after von den Driesch 1976); humerus BT, HTC (after Bull and Payne 1988).

7 – Student T-test analyses of data presented in figures 2-6.

Key: '*' = statistically significant ($P < 0.05$); '**' = statistically highly significant ($P < 0.01$).

Figure 2

Figure 3

Figure 4

Figure 5

Figure 6

	T-stat	Probability	
Cattle width measurements (Dudley Castle (1262-1321) – (1321-1397))	-3.6743	0.0003	**
Sheep post-cranial bone measurements (Dudley Castle (1262-1321) – (1321-1397))	-4.1222	0.0001	**
Pig tooth width measurements (Dudley Castle (1262-1321) – (1321-1397))	-9.1814	0.0000	**
Domestic fowl femur measurements (Dudley Castle (1262-1321) – (1321-1397))	-2.3564	0.0263	*
Sheep post-cranial bones (Stafford Castle (c.1800-1900) – Dudley Castle (1533-1750))	5.77	0.0000	**
Sheep post-cranial bones (Stafford Castle (c.1800-1900) – Launceston Castle (1660-1840))	2.89	0.0041	**
Sheep post-cranial bones (Stafford Castle (c.1800-1900) - Lincoln (1700-1850))	-2.40	0.0177	*

Figure 7