

Supplemental Material S4. Binomial logistic regression results for if a diagnosis of cerebral palsy was known at the time of the first audiology encounter.

	B	SE	Wald	df	p	OR	95% CI for OR	
							Lower	Upper
Age at Encounter	.383	.026	221.369	1	<.001	1.467	1.394	1.542
Organization			45.803	2	<.001			
BCH	.956	.164	33.793	1	<.001	2.602	1.885	3.591
VUMC	-.280	.135	4.317	1	.038	.755	.580	.984
Race			6.946	4	.139			
Asian	.139	.259	.290	1	.590	1.149	.692	1.908
Black	.176	.123	2.066	1	.151	1.193	.938	1.517
Indigenous	.361	.957	.142	1	.706	1.435	.220	9.367
Other	.388	.158	6.028	1	.014	1.475	1.081	2.011
Sex (Male)	.043	.103	.178	1	.673	1.044	.854	1.278
Ethnicity			3.903	2	.142			
Hispanic/Latino	.154	.183	.702	1	.402	1.166	.814	1.670
Other	-.313	.187	2.796	1	.095	.731	.507	1.055
Total	-.006	.053	.011	1	.916	.994	.897	1.103
Conditions								
First Billing Age	-.264	.030	77.725	1	<.001	.768	.725	.815
Constant	-1.218	.184	43.803	1	<.001	.296		

The number of correctly predicted not known cases = 733 (76.6%)

The number of correctly predicted known cases = 758 (67.0%)

N = 2,089