

Git Workflows





Patricia Grubel

Los Alamos National Laboratory

James M. Willenbring Sandia National Laboratories

Jared O'Neal Argonne National Laboratory

Better Scientific Software Tutorial, SC20, November 2020



See slide 2 for license details

LA-UR-20-27704





License, Citation and Acknowledgements

License and Citation



- This work is licensed under a CC BY 4.0).
- The requested citation the overall tutorial is: David E. Bernholdt, Anshu Dubey, Patricia A. Grubel, Rinku K.
 Gupta, Better Scientific Software tutorial, in SC '20: International Conference for High Performance Computing,
 Networking, Storage and Analysis, online, 2020. DOI: 10.6084/m9.figshare.12994376
- Individual modules may be cited as Speaker, Module Title, in Better Scientific Software tutorial...

Acknowledgements

- Additional contributors include: Mike Heroux, Alicia Klinvex, Mark Miller, Jared O'Neal, Katherine Riley, David Rogers, Deborah Stevens, James Willenbring
- This work was supported by the U.S. Department of Energy Office of Science, Office of Advanced Scientific Computing Research (ASCR), and by the Exascale Computing Project (17-SC-20-SC), a collaborative effort of the U.S. Department of Energy Office of Science and the National Nuclear Security Administration.
- This work was performed in part at the Argonne National Laboratory, which is managed by UChicago Argonne, LLC for the U.S. Department of Energy under Contract No. DE-AC02-06CH11357.
- This work was performed in part at the Oak Ridge National Laboratory, which is managed by UT-Battelle, LLC for the U.S. Department of Energy under Contract No. DE-AC05-00OR22725.
- This work was performed in part at the Lawrence Livermore National Laboratory, which is managed by Lawrence Livermore National Security, LLC for the U.S. Department of Energy under Contract No. DE-AC52-07NA27344.
- This work was performed in part at the Los Alamos National Laboratory, which is managed by Triad National Security, LLC for the U.S. Department of Energy under Contract No.89233218CNA000001
- This work was performed in part at Sandia National Laboratories. Sandia National Laboratories is a multi-mission laboratory managed and
 operated by National Technology and Engineering Solutions of Sandia, LLC., a wholly owned subsidiary of Honeywell International, Inc., for
 the U.S. Department of Energy's National Nuclear Security Administration under contract DE-NA0003525.





Content

- Brief explanation of Version Control with Git
- Git Workflow Mechanisms for Collaboration
 - Branches
 - Pull Requests
 - Forks
- Exposure to workflows of different complexity
- What to think about when evaluating different workflows
- Extra: Heat Equation Example Workflow





Goal

Development teams would like to use version control to collaborate productively and ensure correct code.





First Workflow

This process of collaborating via Git is called the Centralized Workflow


• See Atlassian/BitBucket for more information

"Simple" to learn and "easy" to use

Leverages local vs. remote repo dimension

Integration in local repo when local repos interact with remote repo

- What if you have many team members?
- What if developers only push once a month?
 - Lengthy development efforts without integrating
 - Occasional contributors
- What if team members works on different parts of the code?
- Working directly on master







Git Workflow Mechanisms for Collaboration

Branches

- Enable separate development for features or fixes on the same repo
- Enables different types of Workflows

Pull Requests

Enables code review and testing before merge

Forks

- Enables outside contributors that have read access only
- Controls on original repo remains with the team








Branches


Branches are independent lines of development

- Use branches to protect master branch
- Feature branches
 - Organize a new feature as a sequence of related commits in a branch
- Branches are usually combined or merged
- Develop on a branch, test on the branch, and merge into master
- Integration occurs at merge commits














Control Project Branch Complexity

- Workflow policy is needed
 - Project supported branches and workflows should not be unnecessarily complex
 - Individuals and sub-teams can leverage more complex models when advantageous
 - Descriptive names or linked to issue tracking system
 - Where do branches start and end?








Feature Branches


Extend Centralized Workflow

- Remote repo has commits A & B
- Bob pulls remote to synchronize local repo to remote
- Bob creates local feature branch based on commit B
- Commit C pushed to remote repo
- Alice pulls remote to synchronize local repo to remote
- Alice creates local feature branch based on commit C
- Both develop independently on local feature branches


Alice's Local Repository



Bob's Local Repository



Main Remote Repository (origin)









Feature Branch Divergence


Alice integrates first without issue

- Alice does fast-forward merge to local master
- Alice deletes local feature branch
- Alice pushes master to remote
- Meanwhile, Bob pulls master from remote and finds Alice's changes
- Merge conflict between commits D and E

Alice's Local Repository



Bob's Local Repository



Main Remote Repository (origin)







Feature Race Condition


Integration occurs on Bob's local repo

- Bob laments not having fast-forward merge
- Bob **rebases** local feature branch to latest commit on master
 - E based off of commit B
 - E' based off of Alice's commit I
 - E' is E integrated with commits C, D, F, G, I
- Merge conflict resolved by Bob & Alice on Bob's local branch when converting commit E into E'
- Can test on feature branch and merge easily and cleanly
- See <u>Atlassian/BitBucket</u> for a richer Feature Branch Workflow


Alice's Local Repository



Bob's Local Repository



Main Remote Repository (origin)








More Branches

Branches with infinite lifetime

- Base off of master branch
- Exist in all copies of a repository
- Each provides a distinct environment
 - Development vs. pre-production







Pull Requests

- Review and testing before merge
 - Alerts others about changes in branch before merge
 - Discussions ensue with possible follow up commits
 - Can request reviewer
- Set policies for merge





GitHub Forks

- A "fork" of a repository is a complete copy of another repository, inside a different GitHub account.
 - Forking requires read access to the main (often referred to as "upstream") repository
 - Forks of public repositories are public
 - Other users can be granted write access to your fork
 - You cannot fork a fork
 - Does not copy issues or pull requests
 - Use branches within your fork (do not modify master)
 - A pull request (GitLab uses "merge request") can be used to suggest changes to the upstream repository
 - Added benefit: pull requests from forks prevent huge numbers of branches on the upstream repository






Git Workflow Models of Different complexity

- Git Flow
- Github Flow
- Gitlab Flow
- Trilionos Workflow





Git Flow



- Full-featured workflow
- Increased complexity
- Designed for SW with official releases
- Feature branches based off of develop
- Git extensions to enforce policy
- How are develop and master synchronized?
- Where do merge conflicts occur and how are they resolved?

Author: Vincent Driessen

Original Blog: https://nvie.com/posts/a-successful-git-branching-model/

License: Creative Commons







GitHub Flow

http://scottchacon.com/2011/08/31/github-flow.html

- Published as viable alternative to Git Flow
- No structured release schedule
- Continuous deployment & continuous integration allows for simpler workflow

Main Ideas

- 1. All commits in master are deployable
- 2. Base feature branches off of master
- 3. Push local repository to remote constantly
- 4. Open Pull Requests early to start dialogue
- 5. Merge into master after Pull Request review





GitLab Flow

https://docs.gitlab.com/ee/workflow/gitlab_flow.html

- Published as viable alternative to Git Flow & GitHub Flow
- Semi-structured release schedule
- Workflow that simplifies difficulties and common failures in synchronizing infinite lifetime branches

Main Ideas

- Master branch is staging area
- Mature code in master flows downstream into pre-production & production infinite lifetime branches
- Allow for release branches with downstream flow
 - Fixes made upstream & merged into master.
 - Fixes cherry picked into release branch






Current Trilinos Workflow

Test-driven workflow

- Feature branches start and end with develop
- All changes to develop must come from GitHub pull requests
- Feature branches are merged into develop only after passing pull request test suite
- Change sets from develop are tested daily for integration into master

Workflow designed so that

- All commits in master are in develop
- Merge conflicts exposed when integrating into develop
- Merge conflicts never occur when promoting to master



Considerations for Choosing a Git Workflow

Want to establish a clear set of polices that

- results in correct code on a particular branch (usually master),
- ensures that a team can develop in parallel and communicate well,
- · minimizes difficulties associated with parallel and distributed work, and
- minimizes overhead associated with learning, following, and enforcing policies.

Adopt what is good for your team

- Consider team culture and project challenges
- Assess what is and isn't feasible/acceptable
- Start with simplest and add complexity where and when necessary





Extra: Demo for Heat Equation Example Workflow

- Fork repository (once)
- Clone the fork (once)
- Create and checkout branch
 - Base branch on current development or other appropriate version for each feature
- Modify and commit code
- Push change to fork
- Issue pull request to upstream repository
- Review pull request
- CI testing (covered in upcoming module)





Git Workflow for the Heat Equation Example

Developers

- Work on feature branches in their forks
 - Using forks requires contributors to have only read-access to primary repository
- Issue pull requests for changes
 - Natural opportunity to review and test all changes


Pull requests

- Are reviewed by at least one developer (not the author)
- Undergo CI testing prior to merging





Fork the Repository










Find the Path to Clone







Clone the fork; Create and Checkout a New Branch

```
[s988335:repos jmwille$ git clone git@github.com:jwillenbring/hello-numerical-world.git
Cloning into 'hello-numerical-world'...
[Enter passphrase for key '/Users/jmwille/.ssh/id_rsa':
  remote: Enumerating objects: 100% (102/102), done.
  remote: Counting objects: 100% (52/52), done.
  remote: Compressing objects: 100% (52/52), done.
  remote: Total 102 (delta 54), reused 94 (delta 50), pack-reused 0
  Receiving objects: 100% (102/102), 21.69 KiB | 120.00 KiB/s, done.
  Resolving deltas: 100% (54/54), done.
[s988335:repos jmwille$

[s988335:repos jmwille$ cd hello-numerical-world/
[s988335:hello-numerical-world jmwille$ git checkout -b issue-1000
Switched to a new branch 'issue-1000'
  s988335:hello-numerical-world jmwille$
```





Modify and Commit Code

```
s988335:hello-numerical-world jmwille$ vi README.md
s988335:hello-numerical-world jmwille$ git diff
diff -- git a/README.md b/README.md
index 3cd1a3c..b44c57e 100644
--- a/README.md
+++ b/README.md
@@ -22,7 +22,7 @@ is known as the _Diffusion Equation_ and also the [_Heat Equation_](https://en.w
### Simplifying Assumptions
-To make the problem tractable for this lesson, we make some simplifying assumptions...
+To make the problem tractable for this lesson, we make some simplifying assumptions:

    The thermal diffusivity, ![](http://latex.codecogs.com/gif.latex?%5Calpha),

    is constant for all _space_ and _time_.
s988335:hello-numerical-world jmwille$
[s988335:hello-numerical-world jmwille$ git add README.md
[s988335:hello-numerical-world jmwille$ git commit -m "replaced ... with :"
[issue-1000 1c3a901] replaced ... with :
1 file changed, 1 insertion(+), 1 deletion(-)
s988335:hello-numerical-world imwilles
```






Push Change to Fork

```
[s988335:hello-numerical-world jmwille$ git remote -vv
origin git@github.com:jwillenbring/hello-numerical-world.git (fetch)
origin git@github.com:jwillenbring/hello-numerical-world.git (push)
[s988335:hello-numerical-world jmwille$ git branch
* issue-1000
  main
[s988335:hello-numerical-world jmwilles git push origin issue-1000
[Enter passphrase for key '/Users/jmwille/.ssh/id_rsa':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 310 bytes | 310.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
remote:
remote: Create a pull request for 'issue-1000' on GitHub by visiting:
             https://github.com/jwillenbring/hello-numerical-world/pull/new/issue-1000
remote:
remote:
To github.com:jwillenbring/hello-numerical-world.git
                     issue-1000 -> issue-1000
 * [new branch]
s988335:hello-numerical-world jmwille$
```






Issue Pull Request to Upstream Repository








Issue Pull Request to Upstream Repository







Review Pull Request







Contact GitHub Pricing API Training Blog About

© 2020 GitHub, Inc. Terms Privacy Security Status Help

CI Testing for PR

[EXTERNAL] Passed: jwillenbring/hello-numerical-world#1 (issue-1000 - 1c3a901)



This will be covered in the CI module



